

**\* APPLICATION FOR PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, F. P. Colgan (Name of applicant)  
of Route 9, Box 104, Salem, (Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Pringle Creek (Name of stream)  
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 384 ft. N. and 329 ft. E. from the SW  
corner of Sec. 2, T. 8 S., R. 3 W., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 2, Tp. 8 S.  
(Give smallest legal subdivision) (N. or S.)  
R. 3 W., W. M., in the county of Marion (E. or W.)

5. The \_\_\_\_\_ to be \_\_\_\_\_  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_,  
(Smallest legal subdivision) (N. or S.)  
R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam 4 feet, length on top 20 feet, length at bottom  
10 feet; material to be used and character of construction concrete ends  
(Loose rock, concrete, masonry,  
boards in center  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

sprinkler irrigation (7)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use 4 acres

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	3 W	2	SW $\frac{1}{4}$ SW $\frac{1}{4}$	4
Beginning at a point which is 337.57 feet East and 704.9 feet South 0° 21' West from the Southeast corner of the Donation Land Claim of F. R. Smith and wife in Township 8 South, Range 3 West of the Willamette Meridian in Marion County, Oregon, and from thence running South 0° 21' West parallel with the West boundary line of Section 2 in said Township and Range, 656.33 feet to the South boundary line of Lot 11, Morningside Out Lots, Marion County, Oregon, (See Vol. 3, Page 53 Record of Town Plats for said county and state); thence South 89° 38' East along the South boundary line of said Lot 11, 265.27 feet; thence North 0° 21' East parallel with the West boundary line of said Section, 657.35 feet to a point 9.65 feet South of the North boundary line of Lot 10 of Morningside Out Lots; thence West 265.27 feet to the place of beginning.				
(If more space required, attach separate sheet)				

(a) Character of soil .....

(b) Kind of crops raised pasture, garden, lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....



Application No. 23237

Permit No. 18303

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of June, 1948 at 11:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18303

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 U

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Pringle Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 23, 1948

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948

CHAS. E. STRICKLIN

STATE ENGINEER