

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Russell E. Boulby and Mildred I. Boulby
(Name of applicant)
of Rt. #1, Box 415 St. Helens, Ore.
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Milton Creek
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 250 gals. per hour.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation garden & yard
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 750 ft. S. and _____ ft. _____ from the NE
(N. or S.) (E. or W.)
corner of 1 T. 4 N. R. 2 W. W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 1, Tp. 4 N.,
(Give smallest legal subdivision) (N. or S.)
R. 2 W., W. M., in the county of _____
(E. or W.)

5. The pipe line to be 500 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 1, Tp. 4 N.,
(Smallest legal subdivision) (N. or S.)
R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Shallow well pump.
(Size and type of pump)
1/2 horse
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 1 in.; size at 500 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 15 or 20 ft. Is grade uniform? yes Estimated capacity, 250 gals. hr. -sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4	2	1		0.5
East 100 ft. of North 750 ft. of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec. 1, T. 4 N., R. 2 W., W.M.				
8. The description given, we got from the county office. Our deed reads as follows: Beginning at the Northeast corner of Section 1, Township 4 North of Range 2 West of the Willamette Meridian; thence West along the North line of said Section 100 feet to a point; thence South and parallel with the Easterly line of said Section 1 to the center of Milton Creek; thence down the center of Milton Creek to a point on the East line of said Section 1; thence North along the East line of said Section 1 to the place of beginning.				
Our tax card always designates the area as 1 acre more or less. The area we wish to irrigate is about half of the entire area or approximately one half acre.				

(If more space required, attach separate sheet)

(a) Character of soil LOAM

(b) Kind of crops raised Family garden and lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150.00
- 12. Construction work will begin on or before soon as approved
- 13. Construction work will be completed on or before 2 weeks after approval
- 14. The water will be completely applied to the proposed use on or before 30 days after approval

(Sgd) Russell E. Boulby
(Signature of applicant)
Mildred I. Boulby

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23248

Permit No. 18310

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of June, 1948 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18310

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 4 A

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 250 gallons per hour cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Milton Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 28, 1948

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948

CHAS. E. STRICKLIN

STATE ENGINEER