

CERTIFICATE NO. 21673

* APPLICATION FOR PERMIT

ASSIGNED, Sec Misc. Rec. Vol. 3 Page 10067

To appropriate the Public Waters of the State of Oregon

I, Garibaldi Corporation (Name of applicant) of P. O. Box 6245, Portland 9, (Mailing address) Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hobson Creek (Name of stream), a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is steam boilers, cooling equipment and other general industrial uses in sawmill and plywood plants. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2000 ft. (N. or S.) and 21 ft. (E. or W.) from the Northeast of meander corner of Sec. 21 and 22, T. 1 N. R. 10 W., W.M. corner of 1360.6 ft. Northeast corner to Secs. 15, 16, 21, and 22 of said twp. & range. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SW 1/4 of Sec. 15, Tp. 1 N., R. 10 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 2800 (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE 1/4 NE 1/4 NW 1/4 NW 1/4 of Sec. 22, Tp. 1 N., R. 10 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works— Small dam to divert water into pipe line— not over 3 or 4 feet in height

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, about 500 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	10 W	21	SE 1/4 NE 1/4	

Property on which water is to be used is a part of that more explicitly described by applicant as follows:
 The metes and bounds description of the Oceanside tract is as follows:
 "Beginning at a point on the South boundary of the Southern Pacific R.R. Co. right of way S 89° 24' E. 58.8 feet from the Meander corner between Sections 21 and 22, T. 1 N. R. 10 W. W. M. in Tillamook County, Oregon, and running thence S 0° 55' E 1070.1 ft; thence S 62° 18' W 290.7 ft; thence N 27° 42' W 90.0 ft.; thence S 62° 18' W 617.7 ft; thence N 0° 55' W 567.3 ft. more or less to the South boundary of the Southern Pacific R. R. right of way; thence in a Northeasterly direction along said right of way to place of beginning, containing 11.65 acres more or less, commonly identified as Oceanside Lumber Company Inc. tract."

The metes and bounds description of the Nicolai tract is as follows:
 "Beginning at a point S 89° 24' E. 58.8 ft and S. 0° 55' E 1070.1 ft. from the meander corner between Secs. 21 and 22, T. 1 N. R. 10 W. W.M. in Tillamook County, Oregon, and running thence S 0° 55' E 534.0 ft; S 62° 18' W. 952.2 ft; thence N 0° 55' W 634.0 ft; thence N 62° 18' E. 617.7 ft; thence S 27° 42' E 90.0 ft; thence N. 62° 18' E 290.7 ft. to place of beginning, containing 11.75 acres more or less, commonly identified as Nicolai Plywood Company tract"

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

GARIBALDI CORPORATION

(Wgd) R. E. Spaulding
(Signature of applicant)
Sec'y.

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23329

Permit No. 18313

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of August, 1948

at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 5, 1948

Recorded in book No. 45 of

Permits on page 18313

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 6 E

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hobson Creek

The use to which this water is to be applied is steam boilers, cooling equipment and other general industrial uses in sawmill and plywood plants.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 2, 1948

Actual construction work shall begin on or before August 5, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 5th day of August, 1948

CHAS. E. STRICKLIN

STATE ENGINEER