

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Emmo Harris (Name of applicant)
of Glendale Oreg Box 33 (Mailing address),
Oregon State of _____, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Section Creek (Name of stream)
_____, a tributary of Cow Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second. 0.01 cubic ft per second
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
small garden in a yard

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)
835 ft. North and 590 ft. West from the S.E. corner of Sec. 35, T. 32 S.,
R. 7 W., W. M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SE 1/4 of Sec. 35, Tp. 32 S,
(Give smallest legal subdivision) (N. or S.)
R. 7 W, W. M., in the county of Douglas
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1 feet, length on top 4 feet, length at bottom
1 1/2 feet; material to be used and character of construction loose rock
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate gate valve 1 1/4 in
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4 feet; width on bottom 1 1/2 feet; depth of water 1 1/2 ft deep hole feet; grade 30 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1/2 mi. ft.; size at intake, 1 1/4 in.; size at 20/40 ft. from intake 1 1/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use household supply

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S	7 W	2	Lot 2 (NW 1/4 NE 1/4)	
Beginning at a pt which is 1363.2 ft south of a pt on a north line of said section two (2) & 2323.3 ft west of the northeast corner of said section; then north 105 ft thence north 82 degrees 29' east 870.5 ft, thence south 29 degrees 31' east 88 ft. to a pt 2 rods from the north line of the Oregon & California Railroad Company right-of-way, thence westerly parallel to the said north line of the said right-of-way, and 2 rods distant therefrom to the point of beginning, containing 1.95 acres more or less and being a part of Section two in township 33 South of Rang 7 West of W.M.				

(If more space required, attach separate sheet)

(a) Character of soil red clay

(b) Kind of crops raised small garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

....., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? no
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1 family 4 people.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...cost paid by the S.P.

12. Construction work will begin on or before ...according to letter received from S.P.
..... construction in 1907.

13. Construction work will be completed on or before ...was completed by S.P. in 1907.....

14. The water will be completely applied to the proposed use on or before ...we have used the
S.P. pipeline & water by agreement with S.P. since Aug. 7, 1937.....

(Sgd) Emmo Harris
(Signature of applicant)

Remarks: ...These pipes are already in the Section Creek & have been for a good
many yrs as L.P. Hopkins Supt. of the S. Pacific Company stated and Aug 7, 1939 we made
an agreement to use this pipe line. We have been responsible for the condition of
the pipes. Mr. L. P. Hopkins suggested that we apply for a water right, continuing to
use the S.P. pipe line under the same agreement we made in 1939.

I am going to send a copy of the map which is attached to the agreement, also
give the legal description of the 40 acres which this creek crosses the Southeast
corner and runs the full length north & south. This legal description of the 40
acres is Southwest $\frac{1}{4}$ on the South east $\frac{1}{4}$ of Section 35 Township 32 South Rang 7 West.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before December 29....., 1947...

WITNESS my hand this 28th day of November, 1947.

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant mjo

Application No. 22920

Permit No. 18324

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of November,

1947 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

October 29, 1948

Recorded in book No. 45 of

Permits on page 18324

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 12A

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Section Creek

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre domestic lawns and gardens.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 20, 1947

Actual construction work shall begin on or before October 29, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 29th day of October, 1948

CHAS. E. STRICKLIN STATE ENGINEER