

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, L. E. Wade (Name of applicant)
of Rt. 1, Box 121 Bay City (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed creek (Name of stream),
a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic including irrig. of 1/2 ac (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
dom. lawn and garden

4. The point of diversion is located 2030 ft. S (N. or S.) and 2200 ft. E (E. or W.) from the meander
corner of between sections 21 & 22, T. 1 N., R. 10 W., W. M., (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 22, Tp. 1 N. (N. or S.)
R. 10 W., W. M., in the county of Tillamook (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)
R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— no dam

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	10 W.	22	NE $\frac{1}{4}$ SW $\frac{1}{4}$	

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point marked by a 1/2" iron pipe, South 1919.3 feet and East 1996.8 feet from the Government Meander Corner to Sections 21 and 22, Township 1 North Range 10 W. W.M. Thence South 51° 29' East 50.0 feet; thence North 38° 31' East 30.0 feet; thence North 51° 29' West 50.0 feet; thence South 39° 31' West 30.0 feet to the point of beginning. All located in Government Lot 7 of Section 22, Township 1 North, Range 10 W. W. M.

Beginning at a point which is South 1895.8 feet and East 2015.5 feet from the Government Meander Corner to Sections 21 and 22, Township 1 North, Range 10 W. W. M. Thence South 51° 29' East 150.0 feet; thence North 38° 31' East 50.0 feet; thence North 51° 29' West 150.0 feet, to a point which is marked by a surveyor's hub tack in the root of an 18" Alder tree; thence South 38° 31' West 50.0 feet to the point of beginning. All located in Government Lot 7 of Section 22, Township 1 North Range 10 W., W.M.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100
- 12. Construction work will begin on or before one year after approval
- 13. Construction work will be completed on or before two years " "
- 14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) L. E. Wade
(Signature of applicant)

Remarks:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 13, 194 8

WITNESS my hand this 13th day of July 194 8

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
dh

Application No. 23166

Permit No. 18335

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 5th day of May

1948 at 11:45 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

October 29, 1948

Recorded in book No. 45 of

Permits on page 18335

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 6 E

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is domestic, including irrigation of not to exceed 1/2 acre domestic lawns and gardens.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1948

Actual construction work shall begin on or before October 29, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951 Extended to Oct. 1, 1952

WITNESS my hand this 29th day of October, 1948.

CHAS. E. STRICKLIN STATE ENGINEER