* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

// We, Thomas E. Tibbets and Marjorle M. Tibbets, husband and w (Name of applicant)	vile.
of Route # 1, The Dalles, (Mailing address)	
State of Oregon , do hereby make application for a perm	nit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING	
If the applicant is a corporation, give date and place of incorporation	•
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Threemile (Holman) Creek	
, a tributary of Columbia River.	· · · · · · · · · · · · · · · · · · ·
2. The amount of water which the applicant intends to apply to beneficial use	is .0.45
cubic feet per second. (If water is to be used from more than one source, give quantity from	m each)
**3. The use to which the water is to be applied isirrigation	
4. The point of diversion is located 4005 ft. S. and 138 ft. W. (R. or S.)	from the $\frac{1}{4}$ sec.
corner of on the North boundary of Section 22, T. 1 North, Range 13 1	
	······································
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar being within the SE_{A}^{\perp} SW_{A}^{\perp} of Sec 22	
being within the SE_{4}^{\perp} SW_{4}^{\perp} (Give smallest legal subdivision)	(N. or S.)
R. 13 E. W. M., in the county of Wasco.	•
5. The pipe line to be (Main ditch, canal or pipe line)	Miles or feet)
in length, terminating in the $SW_{4}^{\perp}SE_{4}^{\perp}$ of Sec. 22 (Smallest legal subdivision)	
(Smallest legal subdivision) R. 13 E. W. M., the proposed location being shown throughout on the account of the second state	
(E. or W.)	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam8 feet, length on top30 f	eet, length at bottom
feet; material to be used and character of constructionconcrete	CLoose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	
(Timber, concrete, etc., number and size of ope	nings)
(c) If water is to be pumped give general descriptioncentrifugal200) gal per min.
gasoline tractor. 20 H. P. belt drive. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) 120 ft. head.	

^{*}A different form of application is provided where storage works are contemplated.

18404	
Canal System or Pipe Line—	1.25 (4.6.3)
7. (a) Give dimensions at each point of canal where materially changed in	size, stating miles from
headgate. At headgate: width on top (at water line)	feet; width on bottom
feet; depth of water feet; grade feet; grade	feet fall per one

adgate. At head	lgate: width o	n top (at water lin)e)	feet; width on bottom
ousand feet.	feet; depth of 1	vater	feet; grade	feet fall per one
(b) At		miles from head	gate: width on top (at u	vater line)
***************************************	feet; width on	bottom	feet; depth	of water feet,
ıde	feet fo	all per one thousan	nd feet.	
(c) Length	of pipe,	2000 ft.; siz	e at intake,5	in.; size at100 ft
m intake	3 <i>in</i>	.; size at place of u	ıse <u> 2 </u>	difference in elevation between
ake and place o	of use,	120 ft. Is g	rade uniform? no	Estimated capacity
0.45	sec. ft.	and the second second		
8. Location	of area to be	irrigated, or place	of use	es.
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 37		00	anlow1	
			SE ¹ SW ¹	18
1 N.			$NE_{4}^{1}SW_{4}^{1}$	13
1 N.	13 E.		SW4SE4	6
1 N.	13 E.	22	NW SE	3
				40
		· · · · · · · · · · · · · · · · · · ·		

		•		
	. ,	45. 7	•••••	
			••••••••••••••••••••••••••••••••••••••	
			ه ۽	
			ired, attach separate sheet)	
(a) Chama	ton of soil	sandy loam	med, attach separate meet)	
	ter of soil	cherries and	neaches.	
(b) Kind o	f crops raised .	cherries and	a podotios.	- %
ver or Mining	_			41
				theoretical horsepower
			nver	sec. ft.
(c) Tota	ıl fall to be ut	ilized	(Head)	
(d) The	nature of the	works by means o	f which the power is to	be developed
	•••••		grand to the second	
(e) Suci	h works to be	located in	(Legal Subdivision)	of Sec
		, W. M.	(Legal Subdivision)	en e
			m?	San San San Francisco
		urned to any strea		
		-	of return	
	<u>:</u>	, Sec	, Tp. (No. N. or	, R, W. M
(h) The	use to which	power is to be app	olied is	
				the contract of the contract o
	***************************************		·	

Municipal or Domestic Supply—
10. (a) To supply the city of
and an estimated population of in 19 in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$
12. Construction work will begin on or before September 1, 1948.
13. Construction work will be completed on or before September 1, 1949.
14. The water will be completely applied to the proposed use on or before September 1, 1949.
(Sgd) Thomas E. Tibbets (Signature of applicant)
(Sgd) Marjorie M. Tibbets.
Remarks: Legal description of land being conveyed by Floyd Tibbets to Thomas E. and Marjorie M. Tibbetts, by sales contract. "The NEASWA Sec. 22, Tp. 1 N., R. 13 E.W.M. together with all the land lying West of the county road in the NW4 of SE4 of said section; also the following described tract of land in SE4 of NW4 of said Section 22: Beginning at a point 214 rods North of the Northwest corner of the NE4 of SW4 of said Section 22; thence South to said Northwest corner; thence East 57 rods; thence in a Northwest in all 10 rods South of the Northwest corner of the NE4 of SW4 of said Section 22; thence North 10 rods; thence East 14 rods; thence South 22.75 rods; thence in a Northwesterly direction to the place of beginning. Said tract of land conveyed containing 42.16 acres, more or less. Also, beginning 12 rods East of the Northwest corner of the Southwest quarter of the Southeast quarter of Section 22, T. 1 N., R. 13 E.W.M.; thence South 80 rods; thence West 12 rods to the quarter section corner between Sections 22 and 27; thence N. 73° 28' W., 20.88 chains to a point24 rods North of the Southwest corner of the SE2SW4 of Section 22; thence East along subdivision line 23 chains to point of beginning. Containing 40 acres." On August 11, 1948, approximately 0.35 sec. ft. of water was flowing in Threemile Creek, at this location. Other pumping systems, in vicinity were not operating. Tron plys for initial point, is driven in ground, at a point 3770 feet South and 124 feet West of the 4 sec. corner on North boundary of Section 22, T. 1 N., R. 13 E.W.M.
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194
WITNESS my hand this day of, 194,
e la fina en mar la

Application	No. 23370
Permit No.	18404

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	•
	on the day of Aug,	•
•	1948 at 8:00 o'clock	
	Returned to applicant:	
	Corrected application received:	
	Approved: October 29, 1948	
•	Recorded in book No. 45 of	
	Permits on page 18404	
	CHAS, E. STRICKLIN	•
	Drainage Basin No. 4 Page 6 B	
	Fees Paid\$16.50	
	PERMIT	
STATE OF OREGON, \	SS	
SUBJECT TO EXISTING	at I have examined the foregoing application and RIGHTS and the following limitations and condituated is limited to the amount of water which car	ions:
and shall not exceed	45 cubic feet per second measured at the	e point of diversion from the
ere e		•
stream, or us equivalent i	n case of rotation with other water users, from	Threemile Creek
The use to which the	is water is to be applied isirrigation	<u> </u>
The use to which the If for irrigation, this second or its equiva- liversion of not to ex- crigation season from	is water is to be applied is irrigation appropriation shall be limited to 1/60th lent for each acre irrigated and shall be sceed 3 acre feet per acre for each acre m March 1, to October 1, and shall be st sceed 0.45 c.f.s.,	of one cubic foot per e further limited to a irrigated during the ill further limited to a
If for irrigation, this second or its equivaliversion of not to extraction season from the priority date of Actual construction thereafter be prosecuted united to Ott. 1, 1952 Exponents.	is water is to be applied is irrigation appropriation shall be limited to 1/60th lent for each acre irrigated and shall be seed 3 acre feet per acre for each acre m March 1, to October 1, and shall be st acceed 0.45 c.f.s., ch reasonable rotation system as may be ordered to this permit is August 17, 1948 work shall begin on or before October 29 with reasonable diligence and be completed on or befored to Oct. 1, 1951	of one cubic foot per se further limited to a irrigated during the ill further limited to a by the proper state officer. 1949 and shall efore
If for irrigation, this second or its equivaliversion of not to extraction season from the priority date of Actual construction thereafter be prosecuted united to Ott. 1, 1952 Exponents.	is water is to be applied is irrigation appropriation shall be limited to 1/60th lent for each acre irrigated and shall be acceed 3 acre feet per acre for each acre m March 1, to October 1, and shall be st acceed 0.45 c.f.s., ch reasonable rotation system as may be ordered by this permit is August 17, 1948 work shall begin on or before October 29	of one cubic foot per se further limited to a irrigated during the ill further limited to a by the proper state officer. 1949 and shall efore
If for irrigation, this second or its equivaliversion of not to extra diversion of not dit	is water is to be applied is irrigation appropriation shall be limited to 1/60th lent for each acre irrigated and shall be seed 3 acre feet per acre for each acre m March 1, to October 1, and shall be st acceed 0.45 c.f.s., ch reasonable rotation system as may be ordered to this permit is August 17, 1948 work shall begin on or before October 29 with reasonable diligence and be completed on or befored to Oct. 1, 1951	of one cubic foot per se further limited to a irrigated during the ill further limited to a by the proper state officer. 1949 and shall efore