

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. W. Wood (Name of applicant)  
of Oceanlake (Post office), County of Lincoln,  
State of Oregon, do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream)  
Salmon River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .10 - (1/10)  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic and stock including irrig. of  
1/2 acre dom. lawn and garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ----- ft. ----- and ----- ft. ----- from the  
corner of S. 32° 30' E. 1698 ft. from the W. 1/4 corner of Section 29, T.6 S., R.10 W.  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the E 1/2 of SW 1/4 SW 1/4 of Sec. 29, Tp. 6 S  
(Give smallest legal subdivision) (N. or S.)  
R. 10 W, W. M., in the county of Lincoln  
(E. or W.)

5. The 1" pipeline to be 120  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the E 1/2 of SW 1/4 of Sec. 29, Tp. 6 S  
(Smallest legal subdivision) (N. or S.)  
R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3' 0" feet, length on top 6' --0" feet, length at bottom  
4' --0" feet; material to be used and character of construction timber--waste mud top  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate pipe entering thru dam  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description none  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-  
electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... two

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250~~00~~.....

12. Construction work will begin on or before .....

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before .....

..... Completely applied .....

(Sgd) W W Wood  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Sgd) V. L. Muckler, Oceanlake, Oregon  
(Name) (Address of witness)

(2) (Sgd) Cecilia G. Muckler, Oceanlake, Oregon  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

Application No. 23054

Permit No. 18414

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 26th day of February, 1948, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 17, 1949

Recorded in book No. 45 of

Permits on page 18414

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 16

Fees Paid \$20.00

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is stock and domestic, including the irrigation of not to exceed 1/2 acre domestic lawns and gardens for each family, being 0.01 c.f.s. for stock and 0.02 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 26, 1948

Actual construction work shall begin on or before January 17, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 17th day of January, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER