

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Kenneth Hall (Name of applicant) of Enterprise (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed Spring Creek (Name of stream), a tributary of Wallowa Riber

2. The amount of water which the applicant intends to apply to beneficial use is .15 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 37° 24' E. 1276 ft. ft. and ft. from the NW corner of NW4, Sec. 28, T3S, R45E, W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW1/4 of Sec. 28, Tp. 3S, R. 45E, W.M., in the county of Wallowa

5. The main pipe line to be 1120 feet in length, terminating in the NE1/4 of Sec. 29, Tp. 3S, R. 45E, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none 3 inch pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, spot head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1120 ft.; size at intake, 3 in.; size at 307 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, about 75 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 South	45	29	NE 1/4 NE 1/4	lawn

Property on which water is to be used is a part of that more explicitly described by applicant as follows:
 Beginning at a point on the east line of Section 29 in Township 3 South, Range 45 East, Willamette Meridian, Oregon, which point is South 0°31" west 680 feet, more or less, from the northeast corner of said Section 29, being the northeast corner of Block 1 of Panorama Park of Wallowa Park Camp of the Methodist Camp Ground Association, (plat not recorded), thence south 89°04" west 584 feet, more or less, to the east line of the right of way of the Pacific Power and Light Co., as shown on said plat, thence south 23°32" west along said right of way, 735 feet to the south line of the northeast quarter of the northeast quarter of said Section 29, thence north 89° 04" east along said south line of said northeast quarter of the northeast quarter of said Section 29 to the east line of said Section 29, which point is 44 feet south 0°31" east of the Southeast corner of Block 5 of said Panorama Park of Wallowa Park Camp of the Methodist Camp Ground Association, (plat not recorded), thence north 0°31" east along the east line of said Section 29, 664 feet, more or less, to the place of beginning and containing seven acres, more or less, and being situate in the east half of the northeast quarter of the northeast quarter of Section 29, Township 3 South, Range 45 East, Willamette Meridian, Oregon. Excepting therefrom a tract heretofore sold to Hulburd.

(If more space required, attach separate sheet)

(a) Character of soil loam

(b) Kind of crops raised none

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 15.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 300.00.....

12. Construction work will begin on or before June 1, 1948.....

13. Construction work will be completed on or before November 1, 1948.....

14. The water will be completely applied to the proposed use on or before June 1, 1948,.....
except that additional cabins will be added from time to time.

(Sgd) Kenneth Hall.....

(Signature of applicant)

Remarks: The point of diversion under this application is the same as under the J. A. Hopkins certificate recorded at Page 7773, Volume 7, State Record of Water Right Certificates as corrected by the application of Cornelius W. Martin and Laurence B. Dennis and uses the pipe line of Martin and Dennis to the reservoir. Description of the location of the pipe line follows:-

Commencing at the point of diversion which is from the NW corner of the NW1/4, Sec. 28, T3S, R45E, W.M., running thence N 52° 30" W 120 feet, thence N 28° 30" W 287 feet to the reservoir, thence southwesterly 577 feet to a point on the east line of the J. A. Hopkins property under contract of sale to Kenneth Hall, which point is 197 feet south of the NE1/4 of said tract, thence east 80 feet to point of distribution.

Description of Hopkins tract under contract of sale to Hall attached

I, J. A. Hopkins, record owner of the property concerned in the within application, hereby consent to the filing for a water permit by Kenneth Hall for water for use on said property.

(Sgd) J. A. Hopkins.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23198

Permit No. 18423

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25 day of May 1948 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 17, 1949

Recorded in book No. 45 of

Permits on page 18423

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 37

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic, including the irrigation or not to exceed 1/2 acre domestic lawns or gardens for each family

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 25, 1948

Actual construction work shall begin on or before January 17, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 17th day of January, 1949

CHAS. E. STRICKLIN

STATE ENGINEER