CERTIFICATE NO. 29339

\* APPLICATION FOR PERMIT See Misc. Rec. Vol. 3

## To Appropriate the Public Waters of the State of Oregon

I, Housing Authority of Douglas Cou	anty [ame of applicant]
of Box 32 Roseburg (Malling address)	ane or applicant)
State of Oregon	ereby make application for a permit to appropriate the
following described public waters of the State of (	
If the applicant is a corporation, give date an	d place of incorporation
1. The source of the proposed appropriation	is 3 unnamed streams (Name of stream)
	butary of Umpqua
2. The amount of water which the applicant	intends to apply to beneficial use is0.4.
cubic feet per second. (If water is to be	used from more than one source, give quantity from each)
**3. The use to which the water is to be applied	
o. The use to constitute auto, to se se uppres	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
1757.39	S 681.29 W
4. The point of diversion is located 905.4.	S 681.29 W  ft. S and 68.43 ft. W from the N\frac{1}{4}  178.93 (\mathbb{E}^{\sir \pi})
322.96 corner of Sec. 18, T., 22 S., R. 9 W., W.	M. 178.93 E
	Section or subdivision)
(If preferable, give distance	e and bearing to seption corner)
	h must be described. Use separate sheet if necessary)
being within the NW NE, NE NW and SE NW (Give smallest legal subdivision)	of Sec. 18 , Tp. 22 S ,
R. 9 W. M., in the county of Dougla	(N. or S.)
·-····································	to be (Miles or feet)
in length, terminating in the(Smallest legal subdi-	vision) of Sec. (N. or S.)
R, W. M., the proposed location be	ing shown throughout on the accompanying map.
(E. OF W.)	Committee and the second of American
DESCRIPT	ION OF WORKS
D'accessor III aulas	,b v
	, length on top 10 feet, length at bottom
feet; material to be used and chara	cter of construction concrete (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	<u> </u>
(b) Description of headgate	
	escription gravity flow
_ (c) if water to to be pumped give general we	escription gravity flow (Size and type of pump)
(Size and type of engine or motor to b	e used, total head water is to be lifted, ste.)

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

	dgate: width or	ı top (at water	r line)	feet; width on botto
*******************************	feet; depth of w	ater	feet; grade	feet fall per o
housand foot				
(b) At		. mues from n	eadgate; width on top (at wate	r une)
·	feet; width on	bottom	feet; depth of w	ater fe
rade			,00 ~ pip	
(c) Length	of pipe,20	)00 ft.,	; size at intake, 1100 1½" "	in.; size at
rom intake	in.	; size at place	of use in.; dif	ference in elevation betwe
ntake and place (	of use. 20	)O ft. ]	Is grade uniform?	Estimated capaci
	MARKET AND THE		*	- 1
		giagenteyn <u>e</u> sed n	graphy from your old the control of	
	1		lace of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
22 S	9 W	18	NE NE NE L	
			NW NEZ	
	11 × 13A		SW1 NE1	and the state of t
***	***************************************		SEA NEA	
	1		the state of the s	
by applicant	as follows:		d is a part of that more	
		L	EGAL DESCRIPTION	
Reginnir	σ at a noini	ORE-352	297 - SCOTTSBURG, OREGON a brass dowell in a 6 x	6 cement block flus
with the grow	nd - on the	easterly bo	undary of Oregon Highway	#38, which point is
opposite Engi	neer's Stati	lon 68/23, a sel Rich DLC	and is 602.7 feet south a #38 and is further des	nd 991.3 feet east of cribed as being S 7°
		on the east	erly boundary of said Hi	
			المصاحبة والمستحدد والمستحدد المستحدد المستحدد والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد	- Januarikan du Daviel.
line between County Record	the Paul Wes	ol. 104, Pa	s. W. Ford properties, a ge 3,	
line between County Record	the Paul Wes	ol. 104, Pa O feet to a	ge 3, cement block on the eas	terly-boundary-of-sa
line between County Record	the Paul Wes of Deeds, V 70 81 E, 50 y #38,	ol. 104, Pa	nge 3, cement block on the eas (Continued u	terly-boundary-of-sa
County Record Thence Noregon Highwa	the Paul West of Deeds, V	ol. 104, Pa 00 feet to a	cement block on the eas (Continued u	terly-boundary-of-sa nder Remarks)
County Record Thence Noregon Highwa (a) Charac	the Paul West of Deeds, V 70 81 E, 50 y #38,	Ol. 104, Pa Offect to a	required, attach separate sheet)	terly boundary of sa nder Remarks)
County Record Thence N Oregon Highwa  (a) Charac  (b) Kind o	the Paul West of Deeds, V 70 81 E, 50 y #38, eter of soil	ol. 104, Pa	required, attach separate sheet)	terly boundary of samular Remarks)
County Record Thence N Oregon Highwa  (a) Charac  (b) Kind o	the Paul West of Deeds, V 70 81 E, 50 y #38, eter of soil	ol. 104, Pa	required, attach separate sheet)	terly boundary of samular Remarks)
County Record Thence N Oregon Highwa  (a) Charac  (b) Kind o	the Paul West of Deeds, V 70 81 E, 50 y #38, eter of soil	ol. 104, Pa	required, attach separate sheet)	terly boundary of samular Remarks)
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of the county Record  (b) Charac  (c) Charac  (d) Chara	the Paul West of Deeds, \ 70 81 E, 50 y #38, \end{array}  eter of soil	ol. 104, Pa	r power	terly boundary of sander Remarks)  theoretical horsepou
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of the county Record  (b) Charac  (c) Charac  (d) Chara	the Paul West of Deeds, \ 70 81 E, 50 y #38, \end{array}  eter of soil	ol. 104, Pa	r power	terly boundary of sander Remarks)  theoretical horsepou
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of Power or Mining  9. (a) Tota  (b) Qua  (c) Tota	the Paul West of Deeds, \ 70 81 E, 50 y #38, \ eter of soil	ol. 104, Pa	r powers  (Head)	terly boundary of sander Remarks)  theoretical horsepourec. ft.
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of Power or Mining  9. (a) Tota  (b) Qua  (c) Tota	the Paul West of Deeds, 170 81 E, 50 y #38, where the of soil and the parties of the first the parties of the p	ol. 104, Pa Ofect to a Were space  ower to be dev to be used for lized  works by mean	r power feet.  (Head)  required, attach separate sheet)	terly boundary of sander Remarks)  theoretical horsepourec. ft.
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of Power or Mining  9. (a) Tota  (b) Que  (c) Tota  (d) The	the Paul West of Deeds, \ 70 81 E, 50 y #38, \ eter of soil	ol. 104, Pa Ofect to a Ower to be dev to be used for	r power feet.  (Head)  no cement block on the eas (Continued under the continued under the continu	terly boundary of sainder Remarks)  theoretical horsepou
County Record Thence M Oregon Highwa  (a) Charac  (b) Kind of Cower or Mining  9. (a) Total  (c) Total  (d) The	the Paul West of Deeds, V 70 81 E, 50 y #38, where of soil	ol. 104, Pa	required, attach separate sheet)  required, attach separate sheet)  reloped  repower  feet.  (Head)  ns of which the power is to be of the continuous of the	terly boundary of samuler Remarks)  theoretical horsepourer. ft.
County Record Thence Noregon Highwa  (a) Charac (b) Kind of Cower or Mining 9. (a) Tota (b) Que (c) Tota (d) The  (e) Suc	the Paul West of Deeds, V 70 81 E, 50 y #38,  eter of soil	ol. 104, Pa Offect to a Were space  ower to be dev to be used for lized  works by mean	required, attach separate sheet)	terly boundary of samuler Remarks)  theoretical horsepourer. ft.
County Record Thence Noregon Highwa  (a) Charac (b) Kind of Cower or Mining 9. (a) Tota (b) Que (c) Tota (d) The  (e) Suc	the Paul West of Deeds, V 70 81 E, 50 y #38,  eter of soil	ol. 104, Pa Offect to a Were space  ower to be dev to be used for lized  works by mean	required, attach separate sheet)	terly boundary of samuler Remarks)  theoretical horsepourer. ft.
County Record Thence Noregon Highwa  (a) Charac (b) Kind of Cower or Mining 9. (a) Tota (b) Qua (c) Tota (d) The  (e) Suc  (f) Is u (g) If s	the Paul West of Deeds, 170 81 E, 50 y #38, where the soil water of soil amount of pointity of water al fall to be utilized the works to be learning. R	ol. 104, Pa Offect to a Wer to be dev to be used for lized	required, attach separate sheet)	terly boundary of sander Remarks)  theoretical horsepoured
County Record Thence Noregon Highwa  (a) Charac (b) Kind of Cower or Mining 9. (a) Tota (b) Qua (c) Tota (d) The  (e) Suc  (f) Is u (g) If s	the Paul West of Deeds, 170 81 E, 50 y #38, where of soil water of crops raised water al amount of pointity of water al fall to be utilized in the works to be learning. R	ol. 104, Pa Offect to a Wer to be dev to be used for lized	required, attach separate sheet)	terly boundary of sainder Remarks)  theoretical horsepousec. ft.  leveloped
County Record Thence Noregon Highwa  (a) Charac (b) Kind of Cower or Mining 9. (a) Tota (b) Que (c) Tota (d) The  (e) Suc  (f) Is u (g) If s	the Paul West of Deeds, 170 81 E, 50 y #38,  eter of soil	on. 104, Pa Offect to a Wer to be dev to be used for lized works by mean ocated in writed to any sin and locate po	required, attach separate sheet)	terly boundary of sainder Remarks)  theoretical horsepouter. ft.  leveloped

10. (a) To supply the city of  County, lateing a present population of  County, lateing a present population of  (b) If for domestic use state number of families to be supplied  (convergences in in it is a title in it is a to certify that I have examined the foregoing application, together with the accompany aps and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrected in the order one on or before.  September 24. 1948.			ion do Lange	Amelian K		18
County, having a present population of in 19.  (b) If for domestic use state number of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be supplied 40.  (According to the county of families to be completed 40.  (According to the county of families to be completed 40.  (According to the county of families to be completed 40.  (According to the county of families to be completed 40.  (According to the county of families to be completed 40.  (According to the county of families to be completed 40.  (According to the county of families to be county of families to be county of families to be county of families to a county of famili	funicipal or Domestic		1 .	*.*		
County, having a present population of in 19.  (b) If for domestic use state number of families to be supplied. 40.  (Author quantities 11. B. It and II is it is overlip that I have examined the foregoing application, together with the accompanying and data, and return the same for Completely of the State Engineer, with correspondent on or before.  County of Marion,  Tate to forescent, 10.  There is a consent block Thence S 35° 22' Is, 260.15 feet to a consent block Thence S 7° 22' Is, 260.15 feet to a consent block Thence S 7° 22' Is, 260.15 feet to a consent block Thence S 7° 22' Is, 260.15 feet to a consent block Thence S 80° 22' Is, 260.15 feet to a consent block	10. (a) To suppl	The second secon		The section of the section		
(b) If for domestic use state number of families to be supplied						
(b) If for domestic use state number of families to be supplied 49  (Accompliance of the supplied ACCOMPANDED OF ACCOMPANDED O	<b>,</b>	ition of	in ]			
11. Estimated cost of proposed works, \$.350000  12. Construction work will begin on or before					ed 40	
12. Construction work will begin on or before					n	
12. Construction work will begin on or before	11 Estimated as	-4 -4	4 3500 OO		\$ (0)	
13. Construction work will be completed on or before Has been completed  14. The water will be completely applied to the proposed use on or before completely applied  Housing Authority of Douglas Co (Sgd) by H. L. Scotlela, Executive Director (Sgd) by H. L. Scotlela (Sgd) by H.						
14. The water will be completely applied to the proposed use on or before completely applied  Housing Authority of Douglas Co (Sgd) by H. L. Scoflela, Executive Director (Sgd) by H. L. Scoflela, Exe	•	•		,		
Housing Authority of Douglas Co (Sgd) by H. L. Scoffeld, Executive Director (Sgd) by H. L. Scoffeld, Executive	13. Construction	work will be compl	leted on or befo	re Has bee	n completed	
Housing Authority of Douglas Co (Sgd) by H. L. Scoffelds, Executive Director (Sgd) by H. L. Scoffelds, Executiv	14. The water wi	ll be completely app	lied to the prop	osed use on o	r before	·
Remarks: (Continued from Item 8)  Thence S. 852 29! E. 136.7 feet to a coment block Thence S. 70 24! E. 520.15 feet to a coment block Thence S. 70 24! E. 520.15 feet to a coment block Thence S. 852 29! E. 136.7 feet to a coment block Thence S. 85	completely appl	Lied			· · · · · · · · · · · · · · · · · · ·	
Thence S. 85° 29' E. 136.7 feet to a cement block Thence S. 7° 24' E. 520.15 feet to a cement block Thence S. 83° 27' W. 267.1 feet to beginning point of the within described remises; all in Section 18, T 22 S R 9 W. WM., Douglas County, Oregon, containing 33 acres, more or less.  55 of total quantity of water to be taken from north stream  05 " " " " " " " " " " " " " " middle "  155 " " " " " " " " " " " " south "  TATE OF OREGON, County of Marion.  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for				by H L Sco	field. Execut	
Thence S. 85° 29' E. 136.7 feet to a cement block Thence S. 7° 24' E. 520.15 feet to a cement block Thence S. 83° 27' W. 267.1 feet to beginning point of the within described remises; all in Section 18, T 22 S R 9 W. WM., Douglas County, Oregon, containing 33 acres, more or less.  55 of total quantity of water to be taken from north stream  05 " " " " " " " " " " " " " " middle "  155 " " " " " " " " " " " " south "  TATE OF OREGON, County of Marion.  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	4			Agricolation and a	·	
Thence S 7° 24' E, 520.15 feet to a cement block Thence N 33° 27' W, 267.1 feet to beginning point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described premises; all in Section 18, T 22 S R 9 W, WM., Douglas County, Oregon, containing point of the within described pr			7 7 7			
Thence N. 839. 27!. W., 267.1 feet to be taken from north. stream.  33. acres, more or less.  55 of total quantity of water to be taken from north stream.  05 " " " " " " " " " " " " middle "  155 " " " " " " " " " " " south "  TATE OF OREGON.  County of Marion.  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with correctors on on or before September 24. 1948.	Thence S 85° 2	29' E. 136.7 feet	t to a cement	block		
.33 sores, more or less.  .5% of total quantity of water to be taken from north stream .0% " " " " " " " " " " " " " " " " " " "	Thence N. 830.	27! W. 267.1 feet	tto.beginnin	g.point.of		
5% of total quantity of water to be taken from north stream  OS " " " " " " " " " " middle "  5% " " " " " " " " " " " south "  TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before September 24 1948.				, Douglas	County, Orego	n, containing
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " middle "  5% " " " " " " " " " " south "  TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before September 24 1948.			gen vigaren i an even en e		· · · · · · · · · · · · · · · · · · ·	
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " " " middle "  5% " " " " " " " " " " " south "  TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyiaps and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects on on or before			,	,	,	
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " middle "  5% " " " " " " " " " " south "  TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before September 24 1948.	grand the state of		- misspood tota	Sample parts and	od * walk gares	
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " " middle "  5% " " " " " " " " " " " south "  TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyi aps and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects one on or before	Type of the second					<del>nigy mineng manang disentan sida.</del> Ngjarjana madat
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " " " " " " " " " "						
5% of total quantity of water to be taken from north stream  0% " " " " " " " " " " " " " " " " " " "			••••••		· // · · · · · · · · · · · · · · · · ·	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for						
TATE OF OREGON, County of Marion.  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before September 24	5% of total quant	ity of water to l	be taken from	north str	eam	
TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects one on or before	.0% 11 11 11	11 11 11	11 11 11	middle	11	
TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects one on or before	.5% " " "	11 11 If	11 11 11	south	#	<del></del>
TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects one on or before						er term fil
TATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion  In order to retain its priority, this application must be returned to the State Engineer, with corrects one on or before September 24,						. Taras vas
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for					· · · · · · · · · · · · · · · · · · ·	
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for						1 A 4
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for						
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for						
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for			,			***************************************
This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for	TATE OF OREGON,	$\sum_{zz}$				
In order to retain its priority, this application must be returned to the State Engineer, with correct one on or beforeSeptember 24, 194.8	County of Marion,		professional and the second section	1000 - 1000	eresti i filori esi ilisti	tions and they is there
In order to retain its priority, this application must be returned to the State Engineer, with correct one on or before					_	
In order to retain its priority, this application must be returned to the State Engineer, with correct one on or before	naps and data, and retu	ırn the same for	completion		a view of the service	, e e e e e e e e e e e e e e e e e e e
ons on or before September 24		the second secon			a e e e	r w t a a
TITUINITIES Land Alia 9/4h dan at Assessed 404.9					40.4 Q	
WITNESS my hand this24th day ofAugust, 194.8	WITNESS my ha	na thisKAVA	aay oj	rARABA	, 194.Q	And Annual Control
CHAS. E. STRICKLIN  STATE ENGINEER			CH/	S. E. STRI	CKLIN	STATE ENGINEER
By  Ed K. Humphrey, Assistant mj	en e	er a di kalendari. Ngjarja	By	č4 K∷ Humbh	mov Assister	Herrier and an installation

Application No	23295
Donmit No	18435

## **PERMIT**

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division, No District No	
	This instrument was first received in to office of the State Engineer at Salem, Orego	
	on the 19th day of July	•
	194 8, at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
en in de la company de la La company de la company d	Approved:	·····
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	January 17, 1949	
	Recorded in book No45	of
••• >	Permits on page18435	•
	CHAS. E. STRICKLIN	
	STATE ENGINEER	
	Drainage Basin No. 16 Page 24 1	
	Fees Paid \$20.00	A. A. A.
en e	PERMIT	
TATE OF OREGON,		
County of Marion,	\$\$ 	
The right herein grand shall not exceed tream, or its equivalent in 18 cfs from north st	RIGHTS and the following limitations and connted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and	can be applied to beneficial use the point of diversion from the three unnamed streams, bed 0.18 cfs from south stress
The right herein grand shall not exceed tream, or its equivalent in .18 cfs from north st	nted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from	can be applied to beneficial use the point of diversion from the three unnamed streams, bed 0.18 cfs from south stress
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and s water is to be applied is domestic	can be applied to beneficial use the point of diversion from the three unnamed streams, bed 0.18 cfs from south streams.
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and s water is to be applied is domestic  appropriation shall be limited to -	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and s water is to be applied is domestic  appropriation shall be limited to	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and s water is to be applied is domestic  appropriation shall be limited to -	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from cream, 0.04 cfs from middle stream and a water is to be applied is domestic  appropriation shall be limited to	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from cream, 0.04 cfs from middle stream and a water is to be applied is domestic  appropriation shall be limited to	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and s water is to be applied is domestic  appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be 1 0.18 cfs from south stream  - of one cubic foot per
The right herein grand shall not exceed	nted is limited to the amount of water which  2.40 cubic feet per second measured at a case of rotation with other water users, from cream, 0.04 cfs from middle stream and a water is to be applied is domestic  appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.
The right herein grand shall not exceed	nted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from cream, 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.
The right herein grand shall not exceed	nted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from cream, 0.04 cfs from middle stream and s water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.
The right herein grand shall not exceed	nted is limited to the amount of water which 0.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.
The right herein grand shall not exceed	nted is limited to the amount of water which 0.40 cubic feet per second measured at a case of rotation with other water users, from tream, 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.  1950 and shall or before
The right herein grand shall not exceed	nted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from gream, 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.  1950 and shall before  de on or before
The right herein grand shall not exceed	cubic feet per second measured at a case of rotation with other water users, from cream. 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.  1950 and shall before  le on or before
The right herein grand shall not exceed	nted is limited to the amount of water which 2.40 cubic feet per second measured at a case of rotation with other water users, from gream, 0.04 cfs from middle stream and a water is to be applied is domestic appropriation shall be limited to ———————————————————————————————————	can be applied to beneficial use the point of diversion from the three unnamed streams, be d 0.18 cfs from south stream  - of one cubic foot per  ed by the proper state officer.  1950 and shall before  le on or before