*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Peter Evonuk	(Name of applicant)	
of		······································
State ofOragon		
following described public waters of the		
If the applicant is a corporation, giv	se date and place of incorporation	
1. The source of the proposed appro	opriation is Debrick Slough	Name of stream)
	, a tributary of	
2. The amount of water which the		
cubic feet per second.	water is to be used from more than one source, g	lva montify from each)
**3. The use to which the water is to		
	(Irrigation, power, minin	g, manufacturing, domestic supplies, etc.)
4. The point of diversion is located		
corner of19, T. 17.S., R. 3.W., W	(Spetton or subdivision)	***************************************
	(Section of subdivision)	
,	ration of the second of the se	
(If preferabl	le, give distance and bearing to section corner)	
(If there is more than one point of	diversion, each must be described. Use separate s	heet if necessary)
being within the SWI SWI Give smallest lega	d subdivision)	19, Tp. 17.5
R. 3 W., W. M., in the county of	Lane	The State of the S
5. The(Main ditch, canal	to be	<u> </u>
in length, terminating in the(Smalle	est legal subdivision)	(N. or 8.)
R, W. M., the proposed lo	ocation being shown throughout i	on the accompanying map.
יות		
	ESCRIPTION OF WORKS	
Diversion Works— No dam		Same of the state
6. (a) Height of dam		
feet; material to be used	and character of construction	Month mork compate manney
		(Loose Iven, contracts, masonity
rock and brush, timber crib, etc., wasteway over or around d		A Commence of the Commence of
(b) Description of headgate	* .	
(c) If water is to be pumped give g	general description 4 in. cer	nt pump
20 Hp elec moto	T e or motor to be used, total head water is to be life	
(Size and type of engine 40 12 gpm	or motor to be used, total head water is to be us	ted sto.) 3 3)

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

		at each point of	g	ed in size, stating miles from
headgate. At headgate: width on top (at water line)			line)	feet; width on bottom
housand feet.			eadgate: width on top (at water	· · · · ·
and the second of the second o		X •	feet; depth of w	
				ater jeet;
grade	feet fo	all per one thou	sand feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
from intake	in	n.; size at place o	of use in.; dif	ference in elevation between
ntake and place	of use ,	ft. I	s grade uniform?	Estimated capacity,
	The second secon			
			and the property of the second	
Township	Range	Section	ace of use	Number Acres
				To Be Irrigated
17 S	3 ₩	19	NWA SWA	8
17 S		21,	SW4 SW4 NE4 SE4 SE4 SE4	20
, , , , , , , , , , , , , , , , , , ,		10.2 12 40M · 1	SE† SE‡	<u>18</u> <u>56</u>
roperty on wh	ich water i	s to be used	is a part of that more	explicitly described by
pplicant as f ESCRIPTION OF				
Lots numb	er twenty (20) twenty on	e (21) and twenty-two (2	22) of Debrick Gardens.
ng to the pla	t thereof f	illed and reco	rded in the office of the	ne County Recorder of La
		g thirty-eigh	t and sixty-four one hu	dredths (38.64) acres,
r less, and	of land whi	ch contains l	7.82 acres adjoining lot	s twenty(20 and twenty-
22) from the	west side,	and which is	described as follows:	
			right bank of the Willar	mete River between Secti
J				
ecrees West 3	nsnip iso	thence North	West, Willamette Meridia	in, and running thence 3
egrees West 3	.96 chains;	thence North	West, Willamette Meridis 17 degrees West 10.00 o ing or initial point of	en, and running thence of chains; thence North 10 this survey; and running
egrees West 3 egrees East 1 hence North 1	.96 chains; .24 chains O degrees E	thence North to the begin ast 5.26 chai	West, Willamette Meridia 17 degrees West 10.00 or instraction of ns; thence North 55 degrees	n, and running thence on the shains; thence North 10 this survey; and running tees East 6.00 chains;
egrees West 3 egrees East 1 hence North 1 hence North 3	.96 chains; .2h chains O degrees E O degrees E	thence North to the begin ast 5.26 chai ast 5.20 chai	West, Willamette Meridia 17 degrees West 10.00 or initial point of ns; thence North 55 degrees; thence North 25 degrees;	thains; thence North 10 this survey; and running these East 6.00 chains; tees East 6.79 chains to
egrees West 3 egrees East 1 hence North 1 hence North 3	.96 chains; .2h chains O degrees E O degrees E	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land o	West, Willamette Meridis 17 degrees West 10.00 d ing or initial point of ns; thence North 55 degrees; thence North 25 degrees wined by Peter Ewoniuk;	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains
egrees West 3 egrees East 1 hence North 1 hence North 3 oint West of	.96 chains; .24 chains O degrees E 9 degrees E the North 1	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o	West, Willamette Meridia 17 degrees West 10.00 of ing or initial point of as; thence North 55 degrees; thence North 25 degree wheel by Peter Ewoniuk; trequired, attach separate sheet) (Continue)	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to the
egrees West 3 legrees East 1 hence North 1 hence North 3 loint West of	.96 chains; .24 chains 0 degrees E 9 degrees E the North 1	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o	West, Willamette Meridis 17 degrees West 10.00 or ing or initial point of ns; thence North 55 degrees; thence North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Control of the control of the contr	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to the
legrees West 3 legrees East 1 thence North 1 chance North 3 coint West of (a) Charac (b) Kind of	.96 chains; .24 chains 0 degrees E 7 degrees E the North 1	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o	West, Willamette Meridia 17 degrees West 10.00 of ing or initial point of as; thence North 55 degrees; thence North 25 degree wheel by Peter Ewoniuk; trequired, attach separate sheet) (Continue)	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to the
egrees West 3 egrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o (M more space) sandy river h beans be	West, Willamette Meridia 17 degrees West 10.00 or ing or initial point of as; thence North 55 degrees; thence North 25 degreemed by Peter Ewoniuk; trequired, attach separate sheet) (Contraction or	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to inued under Remarks)
egrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o (M more space) sandy river h beans be	West, Willamette Meridia 17 degrees West 10.00 or ing or initial point of as; thence North 55 degrees; thence North 25 degreemed by Peter Ewoniuk; trequired, attach separate sheet) (Contraction or	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to inued under Remarks)
egrees West 3 legrees East 1 hence North 3 le	.96 chains; .24 chains 0 degrees E 7 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land o (M more space) sandy river h beans be	West, Willamette Meridia 17 degrees West 10.00 or ing or initial point of as; thence North 55 degrees; thence North 25 degreemed by Peter Ewoniuk; trequired, attach separate sheet) (Contraction or	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to inued under Remarks) theoretical horsepower.
degrees West 3 degrees East 1 chence North 1 chence North 3 point West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que	96 chains; 24 chains 0 degrees E 1 degrees E the North 1 eter of soil f crops raised Purposes— al amount of p	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land o (M more space) sandy river h beans be cower to be deve	West, Willamette Meridia 17 degrees West 10.00 or ing or initial point of ans; thence North 55 degrees there North 25 degreemed by Peter Ewoniuk; trequired, attach separate sheet) (Control of the orthogonal control of the orth	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains to inued under Remarks) theoretical horsepower.
legrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Total	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 eter of soil	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be cower to be deve	West, Willamette Meridia 17 degrees West 10.00 or injustion of ins; thence North 55 degrees there is the North 25 degree with the State of the North 25 degree with the State of the State of the North 25 degree with the State of the State of the North 25 degree with the State of the North 25 degree with the State of the North 25 degree with the	chains; thence North 10 this survey; and running these East 6.00 chains; rees East 6.79 chains to thence West 9.47 chains thence West 9.47 chains there in the theoretical horsepower.
legrees West 3 legrees East 1 chence North 1 chence North 3 coint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Total	96 chains; 24 chains 0 degrees E 1 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut a nature of the	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be cower to be deve of to be used for ilized works by mean	West, Willamette Meridia 17 degrees West 10.00 or initial point of ans; thence North 55 degrees where North 25 degrees where North 25 degree where by Peter Ewoniuk; the continuity of the conti	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft.
legrees West 3 legrees East 1 chence North 1 chence North 3 coint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tota (d) The	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut the nature of the	thence North to the beginn ast 5.26 chai ast 5.20 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be cower to be deve of to be used for ilized works by mean	West, Willamette Meridia 17 degrees West 10.00 or injustrate point of ins; thence North 55 degrees where North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation cets or chard seloped feet. (Head) feet.	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft.
egrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tota (d) The	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut the nature of the	thence North to the beginn ast 5.26 chai ast 5.20 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be cower to be deve of to be used for ilized works by mean	West, Willamette Meridia 17 degrees West 10.00 or initial point of ans; thence North 55 degrees where North 25 degrees where North 25 degree where by Peter Ewoniuk; the continuity of the conti	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft.
egrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The	96 chains; 24 chains 0 degrees E 1 degrees E the North 1 eter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut e nature of the	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land of (M more space) Sandy river h beans be cower to be deve r to be used for ilized works by mean located in	West, Willamette Meridia 17 degrees West 10.00 on ing or initial point of ans; thence North 55 degrees wheel by Peter Ewoniuk; where the control (Control of the control of	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft.
egrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The	96 chains; 24 chains 0 degrees E 1 degrees E the North 1 eter of soil of crops raised Purposes— al amount of p antity of water al fall to be ut a nature of the h works to be	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be cower to be deve r to be used for ilized works by mean located in	West, Willamette Meridia 17 degrees West 10.00 or instal point of ans; thence North 55 degrees there North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation cets orchard seloped feet. (Head) feet. (Head) feet. (Legal Subdivision)	chains; thence North 10 this survey; and running these East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec.
egrees West 3 legrees East 1 hence North 1 hence North 3 loint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Suc	96 chains; 24 chains 0 degrees E 1 degrees E the North 1 cter of soil of crops raised Purposes— al amount of p antity of water al fall to be ut a nature of the ch works to be conter to be ret	thence North to the begins ast 5.26 chai ast 5.20 chai ine of land of (M more space) Sandy river h beans be cower to be deve ower to be used for ilized works by mean located in "E. or W.) urned to any st	West, Willamette Meridia 17 degrees West 10.00 on ing or initial point of ans; thence North 55 degrees where North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation eets orchard eloped feet. (Head) feet. (Head) sof which the power is to be degree feet. (Legal Subdivision) M. (Yes or No)	chains; thence North 10 this survey; and running these East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec.
legrees West 3 legrees East 1 chence North 1 chence North 3 coint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tota (d) The (e) Suc Tp. (No. N. or S.) (f) Is u	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut the nature of the ch works to be coater to be ret	thence North to the beginn ast 5.26 chai ast 5.20 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be beans be cower to be deve r to be used for ilized	West, Willamette Meridia 17 degrees West 10.00 or injustration of ins; thence North 55 degrees there North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation of the continuation o	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec.
degrees West 3 degrees East 1 chence North 1 chence North 3 point West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tota (d) The (e) Suc Tp. (No. N. or S.) (f) Is u	.96 chains; .24 chains 0 degrees E 1 degrees E the North 1 cter of soil f crops raised Purposes— al amount of p antity of water al fall to be ut the nature of the ch works to be coater to be ret	thence North to the beginn ast 5.26 chai ast 5.20 chai ast 5.20 chai ine of land of (M more space) sandy river h beans be beans be cower to be deve r to be used for ilized	West, Willamette Meridia 17 degrees West 10.00 or injustration of ins; thence North 55 degrees there North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation of the continuation o	chains; thence North 10 this survey; and running tees East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec.
legrees West 3 legrees East 1 hence North 1 hence North 3 oint West of (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Suc (f) Is u (g) If s	96 chains; 24 chains 0 degrees E 7 degrees E the North 1 2 ter of soil 2 f crops raised Purposes— al amount of purposes— al fall to be ut a nature of the 2 h works to be 3 chains 4 construction of the 5 chains 6 construction of the 7 construction of the 8 construction of the 8 c	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land of (M more space) Sandy river h beans be cower to be deve r to be used for ilized works by mean located in urned to any st m and locate por, Sec.	West, Willamette Meridia 17 degrees West 10.00 on ing or initial point of ans; thence North 55 degrees where North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Continuation eets orchard eloped feet. (Head) feet. (Head) sof which the power is to be degree feet. (Legal Subdivision) M. (Yes or No)	chains; thence North 10 this survey; and running these East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec, No. E. or W.)
egrees West 3 legrees East 1 hence North 1 hence North 3 loint West of (a) Charac (b) Kind of (b) Kind of (c) Tot (d) The (e) Suc (f) Is u (g) If s	96 chains; 24 chains 0 degrees E 7 degrees E the North 1 2 ter of soil 2 f crops raised Purposes— al amount of purposes— al fall to be ut a nature of the 2 h works to be 3 chains 4 construction of the 5 chains 6 construction of the 7 construction of the 8 construction of the 8 c	thence North to the beginn ast 5.26 chai ast 5.20 chai ine of land of (M more space) Sandy river h beans be cower to be deve r to be used for ilized works by mean located in urned to any st m and locate por, Sec.	West, Willamette Meridia 17 degrees West 10.00 or initial point of ans; thence North 55 degrees where North 25 degreemed by Peter Ewoniuk; required, attach separate sheet) (Contact on the contact of th	chains; thence North 10 this survey; and running these East 6.00 chains; tees East 6.79 chains to thence West 9.47 chains tinued under Remarks) theoretical horsepower. ec. ft. leveloped of Sec, No. E. or W.)

	18481 Application No. 23427				
Municipa	al or Domestic Supply—				
10.	(a) To supply the city of				
	County, having a present population of				
and an es	(Name of) timated population of				
	(b) If for domestic use state number of families to be supplied				
	(Answer questions 11, 12, 13, and 14 in all cases)				
11	500000				
	Estimated cost of proposed works, \$ 500000				
	12. Construction work will begin on or before Has been commenced 35 ac irrigated				
	13. Construction work will be completed on or before Two years after approval				
14.	The water will be completely applied to the proposed use on or before3 yrs " "				
•••••					
	(Sgd) Peter Evonuk (Signature of applicant)				
	and the second of the second o				
Ren	marks: (Continued from Item 8)				
Del of the V	orick slough is a spring fed stream said to at one time have been a channel Willamette. Parts of Debrick Slough are now several miles from the present of the Willamette River. (Sgd) Peter Evonuk				
cnannet	(Sgd) Peter Evonuk				
	entral de la composition de la composit La composition de la				
	i timbigue (Competto e aprijos, mai mostre o apreso aprilos despresos de la estada da planjo qui eximilador e Transferencia de la competitor de la compe				
	<u>in the few of the first of the</u>				
	and the state of the				
	*				
,					
Count	OF OREGON, ss. ss. ss. ss. ss. ss. ss. ss. ss. ss				
	is is to certify that I have examined the foregoing application, together with the accompanyi				
	data, and return the same for				
	order to retain its priority, this application must be returned to the State Engineer, with corre				
tions on o	r before				

STATE ENGINEER

The state of the s

Application	No. 23427
Permit No.	18491

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received office of the State Engineer at Salem, (
	on the 17th day of September	<u></u>
	194 8 at 3:45 o'clock P. M.	<u>ref tit i stronger en tronger en</u>
	Returned to applicant:	
	Corrected application received:	
	Approved: January 17, 1949	
	Recorded in book No. 145	of .
	Permits on page 18491	
	CHAS. E. STRICKLIN	
	Drainage Basin No. 2 Page Fees Paid \$18.90	
· · · · · · · · · · · · · · · · · · ·	rees rune	
STATE OF OREGON,	PERMIT	
County of Marion,	and the second of the second o	$\mathcal{S}_{p} = 0$. If \mathcal{S}_{p}
This is to certify that SUBJECT TO EXISTING R	I have examined the foregoing applica GHTS and the following limitations an ed is limited to the amount of water w	d conditions:
	2 cubic feet per second measure	•
A Company of the Comp	case of rotation with other water users,	
The use to which this	vater is to be applied is irrigation	
second or its equivale ersion of not to excee	ppropriation shall be limited to 1/2 to for each acre irrigated and so 1.2 acre feet per acre for each sech year,	hall be further limited to a div- acre irrigated during the
and shall be subject to such	reasonable rotation system as may be o	rdered by the proper state officer.
The priority date of th	s permit isSeptember 17, 1948.	
Actual construction w	ork shall begin on or beforeJ	anuary 17, 1950 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed	l on or before
October 1, 1950		
	of the water to the proposed use shall be	e made on or before
	is 17th day of January	, 194. 2
and the second second	CHAS E	STRICKLIN
Permits for power development ar	subject to the payment of annual fees as provided	` STATE ENGINEER