* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

| I, Clarence W. Ogle | |
|--|--|
| of Rt. 6. Lakeview. Oregon | (Name of applicant) |
| | , do hereby make application for a permit to appropriate the |
| | |
| | State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| | ve date and place of incorporation |
| | opriation is Thomas Creek (Name of stream) |
| | , a tributary of Goose Lake |
| 2. The amount of water which the o | applicant intends to apply to beneficial use is 30 |
| cubic feet per second. 3 acre feet | water is to be used from more than one source, give quantity from each) |
| | be applied is irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.) |
| | l ft and660 ft. S from the NW |
| corner of Sec 21 | (Section or subdivision) |
| and at the N. W. corner of the SW | 14. of NW4 of Sec. 21, and 150 ft. W. of N. W. corner |
| of Sec. 21 (pumping station) | |
| | |
| (If preferance | e, give distance and bearing to section corner) |
| | itversion, each must be described. Use separate sheet if necessary) OL NW |
| R. 20 E , W. M., in the county of | |
| 5. The(Main ditch, canal | or pipe line) (Miles or feet) |
| in length, terminating in the(Smalle | of Sec. , Tp, (N. or S.) |
| R, W. M., the proposed lo | ocation being shown throughout on the accompanying map. |
| DE | ESCRIPTION OF WORKS |
| Diversion Works— | and the second of the second o |
| 6. (a) Height of dam8 | feet, length on top feet, length at bottom |
| The state of the s | and character of construction concrete main portion (Loose rock, concrete, masonry, |
| with boards for raising height, | wasteway over dam |
| | er — one at first dam — two at second, (Timber, concrete, etc., number and size of openings) |
| one opening in each | |
| (c) If water is to be pumped give g | eneral description If pumped before dam construction, (Size and type of pump) |
| box pump will be used, the N2, NW (Size and type of engine | or motor to be used, total head water is to be lifted, etc.) |
| | 1 works will be needed for pumping. Box pump will b |
| placed right in channel. | e storage works are contemplated. |
| -A current form of application is provided where | secrete works are contemplated. |

| adgate. At head | dgate: width o | n top (at water | line) | feet; width on botton |
|---|-----------------|--|---|--|
| f | eet; depth of u | vater | feet; grade | feet fall per on |
| ousand feet. (b) At | · | miles from he | adgate: width on top (at wate | r line) |
| r ; , , , , , , , | | | feet; depth of w | |
| | | | | , uter jee |
| | | ll per one thous | • | |
| | | | size at intake, | |
| 1. 1. 1. 1. 1. 1. 1 | * * | | f use in.; dif | |
| take and place o | f use, | ft. Is | grade uniform? | Estimated capacity |
| *************************************** | sec. ft. | or the contract of the contrac | en e | and the state of t |
| 8. Location | of area to be | irrigated, or pla | ce of use | |
| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 39 S | 20 E | 21 | NW_{4}^{1} , NW_{4}^{1} Sec. 21 | 40 |
| 39 | 20 | 21 | $NE_4^{\frac{1}{4}}$, $NW_4^{\frac{1}{4}}$, Sec. 21 | 40 |
| 3 9 | 20 | 21 | SW_4^1 , NW_4^1 , Sec. 21 | 37 |
| 39 | 20 | 21 | SEI, NWI, Sec. 21 | 40 |
| 39 (| 20 | 21 | NW4, SW4, Sec. 21 | 37 |
| 39 | 20 | 21 | NE4, SW4, Sec. 21 | 40 |
| 39 | 20 | | SW ¹ / ₄ , SW ¹ / ₄ , Sec. 21 | 37 |
| 30 | 30 · | | | 1.0 |
| 25 | | • | SE, SW, Sec. 21 | |
| | | | | 311 |
| | | | | |
| | | *************************************** | | |
| | | <u> </u> | | en contraction of the contractio |
| | 4 | | d slightly alkaline | |
| | | | | |
| | 4 | alialia. | grain | ······································ |
| wer or Mining I | - | owen to he deve | loped | theoretical horsenous |
| | 4 | a.v. | | and the second second |
| | | | powers | ес. _Ј т. |
| | | | (Head) | |
| (d) The | nature of the | works by means | of which the power is to be o | leveloped |
| | a 1 6 7 | | | |
| (e) Sucl | n works to be l | ocated in | (Legal Subdivision) | of Sec |
|),(No. N. or S.) | , R | , W. M | | |
| • | - | | eam?(Yes or No) | |
| (g) If so | o, name strean | n and locate poi | nt of return | |
| | | | , Tp(No. N. or S.) | |
| | | | | |
| (h) Th- | 1100 to anhigh | morner in to ha | pplied is | |

CHAS. E. STRICKLIN

WITNESS my hand this day of September , 1948...

STATE ENGINEER

Permit No.18498

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

| | This instrument was first received in the office of the State Engineer at Salem, Oregon, |
|--|--|
| • | on the23 day ofSeptember, |
| | 194 8 at 8:00 o'clock M. |
| | Returned to applicant: |
| | |
| | Corrected application received: |
| | <u></u> |
| | Approved: |
| 57 - 64.30 | January 17, 1949 |
| | Recorded in book No45 of |
| garen en e | Permits on page18498CHAS. E. STRICKLIN |
| | STATE ENGINEER |
| | Drainage Basin No. 13 Page 26 |
| And the second of the second o | Fees Paid \$36.05 |
| | |
| STATE OF OREGON, | PERMIT |
| County of Marion, | SS . |
| | nted is limited to the amount of water which can be applied to beneficial use |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed?. stream, or its equivalent in The use to which thi If for irrigation, this second or its equival diversion of not to e irrigation season of | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed?. stream, or its equivalent in The use to which thi If for irrigation, this second or its equival diversion of not to e irrigation season of | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed?. stream, or its equivalent in The use to which thi If for irrigation, this second or its equival diversion of not to e irrigation season of | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed?. stream, or its equivalent in The use to which thi If for irrigation, this second or its equival diversion of not to e irrigation season of | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to l/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to l/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xeeed 2½ acre feet per acre for each acre irrigated during the each year, h reasonable rotation system as may be ordered by the proper state officer. |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to l/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year, h reasonable rotation system as may be ordered by the proper state officer. this permit is September 23, 1948. |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xceed 2½ acre feet per acre for each acre irrigated during the each year. h reasonable rotation system as may be ordered by the proper state officer. this permit is September 23, 1948. work shall begin on or before January 17, 1950 and shall the reasonable diligence and be completed on or before 950 Extended to Oct 1, 1951 |
| and shall not exceed | cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Thomas Creek s water is to be applied is irrigation appropriation shall be limited to 1/40th of one cubic foot per ent for each acre irrigated and shall be further limited to a xeed 2½ acre feet per acre for each acre irrigated during the each year, h reasonable rotation system as may be ordered by the proper state officer. this permit is September 23, 1948 work shall begin on or before January 17, 1950 and shall only reasonable diligence and be completed on or before 253 Extended to Oct. 1, 1951 nof the water to the proposed use shall be made on or before |