

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Warm Springs Irrigation District
(Name of applicant)
of Vale
(Post office), County of Malheur
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is See under remarks below
(Name of stream)
_____, a tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is All the water from the above sources which can be put to beneficial
use, amount not yet determined as the projects are not yet completed,
will be approx. 125 cu. ft. per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 460 ft. North and 500 ft. East from the S. W.
(N. or S.) (E. or W.)
corner of the S.W. 1/4 of the N.W. 1/4 of Sec. 31, T. 17 S. R. 45 E.W.M.
(Section or subdivision)

One diversion taken out of Willow Creek at the above point, the others not
determined, part of the water drains directly into the present ditches of the
District, will also use all our present diversion.

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 of the N.W. 1/4 of Sec. 31, Tp. 17 S.
(Give smallest legal subdivision) (N. or S.)
R. 45 E., W. M., in the county of Malheur
(E. or W.)

5. The Canal for the above diversion to be 7350 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.E. 1/4 of the S.W. 1/4 of Sec. 6, Tp. 18 S.
(Smallest legal subdivision) (N. or S.)

R. 45 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.) This canal will empty into the Gellerman-Froman canal, will be known
as the F canal, also other canals

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 30 feet, length at bottom
14 feet; material to be used and character of construction Concrete and Steel
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete and steel 1 30"X30" opening
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)
May install pumps later
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 8 1/2 feet; width on bottom 4 feet; depth of water 1 1/2 feet; grade 1 feet fall per one thousand feet.

(b) At 1/2 miles from headgate: width on top (at water line) 7 1/2 feet; width on bottom 3 feet; depth of water 1 1/2 feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Content includes 'Certain lands within the boundaries of the Warm Springs Irrigation District, exact sub-divisions to be determined later.' and 'See enclosed map & list of lands'.

(If more space required, attach separate sheet)

(a) Character of soil Volcanic ash

(b) Kind of crops raised All general farm crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. , R. , W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. , Tp. , R. , W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

DESCRIPTION OF LANDS TO ACC-
OMPANY APPLICATION NO.18423

FILED by the

WARMSPRINGS IRRIGATION DISTRICT

Vale, Oregon

Section	Description	Acres
Twp. 17-S Range 44-E		
24	SW SE	13
	SW SW	3
	SE SW	15
25	NW NE	26
	SW NE	30
	NE SE	17
	SE SE	13
	SW SE	10
	NW SE	25
	NE SW	19
	SE SW	25
	SW SW	10
	NE NW	23
	SE NW	33
36	SE NE	29
	SW NE	5
	NE SE	15
	NE SW	8
	NE NW	21
	SE NW	20
Twp. 17-S Range 45-E		
30	SW SW	28
	NW SW	10
31	NW NW	13
	SW NW	21
Twp. 17-S Range 47-E		
31	NE SE	26
	SW SE	16
	NW SE	9
32	NE SW	22
	SE SW	21
	SW SW	27
	NW SW	29
	SE NW	25
Twp. 18-S Range 43-E		
33	SE SE	22
34	SE SE	26
	SW SE	18
	SE SW	18
	SW SW	20
Twp. 18-S Range 44-E		
1	NW SE	2
	SE SE	7
25	SE NE	34
	SW NE	2
	NE SE	36
	SE SE	32

Twp. 18-S		Range 44-E	
Section	Description	Acres	
25	SW SE	37	
	NW SE	31	
	NE SW	3	
	SE SW	33	
35	NE NE	2	
	SE NE	13 15. W.C.W.	
	NE SE	37	
	SE SE	32	
	SW SE	31	
	NW SE	9	
	SE SW	7	
36	NE NE	37	
	SE NE	39	
	SW NE	39	
	NW NE	24	
	NE SE	30	
	SE SE	34	
	SW SE	36	
	NW SE	38	
	NE SW	39	
	SE SW	36	
	SW SW	37	
	NW SW	33	
	NE NW	38	
	SE NW	31	
SW NW	36		
NW NW	32		
Twp. 18-S		Range 45-E	
6	SW NE	35	
	NW NE	16	
	SW SE	39	
	NW SE	39	
	NE SW	36	
	SE SW	20	
	SW SW	36	
	NW SW	18	
	NE NW	40	
	SE NW	40	
	SW NW	20	
	NW NW	27	
7	NW NE	21	
	SW NE	14	
	NE SE	30	
	NW SE	26	
	NE SW	15	
	NE NW	23	
	NW NW	30	
	SE NW	38	
8	NW SE	8	
	SW SE	10	
	NE SW	34	
	SE SW	5	
	NW SW	3	
12	SE SE	16	
	SW SE	9	
13	NE NE	13	
	NW NE	16	
	NE SE	21	
	SE SE	22	
	SW SE	25 23 W.C.W.	
	NW SE	3	
	NE SW	20	
	SE SW	31	
NW SW	35		

Twp. 18-S

Range 45-E

Section	Description	Acres
13	NE NW	21
	SE NW	15
	SW NW	35
14	SE NE	29
	SW NE	21
	SE SE	30
	SW SE	25
	NW SE	37
	NE SW	38
	SE SW	37
	SW SW	38
	NW SW	39
	SW NW	30
	SE NW	20
NE SE	37	
15	SE NE	25
	SW NE	14
	NE SE	34
	SE SE	34
	SW SE	20
	NW SE	39
	NE SW	34
	SE SW	12
	SW SW	26
	NW SW	29
	SE NW	13
SW NW	8	
16	NE SE	25
	SE SE	22
	SW SE	18
	NW SE	10
	NE SW	15
	SE SW	30
	SW SW	30
	NW SW	30
	SW NW	15
17	NE SE	38
	SE SE	39
	SW SE	20
	NW SE	36
	NW NW	20
18	NE NE	5
	NW NE	15
19	SE NE	6
	NE SE	27
	NW SE	10
	SE SW	20
20	NW NE	36
	SW NE	30
	NW SE	4
	SW SE	6
	SE NW	35
	SW NW	15
	NW NW	24
NE NW	18	
21	NE SE	17
	SE SE	10
	SW SE	25
	SE SW	15
	NW SW	25
SE NW	15	

Twp. 18-S

Range 45-E

Section	Description	Acres
22	SW NE	25
	NE SE	30
	SE SE	17
	SW SE	28
	NW SE	14
	NE SW	7
	SE SW	36
	SW SW	40
	NW SW	14
	NE NW	25
	SE NW	25
	SW NW	25
23	SE NE	8
	NE SE	35
	SE SE	34
	SW SE	36
	NW SE	23
	NE SW	15
	SE SW	34
	SW SW	18
	NW SW	37
	NW NW	12
SW NW	20	
24	NE NE	38
	SE NE	35
	SW NE	35
	NW NE	36
	NE SE	38
	SE SE	35
	SW SE	38
	NW SE	37
	NE SW	36
	SE SW	36
	SW SW	35
	NW SW	37
	NE NW	36
	SE NW	36
SW NW	32	
25	NE NE	39
	SE NE	33
	SW NE	19
	NW NE	39
	NE NW	39
	SE NW	28
	SW NW	30
	NW NW	39
26	NE NE	39
	SE NE	32
	SW NE	25
	NW NE	39
	NE NW	30
27	NE NW	14
	SE NW	7
	NW NW	37
28	NE NE	10
29	NE SW	34
	SW SW	23
	SE SW	34
	NW SW	31
	SE NW	10
	SW NW	18

-5-

Section	Description	Acres
30	SE NE	5
	SW NE	39
	NW NE	10
	NE SE	28
	SE SE	5
	SW SE	39
	NW SE	36
	NE SW	40
	SE SW	36
	SW SW	37
	NW SW	35
	NE NW	24
	SE NW	35
	SW NW	36
NW NW	30	
31	NE NE	3
	SE NE	16
	SE SE	30
	NE SE	1
	NE NW	10
	SW NW	5
	NW NW	38
32	NE SW	9
	SW SW	8
	NW SW	27
	NE NW	25
	SE NW	19
	SW NW	27
	NW NW	19
Twp. 18-S		Range 46-E
2	NE SE	14
	SE SE	16
	SW SE	27
	NW SE	2
	SE SW	25
7	SE SE	30
	NE SE	20
	SW SE	9
	SW SW	14
	SE SW	10
8	NE SE	40
	SE SE	27
	SW SE	32
	NW SE	40
	NE SW	39
	SE SW	11
	SW SW	21
	NW SW	36
	SE NW	18
	SW NW	10
9	NW SW	29
10	SE NE	26
	SW NE	4
	NE SE	40
	SE SE	36
	SW SE	13
	NW SE	22
SE SW	3	

Twp. 18-S

Range 46-E

Section	Description	Acres
11	NE NE	36
	SE NE	36
	NW NE	36
	SW NE	36
	NE SE	20
	SE SE	35
	SW SE	35
	NW SE	20
	NE SW	38
	SE SW	39
	SW SW	36
	NW SW	39
	NE NW	32
	SE NW	30
SW NW	38	
NW NW	38	
12	NE NE	7
	SE NE	35
	SW NE	20
	NW NE	30
	NE SE	35
	SW SE	34
	NW SE	22
	NE SW	6
	SE SW	18
	NE NW	35
	SE NW	10
	SW NW	20
NW NW	35	
13	NE NE	36
	SW NE	40
	NW NE	40
	NE SE	36
	SE SE	20
	SW SE	23
	NW SE	38
	NE SW	40
	SE SW	36
	SW SW	36
	NW SW	40
	NE NW	37
	SE NW	31
	SW NW	38
NW NW	12	
SE NE	40	
14	NE NE	20
	SE NE	37
	SW NE	21
	NW NE	22
	NE SE	38
	SE SE	36
	SW SE	37
	NW SE	40
	NE SW	21
	SE SW	33
	SW SW	38
	NW SW	23
	NE NW	40
	SE NW	40
SW NW	40	
NW NW	40	
15	NE NE	34
	NE SE	38
	SE SE	39
	SW SE	37
	NW SE	13
	NE SW	--

Twp. 18-S

Range 46-E

Section	Description	Acres
15	SE SW	25
	SW SW	15
	NW SW	35
	NE NW	37
	SE NW	10
	SW NW	20
16	NE NE	10
	NW NE	30
	NW SE	20
	SW SE	20
	NE NW	3
	NW NW	15
17	SE SW	25
	SW SW	30
	NE NW	20
	NW NW	15
	SW NW	15
18	NE NE	23
	SE NE	38
	SW NE	22
	NW NE	27
	NE SE	24
	SE SE	27
	SW SE	32
	NW SE	17
	NE SW	26
	SE SW	27
	SW SW	35
	NW SW	3
	NE NW	34
	SE NW	25
SW NW	24	
NW NW	35	
19	NE NE	37
	SE NE	34
	SW NE	37
	NW NE	37
	NE SE	37
	SE SE	36
	SW SE	33
	NW SE	40
	NE SW	38
	SE SW	35
	SW SW	35
	NW SW	38
	NE NW	15
	SE NW	35
SW NW	20	
NW NW	30	
20	NE NE	3
	SE NE	39
	SW NE	38
	NE SE	38
	SW SE	25
	NW SE	39
	NE SW	39
	SE SW	37
	SW SW	37
	NW SW	39
	NE NW	32
	SE NW	39
SW NW	37	

Section	Description	Acres
21	NE NE	35
	SE NE	15
	SW NE	25
	NW NE	35
	NE SW	13
	SW SW	6
	NW SW	37
	SE NW	36
	SW NW	39
22	NE NW	21
	NW NW	37
29	NW NW	5
30	NE NE	23
	SW NE	3
	NW NE	29
	NE NW	38
	SE NW	10
	SW NW	21
	NW NW	39
Twp. 18-S		Range 47-E
5	NW NW	30
	SW NW	30
6	NE NE	18
	SE NE	30
	SW NE	5
	NW SE	30
	SE SW	17
	SW SW	6
	NE NW	21
	SW NW	8
	NW NW	22
7	SW SW	38
	NW SW	40
	SW NW	35
	NW NW	30
Twp. 19-S		Range 43-E
1	SE SE	2
	SW SE	20
	SW NW	30
	NW SW	30
	NE SE	17
	NW SE	10
	SE SE	9
	SW SE	20
	NW NW	4 W.C.W.
2	NE NE	3
	NW NE	24
	SW NE	31
	SE NE	23
	NE NW	4
	NW NW	13
	SE NW	38
	SW NW	37
	NE SE	31
	NW SE	30
	SE SE	27
	SW SE	30
	NE SW	37
	SE SW	38
SW SW	38	
NW SW	38	

Section	Description	Acres
3	NE NE	6
	SE NE	27
	SW NE	23
	NE NW	30
	SE NW	21
	SW NW	28
	NW NW	28
	NE SE	26
	SE SE	28
	SW SE	34
	NW SE	30
	NE SW	39
	SE SW	36 37 W.C.W.
	SW SW	24
NW SW	37	
4	NE NE	13
	SE NE	33
	NE SE	12
10	NE NE	32
	NW NE	37
	NE NW	18
11	NW NW	17
	NE NW	18
12	NE NE	40
	SE NE	19
	SW NE	37
	NW NE	7
	NE SE	40
	SE SE	32
	SW SE	20
	NW SE	34
	NE NW	17
	SE NW	37
	SW NW	39
	NW NW	37
	NE SW	29
SE SW	2	
NW SW	4	
Twp. 19-S		Range 44-E
1	NE NE	30
	NW NE	28
	SW NE	12
	NE SE	15
	NW SE	15
	SW SE	5
	SE SE	35
	NE SW	27
	NW SW	40
	SE SW	4
	SW SW	29
	NE NW	12
	NW NW	30
	SE NW	24
SW NW	20	
2	NE NE	38
	SW NE	39
	NW NE	32
	SE NE	37
	NE SE	37 36 W.C.W.
	SE SE	9
	SW SE	30
	NW SE	37
	NE SW	38
SE SW	38	

Twp. 19-S

Range 44-E

Section	Description	Acres
2	SW SW	38
	NW SW	31
	NE NW	32
	SE NW	34
	SW NW	15
	NW NW	1
3	SE SE	14
	SW SE	14
	SE SW	8
	SW SW	1
4	NW NE	3
	SW NE	27
	NE NW	15
	SE NW	40
	SW NW	37
	NE SW	40
	NW SW	40
	SW SW	37
	SE SW	37
	NW SE	39
	SW SE	34
	SE SE	27
5	SE NE	20
	NE SE	31
	SE SE	32
	SE SW	40
	SW SW	30
	NW SW	10
	SW NW	10
6	NW NE	5
	SW NE	35
	SE NE	35
	NE SE	20
	SW SE	26
	NW SE	24
	NE SW	25
	SE SW	25
	SW SW	49
	NW SW	28
	SW NW	19
	NW NW	28
7	NW NE	30
	NE NE	32
	SW NE	23
	SE NE	16
	NW SE	40
	NE SE	15
	SW SE	37
	SE SE	28
	NW SW	53
	NE SW	38 37 W.C.W.
	SW SW	38
	SE SW	31
8	NW NW	12
	NE NW	38
	SW NW	16
	SE NW	40
	NW SW	30
	NE SW	13
	SW SW	20
SE SW	13	

Twp. 19-S

Range 44-E

Section	Description	Acres
9	NE NE	30
	SE NE	34
	SW NE	35
	NW NE	35
	NE SE	40
	SE SE	40
	SW SE	3
	NW SE	40
	NE SW	10
	NE NW	11
	SW NW	25
	NW NW	32
10	NE NE	29
	SE NE	2
	SW NE	40
	NW NE	32
	NE SE	28
	SE SE	21
	SW SE	31
	NW SE	15
	NE SW	35
	SE SW	36
	SW SW	17
	NE NW	24
	SE NW	39
SW NW	39	
NW NW	35	
11	NE NW	37
	SE NW	20
	SW NW	25
	NW NW	38
12	NE NE	29
	SE NE	35
	SW NE	31
	NE SE	40
	SE SE	34
	SW SE	40
	NW SE	37
	SE SW	8
	SE NW	9
	SW NW	23
13	NE NE	8
	SW NE	3
	NW NE	38
	NE NW	12
	SE NW	25
	SW NW	17
	NW SW	31
14	NE NE	20
	SE NE	20
	SW NE	30
	NW NE	15
	NE SE	25
	SE SE	31
	SW SE	37
	NW SE	38
	NE SW	39
	SE SW	22
	SW SW	21
	NW SW	37
	NE NW	13
SE NW	22	

Section	Description	Acres
15	NE SE	25
	SE SE	39
	SW SE	31
	NW SE	18
	NE SW	9
	SE SW	22
	NW SW	16
	NE NW	33
	SE NW	25
	SW NW	25
	NW NW	30
16	NE SE	5
	SE SE	10
	NW SE	35
	SE NE	19
	SW NE	25
	SE NW	7
	NE SW	3 W.C.W.
17	SE NE	10
	SW NE	30
	NE SE	20
	NW SE	10
	NE SW	3
	NW SW	3
	SE NW	38
	SW NW	38
	NW NW	8
18	NE NE	15
	SE NE	36
	SW NE	15
	NW NE	38
	NE NW	14
22	NE NE	30
	NW NE	15
	SW NE	35
	SE NW	15
	SE NE	33
23	NE NE	5
	NW NE	32
	NE NW	23
	NW NW	12
	SE NW	19
	SW NW	38
Twp. 19-S		Range 45-E
6	NE NE	7
	SW NE	12
	NW NE	38
	SW SE	17
	NW SE	3
	NW SW	18
	NE NW	4
	SE NW	6
	SW NW	35
	NW NW	35
7	NW SW	21
	NW NW	10
	SW NW	13
		18,258

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$7,000.00
- 12. Construction work will begin on or before Immediately
- 13. Construction work will be completed on or before 1945
- 14. The water will be completely applied to the proposed use on or before 1945

Warm Springs Irrigation District
(Signature of applicant)

By (Sgd) John W. Updegraff

John W. Updegraff, Secretary

Signed in the presence of us as witnesses:

- (1) (Sgd) Percy Purvis Vale, Oregon
(Name) (Address of witness)
- (2) (Sgd) I. W. Hope Vale, Oregon
(Name) (Address of witness)

Remarks: Ans. to item # 1 Waste and return flow water from the Vale-Oregon
and the Warm Springs Irrigation Districts, which water originates in the Malheur
River. Waste Water and return flow water from the Owyhee and Ontario-Nyssa Irrigation
Districts and the Owyhee Ditch Company lands, which water originates in the Owyhee
River.

Inclosed please find our check in amount of \$5.00 to cover
examination fee.

Attached herewith a list of lands & map showing Points of Diversion

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before September 1st., 1948.

WITNESS my hand this 2nd day of July, 1948.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
gk

Application No. 18423

Permit No. 18547

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 16th day of October, 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of

Permits on page 18547

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 10 Page 3

Fees Paid 238.02

STATE OF OREGON

County of Marion,

PERMIT

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 300 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from waste water

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water, and also provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 16, 1939

Actual construction work shall begin on or before April 25, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 25th day of April, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER