

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M. M. Miller (Name of applicant) of Joseph, Oregon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River (Name of stream), a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is Two cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is manufacturing (Sawmill Pond) (Irrigation, power, mining, manufacturing, domestic supplies, etc.) Water to be used for maintenance of pond only.

4. The point of diversion is located 225 ft. N and 1885 ft. W from the SE corner of Section Thirty in Township Two South, Range 45 E. W. M. (Section or subdivision) Original Figures were estimated. I changed point of diversion figures to those given in your letter as map is correct to 50 ft. (Sgd)JWB. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 of Sec. 30, Tp. 2 S., R. 45 E., W. M., in the county of Wallowa (Give smallest legal subdivision) (N. or S.)

5. The diversion flume and ditch to be 150 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW 1/4 of Sec. 30, Tp. 2 S., R. 45 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works— No dam to be constructed. 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings) Mouth of flume set in river without dam or wings.

(c) If water is to be pumped give general description (Size and type of pump) Controll gate set in flume 150 ft. below diversion point returning excess water to river. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) two feet; width on bottom two feet; depth of water 1 foot feet; grade 50 feet fall per one thousand feet.

(b) At 60 feet miles from headgate: width on top (at water line) ditch three feet; width on bottom two feet; depth of water 1 feet; grade 50 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 2 S., 45 E WM, 30, SW 1/4 SE 1/4, Mill Pond.

(If more space required, attach separate sheet)

(a) Character of soil gravel

(b) Kind of crops raised none, mill pond

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal Subdivision)

Tp. , R. , W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes (Yes or No)

(g) If so, name stream and locate point of return Wallowa River about 500 feet west of point of diversion, Sec. 30, Tp. 2 S., R. 45 E., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is to furnich water for saw mill pond

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before April 20, 1947

13. Construction work will be completed on or before May 15, 1947

14. The water will be completely applied to the proposed use on or before May 15, 1947.

(Sgd) M M Miller
(Signature of applicant)

Remarks: The water applied for is waste or surplus water from Wallowa River. It will be used to fill millpond on north bank of Wallowa River, and returned to river through discharge gate about 500 feet west of the Point of diversion. A flume will lead from diversion gate across river to top of river bank; thence ditch will lead to pond, which is approximately 2 acres in extent.

This pond is excavated but on west side the dike or bank is about five feet high. All other parts of the pond are below the ground level or not above level.

Average depth of pond - 4 ft. 6 in.

As pond is situated in very rocky ground and several feet higher than river bed, 2 c.f.s. are necessary. JWB.

Corrections on this application were made by —

(Sgd) John W. Bornstedt
Watermaster Dist. #4

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion. Necessary corrections

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 22, 1947, September 27, 1948, January 17, 1949.

WITNESS my hand this 22nd day of April, 1947.
16th December 1948
25th August 1948

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
ci vc mw

Application No. 22450

Permit No. 18550

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of April,
1947, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of

Permits on page 18550

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 8 Page 30

Fees Paid \$17.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is to maintain log pond

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 14, 1948

Actual construction work shall begin on or before April 25, 1950 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 25th day of April, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER