

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Donald T. Crockett  
(Name of applicant)  
of Harbor Oregon,  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 Unnamed streams and an unnamed spring  
(Name of stream)  
a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 0.27  
cubic feet per second. See remarks  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic, stock & irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point<sup>s</sup> of diversion <sup>are</sup> 658 north 117.7 east SE  
~~is~~ located 100 ft. North and 25 ft. West from the SE  
(N. or S.) (E. or W.)  
corner of NW $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Section 23  
(Section or subdivision)  
315 ft. south and 100 ft west from the NE corner Sec. 22, T 41 S., R 13 W., W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the NE $\frac{1}{4}$ NW $\frac{1}{4}$  & NW $\frac{1}{4}$ NW $\frac{1}{4}$  Sec. 23 & NE $\frac{1}{4}$ NE $\frac{1}{4}$  of Sec. 22, Tp. 41S,  
(Give smallest legal subdivision) (N. or S.)  
R. 13W, W. M., in the county of Curry  
(E. or W.)

5. The Pipe Line to be 300 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Sec. 23, Tp. 41S,  
(Smallest legal subdivision) (N. or S.)  
R. 13W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 24 feet, length at bottom 14 feet; material to be used and character of construction concrete  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  
24" thick at base 12" thick at top Waste spillway

—(b) Description of headgate— through top  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 inch Centrifugal  
(Size and type of pump)  
7 $\frac{1}{2}$  H.P. Electric or 20 H.P. Gasoline  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
3 ft. to 12 ft. lift to sprinkler pipes

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 250 ..... ft.; size at intake, ..... 2 1/2 ..... in.; size at ..... 20 ..... ft. from intake ..... 1" ..... in.; size at place of use ..... 3/4 ..... in.; difference in elevation between intake and place of use, ..... 15 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
41 S	13 W	22	NE 1/4 NE 1/4	20
		23	NW 1/4 NW 1/4	domestic & stock
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Donald Crockett				
Legal Description of Crockett Ranch; To accompany Application for Water Permit. *****				
Township 41 South, Range 13 West, W. M., Curry County, Oregon.				
Section 14: 0.8 acre. That portion of the Southwest Quarter of the Southwest Quarter of Section 14 lying West of the Westerly line of U. S. Highway 101.				
Section 15: 79.7 acres. Government Lot 2; The Southwest Quarter of the Southeast Quarter; That portion of the Southeast Quarter of the Southeast Quarter lying West of the Westerly line of U. S. Highway 101;.				
Section 22: 106.58 acres. Government Lots 1 and 2, and the Northeast Quarter of the Northeast Quarter.				
Section 23 13.34 acres. That portion of the Northwest Quarter of the Northwest Quarter lying West of the Westerly line of U. S. Highway 101.				

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal Subdivision)

Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 4000<sup>00</sup>
  - 12. Construction work will begin on or before .....
  - 13. Construction work will be completed on or before .....
  - 14. The water will be completely applied to the proposed use on or before .....
- This water is now in use and has been for 4 years

(Sgd) Donald T. Crockett  
(Signature of applicant)

Remarks: Concrete catch basin at spring. Pipe line 500 ft. long to second concrete catch basin located north 286.4 ft. and west 274.2 ft. from SE corner NW<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> Sec. 23.

0.01 cfs from stream in NW<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> Sec. 23 for Stock

0.25 cfs " stream " NE<sup>1</sup>/<sub>4</sub> NE<sup>1</sup>/<sub>4</sub> Sec. 22 " irrigation

0.01 cfs " spring " NE<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> Sec. 23 " domestic

Pond formed by diversion dam

Average width 40 feet

Average length 90 feet

Average depth 5 feet

(Sgd) Donald T. Crockett

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 22, 1948.

WITNESS my hand this 21st day of October, 1948.

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
rn

Application No. 23323

Permit No. 18560

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of October, 1948, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of Permits on page 18560

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 2 D

Fees Paid \$25.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed streams and an unnamed spring

The use to which this water is to be applied is domestic, stock and irrigation, being 0.01 c.f.s. from stream in NW 1/4 NW 1/4, Sec. 23, for stock, 0.25 c.f.s. from stream in NE 1/4 NE 1/4, Sec. 22 for irrigation, and 0.01 c.f.s. from spring in NE 1/4 NW 1/4, Sec. 23 for domestic,

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 20, 1948

Actual construction work shall begin on or before April 25, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 25th day of April, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER