

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Porter Improvement District successor in interest to Henry C. Porter Trustee of Aumsville, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Santiam River and Tailrace of A. D. Gardner Mill Ditch, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 7.21 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation, domestic and stock

4. The point of diversion is located 600 ft. S and 750 ft. E from the corner of Sections 9, 10, 15 and 16 T. 9 S., R. 1 W.

Tentative point of diversion from the North Santiam River to be at or near the present point of diversion of the A. D. Gardner Mill Ditch, July 23, 1948

2442' South 290' E. of S. E. Cor. Sec. 12 T. 9 S., R. 1 W.

being within the SW 1/4 of NW 1/4 of Sec. 18, Tp. 9 S., R. 1 E., W. M., in the county of Marion

5. The Ditch to be 7 Miles in length, terminating in the NE 1/4 of SE 1/4 of Sec. 35, Tp. 8 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete 3 openings 3' square

(c) If water is to be pumped give general description

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 18 feet; width on bottom 16 feet; depth of water 20 feet; grade 10 feet fall per one thousand feet.

(b) At 2 miles from headgate: width on top (at water line) 10 feet; width on bottom 8 feet; depth of water 1.5 feet; grade 10 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated	Ownership
T. 9 S.	1 W.	8	NW of NE	38.40	Anthony Minden
			SW of NE	11.60	Anthony Minden
			NE of NW	40.00	Mary B. Hein
			SE of NW	40.00	Mary B. Hein
		5	SW of NW	19.08	Donald Gentzler
			NW of SW	12.00	Donald Gentzler
			NW of SW	28.00	LeRoy Porter
			SW of SW	40.00	LeRoy Porter
		6	SE of SW	40.00	Mary B. Hein
			SW of NE	2.70	Jack LaRont
			SE of NE	15.00	Grant Rubley
			SE of NE	6.24	Donald Gentzler
			NE of NW	24.40	Jack LaRont
			NW of NW	8.63	Willamette Build
					Supply Co.
			NW of NW	2.00	E. E. Getzlaff
			SW of NW	.44	E. E. Getzlaff
			SE of NW	.27	Jack La Ront
			NE of SE	22.10	Grant Rubley
			NE of SE	6.17	LeRoy Porter
			NE of SE	2.77	Donald Gentzler
			SE of SE	12.90	Grant Rubley
			SE of SE	9.24	LeRoy Porter

(CONTINUED UNDER REMARKS)

(If more space required, attach separate sheet)

(a) Character of soil Gravel & Loam

(b) Kind of crops raised Row, Pasture and Grain.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....5000.00.....

12. Construction work will begin on or before Complete

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before in use.....

Porter Improvement District
 (Sgd) Elbert LeRoy Porter, President
 Successor in interest to Henry C. Porter, Trustee

Remarks:			Number acre		
Range	Section	40 Acre Tract	to be	Irrigated	Ownership
Township					
9 S.	2 W	1	NE of NE	28.30	E. E. Getzlaff
			NE of NE	11.70	R. G. Hahn
			NW of NE	8.40	R. G. Hahn
			NW of NE	19.97	E. E. Getzlaff
			SE of NE	1.60	E. E. Getzlaff
8 S.	2 W	36	SW of NE	10.00	Edward Wallace
			NE of SW	2.40	Mary B. Hein
			NW of SW	30.00	Elmer Hayes
			SW of SW	1.30	Elmer Hayes
			SE of SW	16.20	Mary B. Hein
			NE of SE	4.00	George M. Killinger
			NW of SE	6.00	George M. Killinger
			SW of SE	4.60	Mary B. Hein
			SW of SE	16.10	R. G. Hahn
			SE of SE	23.80	R. G. Hahn
		35	NE of SE	10.00	Elmer Hayes
				<u>576.61</u>	Total

Porter Improvement District has a contract with the Willamette Water Company to convey through the latter's canal approximately 10.96 Sec. Ft. of water from the Tail Race of the Gardner Canal to a point near the point of intersection of the Collier Lateral and the West boundary of the county road running North on the center line of Section 17 in T. 9 S., R. 1 W. W.M. and from this point to the point where the Porter Ditch was constructed in 1945 said point being approximately 400 feet north and 30 feet West of the NE corner of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 8, T. 9 S., R. 1 W. WM; and from the later points the Porter Improvement District has constructed its own canals and laterals. It is respectfully requested that the Porter Improvement District be granted permit giving permission to divert at or near the present point of diversion of Gardner Power canal in case the Gardner Power canal is abandoned.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 9789

Permit No. 18572

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of August, 1924, at 10:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of Permits on page 18572

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 45 & 47

Fees Paid \$52.35

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.21 cubic feet per second measured at the point of diversion from the Gardner Tail-race or the North Santiam River, or its equivalent in case of rotation with other water users, from North Santiam River

The use to which this water is to be applied is supplemental irrigation, domestic and stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre feet per acre for each acre irrigated during the irrigation season beginning May 1 and ending September 30, of each year, subject to the terms and conditions of that contract between the Willamette Valley Water Company and Porter Improvement District, dated July 3, 1947, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 28, 1924

Actual construction work shall begin on or before April 25, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 25th day of April, 1949

CHAS. E. STRICKLIN

STATE ENGINEER