

CERTIFICATE NO. 20215

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Margarite Wood (Name of applicant) of Sams Valley (Mailing address) General Delivery State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No. 1, 2, & 3 private springs (Name of stream) Rogue River Watershed, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 6 g.p.m. cubic feet per second. Being 2 gpm from each - No. 1-2-3 springs (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located No. 1 spg. 3790 ft. N. and 1140 ft. W. from the S.E. corner of Sec. 12; No. 2 Spg. is located 2800 ft. N. and 1250 ft. W. of S.E. cor. Sec. 12, both in T. 35 S., R. 2 W., W.M. Also No. 3 spring is located 520 ft. N. and 1295 E. from S. E. Cor. Sec. 12, T. 35 S., R. 1 W.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 Sec. 12 & SW 1/4 SW 1/4 of Sec. 7, Tp. 35 S., R. 2 & 1 W., W. M., in the county of Jackson

5. The 3 pipe lines (Main ditch, canal or pipe line) to be 150 ft. (Miles or feet) in length, terminating in the SE 1/4 NE 1/4 Sec. 12 & SW 1/4 SW 1/4 of Sec. 7, Tp. 35 S., R. 2 & 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction springs to be developed & boxed in rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00.....

12. Construction work will begin on or before 1 yr. from date of priority.....

13. Construction work will be completed on or before 2 yrs. from date of priority.....

14. The water will be completely applied to the proposed use on or before 3 yrs. from date
of priority.....

(Sgd.) Margarite Wood
Sams Valley, Oreg. (Signature of applicant)

Remarks:

Deed records of Jackson Co. Vol. 303 page 284 show that the applicant
owns the entire east half of section 12, T. 35 S., R. 1 W., Willamet
Meridian. Also Vol. 301 page 170 in the name of Ray L. and Mary A.
Bowen is leased by the applicant for grazing purposes.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 23541

Permit No. 18588

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of November, 1948, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of

Permits on page 18588

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 78 G

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6 gallons per minute measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from three unnamed springs, being 2 g.p.m. from each spring

The use to which this water is to be applied is stock

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 26, 1948

Actual construction work shall begin on or before April 25, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 25th day of April, 1949

CHAS. E. STRICKLIN

STATE ENGINEER