

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Peter W. Sandoz (Name of applicant)  
of Trail (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No. 1 & No. 2, and No. 3 springs (Name of stream)  
Tributary unnamed gulch, a tributary of Elk Creek - Rogue River  
2. The amount of water which the applicant intends to apply to beneficial use is 0.19  
cubic feet per second. See Remarks  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic, stock and irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located No. 1  
15 ft. S. and 1089 ft. W. from the E $\frac{1}{4}$   
(N. or S.) (E. or W.)  
corner of Sec. 5, Also No. 2 spring is 33' S. and 1158' West from E $\frac{1}{4}$  corner Sec. 5,  
(Section or subdivision)  
Also No. 3 spring is 103' S. and 1936' West of same 1/4 corner.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE $\frac{1}{4}$  SE $\frac{1}{4}$  & NW $\frac{1}{4}$  SE $\frac{1}{4}$  of Sec. 5, Tp. 33 S.  
(Give smallest legal subdivision) (N. or S.)  
R. 1 E., W. M., in the county of Jackson  
(E. or W.)

5. The pipe line to be 1700 ft.  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE $\frac{1}{4}$  SE $\frac{1}{4}$  & SE $\frac{1}{4}$  NE $\frac{1}{4}$  of Sec. 5, Tp. 33 S.  
(Smallest legal subdivision) (N. or S.)  
R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction 4 x 4 x 4' concrete box  
(Loose rock, concrete, masonry)  
box at all springs  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 3100 ..... ft.; size at intake, ..... 1 ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... 1 ..... in.; difference in elevation between intake and place of use, ..... 60 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... sec. ft. 6 x 6 x 6 feet service tank below No. 1 and No. 2 springs 2 - 6 x 6 x 6 ft. cement service tanks both in ground.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S.	1 E.	5	NE $\frac{1}{4}$ SE $\frac{1}{4}$	domestic and stock
		5	NE $\frac{1}{4}$ SE $\frac{1}{4}$	3 ac. supplemental irrig. See page 4 Col. 2 Rogue River Decree in name of Paul E. Sandoz proof 353, Vol. 6
		5	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10 ac. domestic & stock
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
Deed Records of Jackson County shows the applicant's land as follows, as copied in part: Volume 22, Page 374.				
The S $\frac{1}{2}$ of the NE $\frac{1}{4}$ Section 5, Volume 22, Page 113. That portion of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ lying East of the county road and being 3 acres in the Southeast corner of the said forty acre tract in Section 5 all in Township 33 South, Range 1 East, Willamette Meridian in Jackson County, Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal Subdivision)

Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... two

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2,000.00

12. Construction work will begin on or before 1 yr. from date of priority.....

13. Construction work will be completed on or before 2 yrs. from date of priority.....

14. The water will be completely applied to the proposed use on or before 3 yrs. from date of priority.....

(Sgd.) Peter W. Sandoz  
Trail, Oregon (Signature of applicant)

Item #2

Remarks: Being 0.13 c.f.s. from No. 3 spring for irrigation;  
0.01 c.f.s. from No. 3 spring for domestic; 0.01  
c.f.s. from No. 2 spring for domestic; and 0.04 c.f.s.  
from No. 1 spring for irrigation purposes.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... January 17 ..... 19 49.

WITNESS my hand this 17th day of December, 1948.

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
vc

Application No. 23546

Permit No. 18592

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 6th day of December,  
1948, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of

Permits on page 18592

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 78 G

Fees Paid \$25.00

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from three springs

The use to which this water is to be applied is irrigation, supplemental irrigation, domestic  
and stock, being 0.13 cfs for irrigation and 0.01 cfs for domestic and stock from  
west spring, 0.01 cfs from middle spring for domestic and stock and 0.04 cfs from  
east spring for irrigation.  
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during  
the irrigation season from April 2 to October 31 of each year, provided further  
that the amount of water allowed herein, together with the amount secured under  
any other right existing for the same lands shall not exceed the limitation  
allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 6, 1948

Actual construction work shall begin on or before April 25, 1950 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before \_\_\_\_\_

Extended to Oct. 1, 1952  
October 1, 1951

Complete application of the water to the proposed use shall be made on or before \_\_\_\_\_

Extended to Oct. 1, 1952  
October 1, 1952

WITNESS my hand this 25th day of April, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER