## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Hills Flycaster Auto Court by Ja	ck Shoemaker, Manager
ofGold Hill,Route 1, Box 83.	
State ofOregon, do here	
following described public waters of the State of Ore	
• • • • • • • • • • • • • • • • • • • •	place of incorporation
-,	
1. The source of the proposed appropriation is	Rogue River (Name of stream)
a tribut	
2. The amount of water which the applicant int	
cubic feet per second. (If water is to be used	
	S irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 2060 f	t. No and 2600 ft. Wo from the SoE.
corner of Section 24 (Section	ion or subdivision
(If preferable, give distance and (if there is more than one point of diversion, each mubeing within the $\frac{NW_4^1}{SE_4^1}$ (Give smallest legal subdivision)	ist be described. Use separate sheet if necessary)
R. 11 Wa., W. M., in the county of Jackson.	(N. or S.)
	to be
in length, terminating in the	(Miles or feet) of Sec
R. 4 W. W. M., the proposed location being (E. or W.)	n) 7 shown throughout on the accompanying map.
DESCRIPTION	N OF WORKS
Diversion Works—	
6. (a) Height of dam feet, le	ength on top feet, length at bottom
feet; material to be used and characte	er of construction(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	·····
	Timber, concrete, etc., number and size of openings)
	iption 12" Cent. pump powered by 2 H.P.
	(Size and type of pump)
electric motor. Total lift 40 ft.  (Size and type of engine or motor to be us	ed, total head water is to be lifted, etc.)

A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

05			·	
Canal System or F	Pipe Line—			
7. (a) Give	e dimensions at	each point of	canal where materially chan	ged in size, stating miles from
eadgate. At head	dgate: width on	top (at water	line)	feet; width on bottom
 housand feet.	feet; depth of w	ater	feet; grade	feet fall per one
	***************************************	miles from he	eadgate: width on top (at wo	iter line)
	feet; width on	bottom	feet; depth of	water feet;
rade	feet fal	l per one thous	sand feet.	
		-		in.; size at300 ft.
		•		ifference in elevation between
				Estimated capacity,
•				Estimated Capacity,
		-	cler system	•
<del></del>			ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	4 W.	24	NW <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	1. ac.
Land on which applicant as		be used is	a part of that more ex	plicitly described by
290-439				
				Subdivision as shown on bouth19° East 181 feet to
Northerly rig	ht of way li	prac greraci	and rathering offence o	OROHITA DATA TOT 1660 00
		tie of mie La	cific Highway No. 99:	thence along said right
of way line N	orth 51° 59°	East 211 fe	et: thence running Nor	thence along said right th 38° 01' West 190 feet
of way line N to the Southe	orth 51° 59° rly bank of	East 211 fe Rogue River	et: thence running Nor thence Southwesterly	th 38° 01' West 190 feet along said bank, 155 feet
of way line N to the Southe more or less.	orth 51° 59° rly bank of to the poin	East 211 fe Rogue River; t of beginn	et; thence running Nor thence Southwesterly	th 38° 01' West 190 feet along said bank, 155 feet ection 24. Township 36
of way line N to the Southe more or less, South, Range Subject to	brth 51° 59° rly bank of to the poin 4 West of th the effect	East 211 fe Rogue River; t of beginn e Willamette	thence running Nor thence Southwesterly ng, all situated in Se Meridian. in Jackson	th 38° 01' West 190 feet along said bank, 155 feet ection 24. Township 36
of way line N to the Southe more or less, South, Range Subject to	brth 51° 59° rly bank of to the poin 4 West of th the effect	East 211 fe Rogue River; t of beginn e Willamette	thence running Nor thence Southwesterly ng, all situated in Se Meridian. in Jackson	th 38° 01° West 190 feet along said bank, 155 feet action 24. Township 36 County. Oregon.
of way line N to the Southe more or less, South, Range Subject to	brth 51° 59° rly bank of to the poin 4 West of th the effect	East 211 fe Rogue River; t of beginn e Willamette	thence running Nor thence Southwesterly ng, all situated in Se Meridian. in Jackson	th 38° 01° West 190 feet along said bank, 155 feet action 24. Township 36 County. Oregon.
of way line N to the Southe more or less, South, Range Subject to	brth 51° 59° rly bank of to the poin 4 West of th the effect	East 211 fe Rogue River; t of beginn e Willamette	thence running Nor thence Southwesterly ng, all situated in Se Meridian. in Jackson	th 38° 01° West 190 feet along said bank, 155 feet action 24. Township 36 County. Oregon.
of way line N to the Southe more or less, South, Range Subject to	brth 51° 59° rly bank of to the poin 4 West of th the effect	East 211 fe Rogue River; t of beginn e Willamette	thence running Nor thence Southwesterly ng, all situated in Se Meridian. in Jackson	th 38° 01° West 190 feet along said bank, 155 feet action 24. Township 36 County. Oregon.
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin west of the the effect	East 211 fe Rogue River; t. of beginni e Willamette of said pres	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi	th 38° Ol' West 190 feet along said bank, 155 feet action 24. Township 36 County, Oregon. thing the Cold Hill Irri-
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin west of the the effect	East 211 fe Rogue River; t. of beginni e Willamette of said pres	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi	th 38° Ol' West 190 feet along said bank, 155 feet action 24. Township 36 County, Oregon. thing the Cold Hill Irri-
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.	East 211 fe Rogue River; t of beginni e Willamette of said pres  (If more space r	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi	th 38° Ol' West 190 feet along said bank, 155 feet action 24. Township 36 County, Oregon. thing the Cold Hill Irri-
of way line Note to the Southe more or less, South, Range Subject to gation Distri	orth 51° 59° rly bank of to the poin west of the the effect ct.	East 211 fe Rogue River; t of beginni e Willamette of said pron  (If more space r  river loan  lawn &	et: thence running Nor thence Southwesterly ng, all situated in Se Meridian, in Jackson tises being included wi  required, attach separate sheet)  flowers	th 38° Ol' West 190 feet along said bank, 155 feet action 24. Township 36 County, Oregon. thing the Gold Hill Irri-
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.  ter of soil f crops raised Purposes—	East 211 fe Rogue River; t of beginni e Willamette of said pron  (If more space r  river loan  lawn &	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi  required, attach separate sheet)  flowers	th 38° Ol' West 190 feet along said bank, 155 feet action 24. Township 36 County, Oregon. thing the Gold Hill Irri-
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.  ter of soil f crops raised Purposes— al amount of po	East 211 fe Rogue River; the of beginning the Willamette of said prof  (If more space is  river loan  lawn &	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi  required, attach separate sheet)  flowers	th 38° Ol' West 190 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- the cold Hill Irri- theoretical horsepower.
of way line Note to the Southe more or less, South, Range Subject to gation Distriction (a) Character (b) Kind of Power or Mining 9. (a) Total (b) Quality (b) Quality (b) Quality (c) (c) (d) Quality (c) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.  ter of soil f crops raised Purposes— al amount of po	East 211 fe Rogue River; the of beginning willamette of said prof  (If more space r  river loan  lawn & content to be devent to be used for	et: thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson tises being included wi  required, attach separate sheet)  flowers  cloped  power	th 38° Ol' West 190 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- the cold Hill Irri- theoretical horsepower.
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.  ter of soil f crops raised Purposes— al amount of pointity of water al fall to be util	East 211 fe Rogue River; the of heginnine Willamette of said prof  (If more space r  river loan  lawn &  wer to be deve to be used for  ized	et; thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  eloped  power  (Head)	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24. Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the poin 4 West of th the effect ct.  ter of soil f crops raised Purposes— al amount of pointity of water al fall to be util	East 211 fe Rogue River; the of heginnine Willamette of said prof  (If more space r  river loan  lawn &  wer to be deve to be used for  ized	et; thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  eloped  power  (Head)	th 38° Ol' West 190 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- the cold Hill Irri- theoretical horsepower.
of way line Note to the Southe more or less, South, Range Subject to gation Distri	brth 51° 59° rly bank of to the point west of the the effect ct.  ter of soil	East 211 fe Rogue River; the of beginnine Willamette of said prof  (If more space r  river loan  lawn &  ower to be deve to be used for  ized	et; thence running Nor thence Southwesterly ing, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  cloped  power  feet.  (Head) s of which the power is to be	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Souther more or less, South, Range Subject to gation Distri  (a) Charace (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The (e) Such	brth 51° 59° rly bank of to the point west of the the effect ct.  ter of soil	East 211 fe Rogue River; the of heginnine Willamette of said prof  (If more space r  river loan  lawn &  wer to be deve to be used for  ized	et; thence running Nor thence Southwesterly ng, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  cloped  power  (Head) s of which the power is to be (Legal Subdivision)	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24. Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Souther more or less, South, Range Subject to gation Distri  (a) Charace (b) Kind of Cower or Mining 19. (a) Total (b) Qual (c) Total (d) The (e) Such	brth 51° 59° rly bank of to the point west of the the effect ct.  ter of soil	East 211 fe Rogue River; the of heginnine Willamette of said prof  (If more space r  river loan  lawn &  wer to be deve to be used for  ized	et; thence running Nor thence Southwesterly ng, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  cloped  power  (Head) s of which the power is to be (Legal Subdivision)	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Southemore or less, South, Range Subject to gation Distriction (a) Charace (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The (e) Such (P	brth 51° 59° rly bank of to the poin the west of the the effect ct.  f crops raised  Purposes— al amount of poentity of water al fall to be util e nature of the continue of t	East 211 fe Rogue River; the of beginning willamette of said prof  (If more space respect to be development to be development to be used for sized to be use	et; thence running Nor thence Southwesterly ng, all situated in Se Meridian, in Jackson ises being included wi  required, attach separate sheet)  flowers  cloped  power  (Head) s of which the power is to be (Legal Subdivision)	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Souther more or less, South, Range Subject to gation District (a) Charace (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The (e) Such (f) Is well as the southern statement of the southe	brth 51° 59° rly bank of to the point west of the the effect et.  ter of soil	East 211 fe Rogue River; the of beginning willamette of said prof  [If more space is  river loan  lawn &  wer to be deve to be used for  ized	et: thence running Nor thence Southwesterly ng, all situated in Se Meridian, in Jackson ises being included wi  flowers  flowers  eloped  power  (Head)  s of which the power is to be (Legal Subdivision)  M.  eam?  (Yes or No)	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24 Township 36 County, regon. thing the Gold Hill Irri- theoretical horsepower. sec. ft.
of way line Note to the Souther more or less, South, Range Subject to gation Distriction (a) Character (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The (e) Such (f) Is we (g) If so	brth 51° 59° rly bank of to the poin the west of the the effect ct.  f crops raised  Purposes— al amount of pountity of water al fall to be util e nature of the re the works to be level to be return of name stream	East 211 fe Rogue River; the of beginning willamette of said pron  lawn &  wer to be deve to be used for lized	required, attach separate sheet)  flowers  cloped  power  (Head)  s of which the power is to be the company of	th 38° Ol' West 190 feet along said bank, 155 feet along said bank, 155 feet action 24. Township 36 County, regon. thing the Cold Hill Irri-  theoretical horsepower. sec. ft.  developed

(i) The nature of the mines to be served .....

	(a) To supply the city of
nd an est	imated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
<b>1</b> 1.	Estimated cost of proposed works, \$1500.00
	Construction work will begin on or before 1 yr. from date of priority
	Construction work will be completed on or before 2 yrs. from date of priority
	The water will be completely applied to the proposed use on or before 3 yrs. from date of priority
	P-10-0
	(Sgd) Hill's Flycaster Court. (Signature of applicant)
•	by Jack Shoemaker
	Rt. 1, Box 83
Rem	earks: Gold Hill, Ore.
	,

Application No	<i>د</i> ۵ځځ
----------------	--------------

Permit No. 18605

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 13th day of January	
	19.49., at1:00. o'clockP M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	April 25, 1949	
	Recorded in book No. 45 of	
	Permits on page 18605	
· · · · · · · · · · · · · · · · · · ·	CHAS. E. STRICKLIN	
and the second s	STATE ENGINEER	
	Drainage Basin No. 15 Page 60 B	
,	Fees Paid \$15.00	
en e	PERMIT	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	and the second s	
The right herein gran and shall not exceedQ.Ol	I have examined the foregoing application and IGHTS and the following limitations and conditions ted is limited to the amount of water which can 3 cubic feet per second measured at the case of rotation with other water users, from	ions: be applied to beneficial use point of diversion from the
	water is to be applied isirrigation	
		<u> </u>
If for irrigation, this a	ppropriation shall be limited to1/80th	of one cubic foot per
	ent for each acre irrigated and shall h	
	exceed 42 acre feet per acre for each a	
	om April 2, to October 31, of each year	
	<u> </u>	
and shall be subject to such	reasonable rotation system as may be ordered by	the proper state officer.
The priority date of th	nis permit is January 13, 1949	
Actual construction w	oork shall begin on or before April 25, 1950	and shall
thereafter be prosecuted with		_
	th reasonable diligence and be completed on or b	efore
	of the water to the proposed use shall be made o	
	of the water to the proposed use shall be made o	on or before
	of the water to the proposed use shall be made o	on or before, 19.49.

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175