

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, State of Oregon, Board of Forestry (Name of applicant) of 2600 State Street, Salem (Post office), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream), a tributary of Four Mile Creek

2. The amount of water which the applicant intends to apply to beneficial use is .02 cubic feet per second from one source (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.) including 1/2 acre lawn

4. The point of diversion is located 194 ft. S. and 137 ft. E. from the NE corner of Section 1, Township 30 South, Range 15 West, W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 of the NW 1/4 of the NW 1/4 of the NW 1/4 Sec. 6, Tp. 30 S., R. 14 W., W. M., in the county of Coos (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe (Main ditch, canal or pipe line) to be 300 feet (Miles or feet) in length, terminating in the NE 1/2 of NE 1/4 of NE 1/4 of NE 1/4 of Sec. 1, Tp. 30 S., R. 15 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Jacuzzi, 1/2 HP electric pump (Size and type of pump) 660 gallons per hour lifted 50' from the pump which is 5 feet above creek, (Size and type of engine or motor to be used, total head water is to be lifted, etc.) 1 1/2" inlet, 3/4" outlet.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 320 ft.; size at intake, 1 1/4 in.; size at 300 ft. from intake 3/4 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 55.0 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S	15 W	1	NE 1/4 NE 1/4	.5 acres
Beginning at a point marked by a 3/4 inch iron pipe on the intersection of the West boundary of the Oregon Coast Highway No. 101 right-of-way and the section line between Section 36, Township 29 South, Range 15, West of the Willamette Meridian and Section 1, Township 30 South Range 15 West of the Willamette Meridian, which said point bears West a distance of 0.4 feet from the corner of Townships 29 and 30 South, Ranges 14 and 15 West of the Willamette Meridian, thence West along the North boundary of Section 1, Township 30 South, Range 15, West of the Willamette Meridian a distance of 417.4 feet to a 3/4 inch iron pipe; thence South a distance of 208.7 feet to a 3/4 inch iron pipe; thence East a distance of 417.4 feet to a 3/4 inch iron pipe on the West boundary of the Oregon Coast Highway No. 101 right-of-way, thence North along the West boundary of the Oregon Coast Highway No. 101 right-of-way a distance of 208.7 feet, more or less, to point of beginning. Containing 2.00 acres more or less.				

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Improvement and fire crew of 10 to 20 men.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00.....

12. Construction work will begin on or before now complete.....

13. Construction work will be completed on or before now complete.....

14. The water will be completely applied to the proposed use on or before 1949 fire season, May 1, 1949.....

STATE OF OREGON - BOARD OF FORESTRY

(Sgd.) N. A. Rogers
State Forester

Signed in the presence of us as witnesses:

(1) Theodore Rainwater, 1980 S. Church St., Salem, Oregon
(Name) (Address of witness)

(2) John B. Woods, Jr., 375 N. 21, Salem, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23629

Permit No. 18629

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 23rd day of February 1949, at 2:45 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 25, 1949

Recorded in book No. 45 of Permits on page 18629

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 40

Fees Paid \$20.00

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre domestic lawns or gardens

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 23, 1949

Actual construction work shall begin on or before April 25, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 25th day of April, 1949

CHAS. E. STRICKLIN

STATE ENGINEER