CERTIFICATE NO STATE 31127

* APPLICATION FOR PERMIT

CENTIFICATE NO. 23867

To Appropriate the Public Waters of the State of Oregon

| I, Lester W. Hagel |
|--|
| of Route 1, Box 28, Stayton, Oregon |
| (Mailing address) State of Oregon do hereby make application for a permit to appropriate the |
| following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| |
| If the applicant is a corporation, give date and place of incorporation |
| 1 771 North Sanitam River |
| 1. The source of the proposed appropriation is North Sanitam River (Name of stream) |
| , a tributary of |
| 2. The amount of water which the applicant intends to apply to beneficial use is2.00. |
| cubic feet per second. (If water is to be used from more than one source, give quantity from each) |
| ##2 What was to subject the content of the continuity Trigation |
| **3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) |
| |
| 4. The point of diversion is located ft and ft from the |
| corner of(Section or subdivision) |
| |
| See under Remarks and drawing |
| |
| (If preferable, give distance and bearing to section corner) |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) heima within the |
| being within the |
| R, W. M., in the county of |
| 5. Theto be(Miles or feet) |
| in length, terminating in the |
| R, W. M., the proposed location being shown throughout on the accompanying map. |
| DESCRIPTION OF MODES |
| DESCRIPTION OF WORKS |
| Diversion Works— |
| 6. (a) Height of dam feet, length on top feet, length at bottom |
| feet; material to be used and character of construction |
| rock and brush, timber crib, etc., wasteway over or around dam) |
| (b) Description of headgate |
| |
| (c) If water is to be pumped give general description 3" Centrifual Pump (Size and type of pump) |
| 33 Horse power gasoline Engine Total head water lift 40 feet |
| (Size and type of engine or motor to be used, total head water is to be lifted, etc.) |
| |

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

| | agate: wiath o | n top (at water | line) | jeet, white on obtions |
|--|--|--|--|---|
| housand feet. | | | | feet fall per one |
| i e | | | | water feet, |
| rade | | • | | , |
| | | | | in a sina na |
| | | | | in.; size at ft. |
| | | | | lifference in elevation between |
| ntake and place | of use, | ft. Is | s grade uniform? | Estimated capacity |
| | sec. ft. | | | |
| 8. Location | n of area to be | irrigated, or pla | ace of use | |
| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 9 8 | ı-W | 14 | neł swł | 19 |
| <u> </u> | 1/2 | | NE SE | 40 |
| | | | NW SE SE | <u>39</u> |
| | | | SE SE | 5 |
| | | | | 104 |
| Tract I: Beg of Section 14 chains; thence to Kingston, (load to the pi | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at the south the south 16.7 Pregon; the south | operty Descr e 1 Box 28, e Southeast W of the W. O chains to ice in a Sout nning, SUBJE he Northeast | M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Stay the center of said Cour e public in road. st quarter of Section 14 |
| Fract I: Beg: of Section 14 chains; thence to Kingston, (load to the p. TRACT II: Beg: The Section of Way (load to the p. TRACT II: Beg: The Section; thence The Section; thence The Section; the public (a) Character (b) Character (c) Character (c) Character (d) Character (d) Character (d) Character (e) Character (d) Char | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at to f the W.M.; of the Willar v line 40 che will a thence East in roads. | operty Describe 1 Box 28, te 1 Box 28, te Southeast W of the W. O chains to the Inchains to the Chains to the Chai | iption of Lester W. H. Stayton, Oregon corner of the North had M.; thence North 20 ch the center of the Countesterly course along CT to the rights of the corner of the Southean 22.50 chains to the & Coast Railroad Co.; West boundary of the Se Northwest corner of the place of beginning equired, attach separate sheet) (Cote Loam | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Stay the center of said Coun e public in road. |
| Fract I: Beg: of Section 14 chains; thence to Kingston, (Road to the p. FRACT II: Beg I 9 S.R. 1 W Right of Way of north houndar, Section; thence (a) Charac (b) Kind of Cower or Mining | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at to of the W.M.; of the Willar value 40 che North 19 thence East in roads. eter of soil | coperty Describe 1 Box 28, the Southeast Wof the W. Wo chains to the Inches of the South thence South thence South the South t | iption of Lester W. H. Stayton, Oregon corner of the North had M.; thence North 20 changes the center of the Countersterly course along CT to the rights of the corner of the Southean 22.50 chains to the E. & Coast Railroad Co.; West boundary of the Se Northwest corner of the place of beginning the Loam (C. te Loam) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from State the center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ag, SUBJECT to the right ontinued under Remarks) |
| Fract I: Beg: of Section 14 chains; thence to Kingston, (Road to the p. FRACT II: Beg I 9 S.R. 1 W Right of Way (north boundar, Section; thence said Section; of the public (a) Charac (b) Kind of Power or Mining | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at to of the W.M.; of the Willar value 40 che North 19 thence East in roads. eter of soil | coperty Describe 1 Box 28, the Southeast Wof the W. Wo chains to the Inches of the South thence South thence South the South t | iption of Lester W. H. Stayton, Oregon corner of the North had M.; thence North 20 changes the center of the Countersterly course along CT to the rights of the corner of the Southean 22.50 chains to the E. & Coast Railroad Co.; West boundary of the Se Northwest corner of the place of beginning the Loam (C. te Loam) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from State the center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along secontheast quarter of said the Southeast quarter of ag, SUBJECT to the right ontinued under Remarks) |
| Tract I: Beg: of Section 14 chains; thence to Kingston, (Road to the pi TRACT II: Beg I 9 S.R. 1 W of Right of Way of north boundar, Section; thence said Section; of the public (a) Charac (b) Kind of Power or Mining 9. (a) Tot | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at the fine W.M.; of the Wills value 40 character of soil | coperty Describe 1 Box 28, ie Southeast Wof the W. O chains to it in a Southning, SUBJE in Northeast thence Southnette Valley sains to the chains to the Claims to the Cla | iption of Lester W. H. Stayton, Oregon corner of the North had M.; thence North 20 changes the center of the Countersterly course along CT to the rights of the corner of the Southean 22.50 chains to the E. & Coast Railroad Co.; West boundary of the Se Northwest corner of the place of beginning the Loam (C. te Loam) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Starthe center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right continued under Remarks) |
| Tract I: Beg: of Section 14 chains; thence to Kingston, (Road to the p. TRACT II: Beg I 9 S.R. 1 W Right of Way on the boundar, Section; thence said Section; of the public (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Que | Rtinning at the T9 S.R. 1 South 16.7 Pregon; then lace of beginning at the fine W.M.; of the Willa value 40 character of soil of crops raised Purposes—al amount of partity of water | coperty Describe 1 Box 28, the Southeast Wof the W. Wo chains to the Southeast thence Southeast thence Southeast thence Southeast to the Chains to the Chain | iption of Lester W. H. Stayton, Oregon corner of the North had M.; thence North 20 ch the center of the Countesterly course along CT to the rights of the corner of the Southest 22.50 chains to the & Coast Railroad Co.; West boundary of the Se Northwest corner of the place of beginnicated, attach separate sheet) (Ct te Loam de Hay and Pasture feed power | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Starthe center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right continued under Remarks) |
| Tract I: Beg: of Section 14 chains; thence to Kingston, (Road to the pi TRACT II: Beg: I 9 S.R. 1 W of Right of Way of north boundar; Section; thence said Section; of the public (a) Charact (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot | Rtinning at the T9 S.R. 1 e South 16.7 regon; then lace of beginning at the fine W.M.; of the Willar of the Willar thence East in roads. eter of soil of crops raised Purposes—al amount of pantity of water al fall to be utilized. | poperty Describe 1 Box 28, le Southeast Wof the W. O chains to le in a Southning, SUBJE he Northeast thence Southning to the chains to the chains to the Claims to the Cla | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of the place of beginni required, atfach separate sheet) (Cte Loam d Hay and Pasture feed loped power (Head) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Starthe center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right continued under Remarks) |
| Tract I: Beg: of Section 14 chains; thence to Kingston, (Road to the pi FRACT II: Beg: I 9 S.R. 1 W of Right of Way of north boundary Section; thence said Section; of the public (a) Charact (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The | Rtinning at the T9 S.R. 1 e South 16.7 regon; then lace of beginning at to f the W.M.; of the Wills we line 40 che ce North 19 thence East in roads. eter of soil | poperty Describe 1 Box 28, the 1 Box 28, the Southeast Works by means to the Willamet Wallamet Wallame | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of the place of beginni equired, atfach separate sheet) (Ct te Loam d Hay and Pasture feed loped power feet. (Head) s of which the power is to be | agel If of the Southwest quartains; thence West 8.75 ty Road leading from Stay the center of said Course public in road. It quarter of Section 14. North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right ontinued under Remarks) theoretical horsepower sec. ft. |
| Fract I: Beg: of Section 14 chains; thence to Kingston, Road to the pi FRACT II: Beg: 19 S.R. 1 W Right of Way of corth boundar, Section; thence (a) Charact (b) Kind of Cower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The (e) Suc | Rtinning at the T9 S.R. 1 e South 16.7 regon; then lace of beginning at the M.M.; of the Willar of the Willar thence East in roads. eter of soil | operty Describe 1 Box 28, te 1 Box 28, te Southeast Wof the W. O chains to the Inchains to the Chains to the Chain | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of the place of beginnicative attach separate sheet) (Cte Loam d Hay and Pasture feed loped power feet. (Head) feet. (Legal Subdivision) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Stay the center of said Course public in road. St quarter of Section 14. North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right ontinued under Remarks) theoretical horsepower sec. ft. |
| Tract I: Beg: of Section 14 chains; thence to Kingston, Road to the pi FRACT II: Beg I 9 S.R. 1 W Right of Way north boundar, Section; then said Section; of the public (a) Charac (b) Kind of (b) Kind of (c) Tot (d) The (e) Suc | Inning at the Top S.R. 1 e South 16.7 regon; then lace of beging inning at the fine W.M.; of the Willar of the Willar thence East in roads. eter of soil | operty Describe 1 Box 28, te 1 Box 28, te Southeast Wof the W. O chains to the Inchains to the Chains to the Chain | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of head the place of beginnicate the count d Hay and Pasture feed loped loped loped (Legal Subdivision) M. (Legal Subdivision) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Stay the center of said Course public in road. St quarter of Section 14. North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right ontinued under Remarks) theoretical horsepower sec. ft. |
| Fract I: Beg: of Section 14 chains; thence to Kingston, (Road to the pi FRACT II: Beg I 9 S.R. 1 W of Right of Way of corth boundary Section; thence said Section; of the public (a) Charact (b) Kind of Cower or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Suc | Rtinning at the T 9 S.R. 1 South 16.7 Pregon; then lace of beginning at the fine W.M.; of the Wills will a the Wills will be a the control of | coperty Describe 1 Box 28, ie Southeast Wof the W. O chains to the In a Southning, SUBJE in a Southning in a | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southes h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of the place of beginni equired, attach separate sheet) (Cte Loam d Hay and Pasture feed cloped power feet. (Head) s of which the power is to be (Legal Subdivision) f. eam? (Yes or No) | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Starthe center of said Counce public in road. It quarter of Section 14 North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right continued under Remarks) theoretical horsepower sec. ft. developed |
| Tract I: Beg: of Section 14 chains; thence to Kingston, Road to the pi TRACT II: Beg: T 9 S.R. 1 W of Right of Way of north boundar; Section; thence said Section; of the public (a) Charact (b) Kind of Power or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Succ Tp. (No. N. or S.) (f) Is u (g) If s | Inning at the T 9 S.R. 1 South 16.7 regon; then lace of beginning at the fine W.M.; of the Wills of the Morth 19 thence East in roads. Ster of soil | coperty Describe 1 Box 28, ie Southeast Wof the W. O chains to the Northeast thence Southeat thence Southeats to the chains to the chains to the Claims to t | iption of Lester W. H. Stayton, Oregon corner of the North ha M.; thence North 20 ch the center of the Coun heasterly course along CT to the rights of th corner of the Southea h 22.50 chains to the & Coast Railroad Co.; West boundary of the S e Northwest corner of he the place of beginni equired, attach separate sheet) (C te Loam d Hay and Pasture feed cloped power (Legal Subdivision) f. eam? (Yes or No) nt of return | agel If of the Southwest quarains; thence West 8.75 ty Road leading from Stay the center of said Course public in road. St quarter of Section 14. North boundary line of the thence Westerly along southeast quarter of said the Southeast quarter of ng, SUBJECT to the right ontinued under Remarks) theoretical horsepower sec. ft. |

| Municipal or Domestic Supply— 10. (a) To supply the city of | | |
|---|---------------------|---|
| County, having a present population of in 19 | | and the control of t |
| (b) If for domestic use state number of families to be supplied (Accord classican II. II. In and N II all cosm) II. Estimated cost of proposed works, \$ 2,2000.00 12. Construction work will begin on or before May 1, 1949 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel (Sgd) Lester W. Hagel (Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 3). The above described real property situated in the County of Ainn and State of Oregon. Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 3). The above described real property situated in the County of Ainn and State of Oregon. The following are descriptions for points of diversion or pumping stations for center W. Hagel, Rite 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 885,00 feet and West 4,40.00 feet and N 32° 06' 1 540.00. Feet from the Northeast-corner-of-the-Southeest-quarter-of-Section 14 in 17 9 S.R. 1 Work of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020,00 feet and East 310 feet from the Southees corner of the North half of the Southwest quarter of Section 14 in 17 9 S.R. 1 Work of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 3. Seginning at a point which is North 1170.00 feet and West 50.00 feet from the Southees southees corner of the North half of the Southwest quarter of Section 14 in 17 9 S.R. 1 work was at corner of the North half of, the Southwest quarter of Section 14 in 17 9 S.R. 1 of the Williamette Meridian in Linn County, Oregon. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before | | |
| (b) If for domestic use state number of families to be supplied (Assert questions II. II. II. and IN all cases) 11. Estimated cost of proposed works, \$2,000.00 12. Construction work will begin on or before May 1, 1949 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel (Sgd) Lester W. | | |
| II. Estimated cost of proposed works, \$. 2,000.00 12. Construction work will begin on or before May 1, 1949 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel (Engalume of espoissed) Rte 1, Box 28, Stayton, Oregon Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8). The above described real property situated in the County of June and State of Oregon. The following are descriptions for points of diversion or pumping stations for ester W. Hagel, Rte 1, Box 28, Stayton, Oregon. The following are descriptions for points of diversion or pumping stations for ester W. Hagel, Rte 1, Box 28, Stayton, Oregon. The following are descriptions for points of diversion or pumping stations for ester W. Hagel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' 8540.00 feet from the Northeast corner of the Northeast of the Northeast quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020.00 feet and East 310 feet from the Southees corner of the North half of the Southeest quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Seginaling at a point which is North 1170.00 feet and West 50.00 feet from the Southeest country of the North half of, the Southeest quarter of Section 14 in T 9 S.R. 1 of the Southeest country of the North half of, the Southeest quarter of Section 14 in T 9 S.R. 1 of the North half of the Southeest quarter of Section 14 in T 9 S.R. 1 of the Williamette Meridian in Linn County, Oregon. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for 10 order to retain its priority, this application must be returned to the State Engineer, wit | and an es | |
| 11. Estimated cost of proposed works, \$.2,000.00 12. Construction work will begin on or before May 1, 1949 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel (Sgd) Lester | | |
| 12. Construction work will begin on or before Sept. 1, 1949 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel. (Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of June and State of Oregon. The following are descriptions for points of diversion or pumping stations for seter W. Hagel, Rte 1, Box 28, Stayton, Oregon. The following are descriptions for points of diversion or pumping stations for seter W. Hagel, Rte 1, Box 28, Stayton, Oregon. The following are descriptions for points of diversion or pumping stations for seter W. Hagel, Rte 1, Box 28, Stayton, Oregon. The following are descriptions for points of diversion or pumping stations for set of \$40.00 feet from the Northeast corner of the Southwest operation of Section 14 in 19 \$20.00 feet and West \$40.00 feet and N 32° 06' \$40.00 feet from the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Williamstte Meridian in Linn County, Oregon. Turn of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 w of the Williamstte Meridian in Linn County, Oregon. STATE OF OREGON, Section 14 have examined the foregoing application, together with the accompanying maps and data, and return the same for | | (Answer questions 11, 12, 13, and 14 in all cases) |
| 13. Construction work will be completed on or before Sept. 1, 1949 14. The water will be completely applied to the proposed use on or before June 1951 (Sgd) Lester W. Hagel (Resultance of applicant) Rte 1, Box 28, Stayton, Oregon Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of June and State of Oregon. The following are descriptions for points of diversion or pumping stations for sester W.Hagel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 885,00 feet and West 440,00 feet and N 32° 06' 1' 540,00 feet from the Northeast corner of the Southeast quarter of Section 14 in 1' 9 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020,00 feet and East 310 feet from the Southeast corner of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1170,00 feet and Neat 50,00 feet from the Southeast corner of the North half of, the Southwest quarter of Section 14 in T 9 S.R. 1 w of the Willamette Meridian in Linn County, Oregon. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19. | | |
| (Sgd) Lester W. Hagel (Sgd) Lester W. Hagel (Sgd) Lester W. Hagel (Sgd) Lester W. Hagel (Rte 1, Box 28, Stayton, Oregon Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of Jun and State of Oregon. The following are descriptions for points of diversion or pumping stations for cester Wilagel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' S40.00 feet from the North Hessit corner of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020.00 feet and East 310 feet from the Southeest corner of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 3. Seginning at a point which is North 1020.00 feet and West 50.00 feet from the Southeest quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. State OF OREGON, Ss. County of Marion, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ,19. | | |
| (Sgd) Lester W. Hagel (Sgd) Lester W. Hagel (Spailure of applicant) Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of Jun and State of Oregon. The following are descriptions for points of diversion or pumping stations for ester W. Hagel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Beginning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' 1. S40.00 feet from the Northheast-corner of the Southwest-quarter of Section 14 in 7 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 2. Beginning at a point which is North 1020.00 feet and East 310 feet from the Southeest corner of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Williamette Meridian in Linn County, Oregon. Pumping Station No. 3. Beginning at a point which is North 1170.00 feet and West 50.00 feet from the Southeest on the West 11 of the Southwest quarter of Section 14 in T 9 S.R. 1 w of the Williamette Meridian in Linn County, Oregon. STATE OF OREGON, ass. County of Marion, ass. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19. | 13. | Construction work will be completed on or before Sept. 1, 1949 |
| Rte 1, Box 28, Stayton, Oregon Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of Ann and State of Oregon. The following are descriptions for points of diversion or pumping stations for ester W.Hagel, Rte 1, Box 28, Stayton, Oregon. Lester W.Hagel, Rte 1, Box 28, Stayton, Oregon. Legimning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' 1 540.00 feet from the Northeast corner of the Southeast quarter of Section 14 in 19 S.R. 1 W of the Williamsta print which is North 1020.00 feet and East 310 feet from the Southeast corner of the North half of the Southwest quarter of Section 14 in 19 S.R. 1 W of the Williamsta Meridian in Linn County, Oregon. Leginning at a point which is North 1170.00 feet and Mest 50.00 feet from the Southeast corner of the North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of, the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest quarter of Section 14 in 19 S.R. 1 of the Williamsta North half of the Southwest | 14. | The water will be completely applied to the proposed use on or before June 1951 |
| Remarks: We propose to pump from holes in the River bed on our property. (Continued from Item 8) The above described real property situated in the County of Jinn and State of Oregon. The following are descriptions for points of diversion or pumping stations for lester Wilegel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' 1 9 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020.00 feet and East 310 feet from the Southeest corner of the North helf of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 3. Seginning at a point which is North 1170.00 feet and West 50.00 feet from the Southeest corner of the North helf of, the Southwest quarter of Section 14 in T 9 S.R. 1 w of the Willamette Meridian in Linn County, Oregon. STATE OF OREGON, Associated the Southwest pumping Station No. 3. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| Continued from Item 8) The above described real property situated in the County of Jinn and State of Oregon. The following are descriptions for points of diversion or pumping stations for ester W.Hagel, Rte 1, Box 28, Stayton, Oregon. Pumping Station No. 1. Seginning at a point which is South 85.00 feet and West 440.00 feet and N 32° 06' 1,540.00 feet from the Northeast corner of the Southeast quarter of Section 14 in 19 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020.00 feet and East 310 feet from the Southeast corner of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 3. Seginning at a point which is North 1170.00 feet and West 50.00 feet from the Southeast corner of the North half of, the Southwest quarter of Section 14 in T 9 S.R. 1 of the Willamette Neridian in Linn County, Oregon. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before | | Rte 1, Box 28, Stayton, Oregon |
| The following are descriptions for points of diversion or pumping stations for ester W. Hagel, Rte 1, Box 28, Stayton, Oregon. Sumping Station No. 1. Seginning at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' N 540.00 feet from the Northeast corner of the Southeast quarter of Section 14 in 19 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 2. Seginning at a point which is North 1020.00 feet and East 310 feet from the Southeast corner of the North half of the Southeest quarter of Section 14 in 19 S.R. 1 W of the Willamette Meridian in Linn County, Oregon. Pumping Station No. 3. Seginning at a point which is North 1170.00 feet and West 50.00 feet from the Southeast corner of the North half of, the Southeest quarter of Section 14 in 19 S.R. 1 of the Willamette Meridian in Linn County, Oregon. STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. | Ren | marks: We propose to pump from holes in the River bed on our property. |
| Description No. 1. Description Station No. 2. Description Station No. 3. Description No. 3. D | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | The fol Lester V | lowing are descriptions for points of diversion or pumping stations for W. Hagel, Rte 1, Box 28, Stayton, Oregon. |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before State Of the North that south the foregoing application to the State Engineer, with corrections on or before State Of the South that I have examined the server application to the State Engineer, with corrections on or before 19 Section 14 in T 9 S.R. 1 to fine South the State Engineer, with corrections on or before 10 This is to the State Engineer, with corrections on or before 10 This is priority, this application must be returned to the State Engineer, with corrections on or before 10 This is to be south the South the State Engineer, with corrections on or before 11 This is the South that I have examined the foregoing application to the State Engineer, with corrections on or before 12 This is the South that I have examined the foregoing application to the State Engineer, with corrections on or before 13 This is the South that I have examined the foregoing application to the State Engineer, with corrections on or before | Beginni W-540-00 | ng at a point which is South 885.00 feet and West 440.00 feet and N 32° 06' of feet from the Northeast corner of the Southeast quarter of Section 14 in |
| Pumping Station No. 3. Reginning at a point which is North 1170.00 feet and West 50.00 feet from the Southest corner of the North half of, the Southwest quarter of Section 14 in T 9 S.R. 1 of the Willemette Meridian in Lina County, Oregon. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before | Beginni corner | ng at a point which is North 1020.00 feet and East 310 feet from the Southeas of the North half of the Southwest quarter of Section 14 in T 9 S.R. 1 W of |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | Beginni east co | Station No. 3. In a state of the North 1170.00 feet and West 50.00 feet from the South- The south of the North half of, the Southwest quarter of Section 14 in T 9 S.R. 1 |
| STATE OF OREGON, ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| STATE OF OREGON, SS. County of Marion, | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | |
| This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for | | \{\ss. |
| naps and data, and return the same for | | |
| In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before | | |
| ions on or before, 19, | | |
| | | |
| WITNESS my hand thisday of, 19, | | |
| | WI | TNESS my hand thisday of, 19, |
| | | |

| Application N | o. 23677 |
|---------------|----------|
| Permit No. | 18662 |

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

| | OF OREGON | |
|--|--|--|
| | Division No District No | |
| | This instrument was first received in the office of the State Engineer at Salem, Oregon, | |
| • | on the 23rd day of March | |
| | 1949 at 4:30 o'clock P. M. | |
| | Returned to applicant: | |
| | | |
| | Corrected application received: | |
| | Approved: | |
| | April 25, 1949 | |
| | Recorded in book No46 of | |
| | Permits on page 18662 | |
| | CHAS. E. STRICKLIN STATE ENGINEER | |
| | Drainage Basin No. 2 Page 46 | |
| | Fees Paid \$25.70 | |
| | | |
| STATE OF OREGON, | PERMIT | |
| County of Marion, \ This is to certify tha | es. It I have examined the foregoing application and RIGHTS and the following limitations and condit | l do hereby grant the same, ions: |
| The right herein gra | nted is limited to the amount of water which can | be applied to beneficial use |
| | 30 cubic feet per second measured at the | St |
| stream, or its equivalent in | case of rotation with other water users, from | North Santiam River |
| stream, or its equivalent in The use to which this | case of rotation with other water users, from! | North Santiam River |
| The use to which this If for irrigation, this second or its equivale | case of rotation with other water users, from | North Santiam River of one cubic foot per further limited to a |
| stream, or its equivalent in The use to which this If for irrigation, this second or its equivale diversion of not to ex | case of rotation with other water users, from s water is to be applied is irrigation appropriation shall be limited to 1/80th ent for each acre irrigated and shall be | North Santiam River of one cubic foot per further limited to a e irrigated during the |
| stream, or its equivalent in The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of e | acase of rotation with other water users, from | North Santiam River of one cubic foot per further limited to a e irrigated during the |
| The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of e | acase of rotation with other water users, from | North Santiam River of one cubic foot per further limited to a e irrigated during the |
| The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of e | acase of rotation with other water users, from | of one cubic foot per further limited to a e irrigated during the the proper state officer. |
| The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of each and shall be subject to such The priority date of the second of the subject to such that the subject that the subject to such that the subject that the subject to such that the subject to such that the subject to such that the subject | acase of rotation with other water users, from | of one cubic foot per further limited to a e irrigated during the the proper state officer. |
| The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of e and shall be subject to such The priority date of the Actual construction of the season of the season of the priority date of the priority date of the season o | appropriation shall be limited to 1/80th ent for each acre irrigated and shall be acced 2½ acre feet per acre for each acre ach year. In reasonable rotation system as may be ordered by this permit is March 23, 1949 | of one cubic foot per further limited to a e irrigated during the the proper state officer. |
| The use to which this If for irrigation, this second or its equivale diversion of not to exirrigation season of exirrigation season of exirrigation for the priority date of the Actual construction is | appropriation shall be limited to 1/80th ent for each acre irrigated and shall be acced 2½ acre feet per acre for each acre ach year. In reasonable rotation system as may be ordered by this permit is March 23, 1949 work shall begin on or before April 25, 19 | of one cubic foot per further limited to a e irrigated during the the proper state officer. |
| If for irrigation, this second or its equivaled iversion of not to exirrigation season of each and shall be subject to such The priority date of the Actual construction thereafter be prosecuted work october 1, 1951 | appropriation with other water users, from | of one cubic foot per further limited to a e irrigated during the the proper state officer. 50 and shall |
| The use to which this If for irrigation, this second or its equivale diversion of not to ex irrigation season of e and shall be subject to such The priority date of t Actual construction thereafter be prosecuted w October 1, 1951 Complete application | appropriation shall be limited to 1/80th ent for each acre irrigated and shall be seed 2½ acre feet per acre for each acre ach year, In reasonable rotation system as may be ordered by this permit is March 23, 1949 work shall begin on or before April 25, 19 with reasonable diligence and be completed on or before acre acre and accompleted on or before accompleted accom | of one cubic foot per further limited to a e irrigated during the the proper state officer. 50 and shall |
| The use to which this If for irrigation, this second or its equivale diversion of not to ex irrigation season of e and shall be subject to such The priority date of t Actual construction of thereafter be prosecuted w October 1, 1951 Complete application October 1, 1952 | appropriation shall be limited to 1/80th ent for each acre irrigated and shall be acced 2½ acre feet per acre for each acre acre ach year. In reasonable rotation system as may be ordered by this permit is March 23, 1949 work shall begin on or before April 25, 19 with reasonable diligence and be completed on or be of the water to the proposed use shall be made on the complete of the water to the proposed use shall be made of the water to the proposed use shall be made. | of one cubic foot per further limited to a e irrigated during the the proper state officer. 50 and shall before on or before |

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections I and 2, chapter 74, Oregon Laws 1933.

State Pointing Deat 2022 State Printing Dept. 28175