

CERTIFICATE NO. 19609

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ernest A. Winterfeld (Name of applicant) of Scappoose (Post office), County of Columbia, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Scappoose Creek (Name of stream), a tributary of Scappoose Creek

2. The amount of water which the applicant intends to apply to beneficial use is .334 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located chains ft. 780 + 9.94 S and 740 ft. E from the NW corner of Section 15, T3N, R2W, W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NW 1/4 of Sec. 15, Tp. 3N, R. 2W, W. M., in the county of Columbia

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 150 gallons per minute centrifugal pump (Size and type of pump) Electric motor, 5 H. P. total head 105 feet (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1600.00
- 12. Construction work will begin on or before May 1, 1949
- 13. Construction work will be completed on or before June 15, 1949
- 14. The water will be completely applied to the proposed use on or before July 1, 1949

(Sgd) Ernest A. Winterfeld
(Signature of applicant)

Remarks: Water to be used entirely for irrigation purposes for pastures as shown above. Sprinkler irrigation with revolving sprinklers and aluminum pipe will be used to distribute water. The main purpose will be irrigated ladino clover for a dairy herd. Approximately 2 to 3 inches of water every 10 days to 2 weeks will be applied during the irrigating season.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 5, 1949.

WITNESS my hand this 3rd day of June, 1949.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant dh

Application No. 23816

Permit No. 18670

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of May 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 15, 1949

Recorded in book No. 46 of

Permits on page 18670

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 16

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.334 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Scappoose Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.334 cubic foot per second,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 31, 1949

Actual construction work shall begin on or before July 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 15th day of July, 1949.

CHAS. E. STRICKLIN

STATE ENGINEER