

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Clarence G. Lindow (Name of applicant) of Route 2, Hillsboro (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed streams A and B (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.3625 cubic feet per second. Stream A, 0.1750; Stream B, 0.1875 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

Diversion point X is 100 ft. North and 500 ft. West of the 1/4 section corner between sections 33 and 34, T1S, R 2 W, W.M.

Diversion point Y is 990 ft. South and 330 ft. West of 1/4 section corner between sections 33 and 34, T1S, R2W, W. M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. Tp. R. W. M., in the county of Washington (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipeline to be 800' in length, terminating in the SE 1/4 of NE 1/4 of Sec. 33, Tp. 1S (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R. 2W, W. M., the proposed location being shown throughout on the accompanying map. Also - 600' in length terminating in NW 1/4 of SW 1/4 Sec 34, T1S, R 2 W, W.M.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 9 HP gasoline engine (Size and type of pump) 4 inch centrifugal pump, lift of 20 feet (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 4" in.; size at 800 ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? YES Estimated capacity, 400 gal. per min. sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	2W	33	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	12.0
1S	2W	33	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	8.0
1S	2W	34	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	2.0
1S	2W	34	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	7.0
			total	29.0

(If more space required, attach separate sheet)

(a) Character of soil Willamette silty loam

(b) Kind of crops raised potatoes and general farm crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.. 1200.....

12. Construction work will begin on or before May 1, 1949.....

13. Construction work will be completed on or before June, 1951.....

14. The water will be completely applied to the proposed use on or before July, 1952.....

(Sgd) Clarence G. Lindow
(Signature of applicant)

Remarks:

Being a part of the John Griffith D. L. C. #60 in Sections 33 and 34, T1S, R2W, W.M., Washington County, Oregon. Beginning at a stone at the most southerly southwest corner of that certain 102.83 acre tract of land conveyed to W. F. Gembella and Esther Gembella, husband and wife, as described on page 33 in Book 217 of Washington County, Oregon, Deed Records, and running thence N. 0° 10' W. 654.3 feet to a stone from which a 16" Ash tree bears S. 6° W. 48 links; Thence S. 89° 40' W. 132.0 feet to a stone on the west line of the said Griffith Claim from which a 10" Fir bears S. 53° W. 6 links; Thence N. 0° 15' E. along the west line of the said Griffith Claim 1951.7 feet, more or less, to an iron pipe at the S. W. corner of that certain 5 acre tract of land conveyed to Harold Bennett by deed recorded at page 243 in Book 258 of said Deed Records; Thence S. 89° 13' E. 494.5 feet to an iron pipe at the S.E. corner of the said Bennett tract; Thence N. 0° E. 440.5 feet to the N.E. corner thereof in the center of the County Road; Thence S. 89° 13' E. 83.5 feet to an angle point in the center of said road; Thence S. 41° 25' E in the center of said road 522.5 feet to a point from which an iron pipe bears S. 23° 40' W. 22.0 feet; Thence S. 23° 40' W. 1069.1 feet to an iron; Thence S. 41° 25' E. 971.2 feet to an iron; thence S. 13° 58' W. 961.2 feet to an iron on the south line of the said Gembella tract; Thence along said south line S. 89° 36' W. 780.9 feet to the place of beginning, containing 51.7 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 23690

Permit No. 18713

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of

Permits on page 18713

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 P

Fees Paid \$15.00

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.363 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed streams, being 0.175 c.f.s. from north stream and 0.188 c.f.s. from south stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before

Extended to Oct. 1, 1954 Extended to Oct. 1, 1955

WITNESS my hand this 15th day of September, 1949

CHAS. E. STRICKLIN

STATE ENGINEER