

CERTIFICATE NO. 17420

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, William F. Johnson (Name of applicant)
of Court House, Grants Pass (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 880 ft. S. and 780 ft. E. from the N-1/4 corner of Section 21 being within the NW 1/4 SW 1/4 of Section 21, Township 36 South, Range 5 West (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 21, Tp. 36 South, R. 5 West, W. M., in the county of Josephine (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe to be 180 feet in length, terminating in the NW 1/4 SW 1/4 of Sec. 21, Tp. 36 South, R. 5 West, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top None feet, length at bottom None feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 1 inch pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 inch centrifugal pump 1/2 h.p. electric motor, 25' lift (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) None feet; width on bottom None feet; depth of water None feet; grade None feet fall per one thousand feet.

(b) At None miles from headgate: width on top (at water line) None feet; width on bottom None feet; depth of water None feet; grade None feet fall per one thousand feet.

(c) Length of pipe, 180 ft.; size at intake, 1 in.; size at 180 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	5 W. W.M.	21	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	1/3 acre

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Legal Description
 Beginning at a point which lies South 0°26' East a distance of 440 feet; thence South 72°49' East a distance of 764.4 feet from the West Quarter corner of Section 21, Township 36 South, Range 5 West of the Willamette Meridian, Josephine County, Oregon, and run thence South 72°49' East a distance of 62.8 feet; thence due South to the South line of Government Lot 4 in said section 21 on the North bank of Regue River; thence Northwesterly along the South line of said Government Lot 4 to a point which lies due South of the point of beginning; thence North to the point of beginning.

LESS AND EXCEPT that parcel of land described as follows:

Beginning at the West Quarter corner of said Section 21, Township 36 South, Range 5 West of the Willamette Meridian, Josephine County, and run South 0°26' East 440 feet; thence South 72°49' East, 3 feet; thence South 8 feet; thence North 72°49' West 3 feet; thence North 8 feet to the true point of beginning. Also an undivided 1/4th interest in the following described parcel of land: Beginning at the West Quarter corner of Section 21, Township 36 South, Range 5 West of the Willamette Meridian, Oregon, and

(Continued under Remarks)

(a) Character of soil Sandy loam

(b) Kind of crops raised lawn, fruit trees, garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed None theoretical horsepower.

(b) Quantity of water to be used for power None sec. ft.

(c) Total fall to be utilized None feet.

(d) The nature of the works by means of which the power is to be developed None

(e) Such works to be located in _____ of Sec. _____

Tp. _____, R. _____, W. M. _____

(f) Is water to be returned to any stream? _____

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of None

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00

12. Construction work will begin on or before April 7, 1950

13. Construction work will be completed on or before April 7, 1951

14. The water will be completely applied to the proposed use on or before April 7, 1952

(Sgd) William F. Johnson
(Signature of applicant)

Courthouse, Grants Pass
Oregon

Remarks:

(continued from Item 8)

run South 0°26' East 440 feet; thence South 72°49' East a distance of 764.4 feet to the true point of beginning; thence South 72°49' East 3 feet; thence South 8 feet; thence North 72°49' West 6 feet; thence North 8 feet; thence South 72°49' East 3 feet to the true point of beginning. There is located upon the above described premises a well, pump and pump house. Above described property shown as Lot 2 in M. L. Flood Tracts.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 11, 19 49.

WITNESS my hand this 11th day of April, 19 49.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant ve

Application No. 23701

Permit No. 18717

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of April, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of Permits on page 18717

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 60 B

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 11, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 15th day of September, 1949.

CHAS. E. STRICKLIN STATE ENGINEER