* APPLICATION FOR PERMIT

Superseded by Cert. No. 3866

To Appropriate the Public Waters of the State of Oregon

I,	Remi Cousse	ns (Neme o	of applicant)		
of	Rt. 3, Hillsbor	0	,		
State of	(Mailing add	Oregon, do hereb	ou make application	on for a per	rmit to appropriate the
		ters of the State of Oreg			
•	-				*
Iţ	the applicant is a corp	oration, give date and pl	ace of incorporati	on	·
1.	The source of the pro	posed appropriation is	McKay Creek	(Name of stres	m)
		, a tributa			
2.	The amount of water	which the applicant inte	nds to apply to be	eneficial us	e is 0.150
cubic fee	et per second	(If water is to be used f			
**3.	The use to which the	water is to be applied is	irrigation	e, give quantity	from each)
			(Irrigation, power, m	ining, manufacti	uring, domestic supplies, etc.)
	The maint of dissersion	m in located ft	am d	£.	from the
4.	The point of diversio	n is located ft.	(N. or S.)	(E. o	r W.)
corner o	of	(Section	n or subdivision)	***************************************	,
5. 72°	51' W 1509.2 ft.	from NE corner of J	acob Hoover DI	c.#46	
	******************************			44	
		(If preferable, give distance and	bearing to section corner)	
		an one point of diversion, each must			
		ve smallest legal subdivision)			(N. or S.)
(E.	or W.)	county of Washingt			
5.	The(M	pipeline ain ditch, canal or pipe line)	to be	3600	(Miles or feet)
		NET of NWT (Smallest legal subdivision)			
		proposed location being			
Œ.	or W.)		-		
		DESCRIPTION	OF WORKS		
Diversio	n Works—				
6.	(a) Height of dam	feet, len	igth on top		feet, length at bottom
	feet; material	to be used and character	of construction	44	
	ush, timber crib, etc., wasteway (over or around dam)			
(0) Description of nead	gate(Ti	mber, concrete, etc., num	ber and size of o	penings)
(c	e) If water is to be pur	nped give general descrip	ption 25" cer	trifugal (Size and ty)	pump pe of pump)
		120 feet total head type of engine or motor to be used			
	mu said	- A to or evidine or moon to be used			

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	ne)			
feet fall per				ousand feet.
vater line)	dgate: width on top (at w	miles from hed		(b) At
of water	feet; depth of	bottom	eet; width on b	fe
	and feet.	l per one thouse	feet fall	ade
in.; size at 2000	ize at intake,6"	3 000 ft.; s	of pipe,3	(c) Length
difference in elevation beta	use3" in.;	size at place of	6 ¹¹ in.;	om intake
Estimated capa				
	3	,		•75
<u>-</u>	oo of uno	minated or ola		
Number Acres	Forty-acre Tract	Section	Range	Township
To Be Irrigated				
1.5	SW of SE	12	3W	IN
0.5	SE tof SWt	12	3W	<u>ln</u>
7.0	NW of NE	13	3W	<u>ln</u>
3.0	NE ¹ of NW ¹	13		N
12.0			· · ·	
			· · · · · · · · · · · · · · · · · · ·	·
<u> </u>	<u> </u>			
a	2			
	quired, attach separate sheet)	(If more space re		· · · · · · · · · · · · · · · · · · ·
······································	and shot soil	Willamette	ter of soil	(a) Charact
	- cannery crops	Pasture	crops raised	(b) Kind of
			Purposes—	ower or Mining P
theoretical horsepo	oped	wer to be devel	l amount of por	9. (a) Total
sec. ft.	oower	to be used for 1	ntity of water t	(b) Quar
	feet.	ized	l fall to be utili	(c) Total
be developed				
				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
of Sec		ocated in	ı works to be l	(e) Such
				(No. N. or S.)
	(Yes or No)			
, R, V	• • • • • • • • • • • • • • • • • • • •			
	oplied is	ower is to be a	use to which p	(h) The

County, having a present population of  County, having a present population of  County of an an estimated population of  (b) If for domestic use state number of families to be supplied  Construction work will begin on or before  Completed at present time  13. Construction work will begin on or before  Completed at present time  13. Construction work will be completed on or before  14. The water will be completely applied to the proposed use on or before  14. The water will be completely applied to the proposed use on or before  15. Geginning at a point in the center line of the county Road, said point being south 13° 07' W 691.02 feet and south 86° k8' E k6k2.2 feet from the country or of the Jacob Heover D.L.C. No. 46 in 7. 1 N. R. 3 W. of the W. ormar-of the Jacob Heover D.L.C. No. 46 in 7. 1 N. R. 3 W. of the W. of ountry or or of the Jacob Heover D.L.C. No. 46 in 7. 1 N. R. 3 W. of the W. of ountry or or the search of the	point t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 16 W. 691.02 feet from lip 09' W. along to a stone; thence N.
Conserved population of in 19.  (b) If for domestic use state number of families to be supplied  Construction work will begin on or before Complated at present time.  13. Construction work will be completed on or before  14. The water will be completely applied to the proposed use on or before July.  (Sgd) Remi Coussens  (	July, 1950  point t from the f the W.M. Wash hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone; thence N.
(b) If for domestic use state number of families to be supplied  (b) If for domestic use state number of families to be supplied  (c)  (c)  (d)  (d)  (d)  (d)  (d)  (d	July, 1950  point t from the f the W.M. Wash hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 ex line of the county et to the place of  D.L.G. Number 16 W. 691.02 feet from 111° 09' W. along to a stone; thence N.
11. Estimated cost of proposed works, \$ \( \frac{1}{2} \) \( \text{LSO} \).00  12. Construction work will begin on or before	July, 1950  point t from the f the W.M. Wash hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 ex line of the county et to the place of  D.L.G. Number 16 W. 691.02 feet from 111° 09' W. along to a stone; thence N.
11. Estimated cost of proposed works, \$\frac{1500.00}{2}\$  12. Construction work will begin on or before	point t from the f the W.M. Wash hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone; thence N.
12. Construction work will begin on or before	point t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 16 W. 691.02 feet from 114° 09' W. along to a stone; thence N.
12. Construction work will begin on or before	point t from the f the W.M. Wash. hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone; thence N.
13. Construction work will be completed on or before  14. The water will be completely applied to the proposed use on or before	point t from the f the W.M. Wash. hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone; thence N.
(Sgd) Remi Coussens  (Sgd) Remi Coussens  (Sgd) Remi Coussens  (Signature of applicant)  (Sgd) Remi Coussens  (Signature of applicant)  (Sgd) Remi Coussens  (Signature of applicant)  (Signature of app	point t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone: thence N.
Remarks:  aginning at a point in the center line of the county Road, said point wing south 13° 07' W 691.02 feet and south 86° k8' E L612.2 feet from the Junty, Oregon; thence north 86° k8' W 1761.8 feet to an iron; thence S 1813.95 feet to an iron; thence 8 86° k9' E 1773.5 feet to the center line of said Road N. 13° 21' E. 564.7 from thence N 10° Lh' East 76.5 feet to the place of beginning, containing res, more or less.  Iso beginning at a point in the center line of the county road, said poil 13° 17' West 691.02 feet and south 86° k8' E k642.2 feet from the NW co aid Jacob Hoover D.L.C.; thence S 86° k8' E 1828.4 feet to an iron; then est to an iron; the neat line of the Jacob Hoover D.L.G., No. 11. 1 N., R. 2 W. W. M., Washington County, Oregon S. Lh' 09' W. 691.02 is northeast corner of the said Hoover Lalm; running thence S. 11° 09' Le east line of the said Hoover Claim a distance of 870.0 feet to a ston iron; 11' N. 2287.4 feet to a stone; thence S. 13' S 18 657.0 feet to a stone; 11' 23' L E. 553.2 feet; thence Continuing in the center of said road N. 21° k8' E. 337.3 feet; thence continuing in the center of said road N. 21° k8' E. 337.3 feet; thence continuing in the center of said road N. 21° k8' E. 337.3 feet; thence continuing in the center of said road N. 21° k8' E. 337.3 feet; thence continuing in the center of said road N. 21° k8' E. 388.8 k8' L8 L. 1889.8 feet to an iron orth 327.6 feet to an iron; thence S. 86° k8' E. 2276.4 feet to the place of the said to an iron; thence S. 86° k8' E. 2276.4 feet to the place of the said to an iron; thence S. 18° k8' E. 2276.4 feet to the place of the said to an iron; thence S. 18° k8' E. 2276.4 feet to the place of the said to	point t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone; thence N.
Remarks:  ginning at a point in the center line of the county Road, said point ing south 13° 07' W 691.02 feet and south 86° h8' E h612.2 feet from the corner of the Jacob Hower D.L.C. No. h6 in T. L N. R. 3 W. of the WM unty, Oregon; thence north 86° h8' W 1761.8 feet to an iron; thence S 181.95 feet to an iron; thence S 6° h9' E 1773.5 feet to the center line of said Road N. 13° 21' E. 561.7 foon thence N 10° lh' East 76.5 feet to the place of beginning, containing res, more or less.  So beginning at a point in the center line of the county road, said point 13° 17' West 691.02 feet and south 86° h8' E 1828.4 feet to an iron; then et to an iron; thence S 86° h8' E 1828.4 feet to an iron; then et to an iron; the nea north 86° h8'. W 1889.8 feet to the center line of ad; thence N. 13° 21' E 53.5 feet; thence N 10° lh' E 276.5 feet to the glunning, containing 13.96 acres.  Beginning at a stone on the east line of the Jacob Hoover D.L.C. N T. 1 N., R. 2 W. W. M., Washington County, Oregon S. lh' 09' W. 691.02 is mortheast corner of the said Hoover claim; running themes S. Th' 09' We east line of the said Hoover claim; a distance of 870.0 feet to a ston 11' W. 2327.4 feet to a stone; thence S. 1° 35' E 657.0 feet to a ston 79° 5h' W. 1947.8 feet to a point in the center of the County Road; the feet of aid road N. 21° 46' E. 33'.3 feet; thence continuing in the center of the County Road; the feet of aid road N. 21° 46' E. 33'.3 feet; thence continuing in the center of the County Road; the feet of aid road N. 21° 46' E. 33'.3 feet; thence continuing in the center of the County Road; the feet of a feet feet of a feet to an iron; thence S. 86° 48' E. 1889.8 feet to an iron irth 327.6 feet to an iron; thence S. 86° 48' E. 2276.4 feet to the place of the feet feet feet feet feet feet feet	point t from the f the W.M. Wash. hence S 13° 07' center line of the 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone: thence N.
ginning at a point in the center line of the county Road, said point ing south 13° 07' W 691.02 feet and south 86° 48' E 4642.2 feet from the corner of the Jacob Heover D.L.C. No. 46 in T. 1 N. R. 3 W. of the W.M. unty, Oregon; thence north 86° 48' W 1761.3 feet to an iron; thence S 1843.95 feet to an iron; thence S 66° 49' E 1773.5 feet to the center linuty road; thence in the center line of said Road N. 13° 21' E. 564.7 for thence N 10° 14' East 76.5 feet to the place of beginning, containing res, more or less.  So beginning at a point in the center line of the county road, said point Jacob Hoover D.L.C.; thence S 86° 48' E 162.2 feet from the NW coid Jacob Hoover D.L.C.; thence S 86° 48' E 1628.4 feet to an iron; then et to an iron; the nea morth 86° 48! W 1889.8 feet to the center line of ad; thence N. 13° 21' E 53.5 feet; thence N 10° 14' E 276.5 feet to the ginning, containing 13.96 acres.  Beginning at a stone on the east line of the Jacob Hoover D.L.C. N T. 1 N., R. 2 W. W. M., Washington County, Oregon S. 14° 09' W. 691.02 er northeast corner of the said Hoover laim; running thence S. 14° 09' ee east line of the said Hoover claim a distance of 870.0 feet to a ston 11' W. 2327.4 feet to a stone; thence S. 1° 35' E 657.0 feet to a sto 7° 5½' W. 1947.8 feet to a point in the center of the County Road; the nter of said road N. 21° 48' E. 337.3 feet; thence continuing in the ce ad N. 13° 21' E. 653.2 feet; thence S. 86° 48' E.1889.8 feet to an iron 11' W. 2327.4 feet to an iron; thence S. 86° 48' E. 2276.4 feet to the place of N. 13° 21' E. 653.2 feet; thence S. 86° 48' E. 2276.4 feet to the place of N. 13° 21' E. 653.2 feet; thence S. 86° 48' E. 2276.4 feet to the place of N. 13° 51' E 657.0 feet to an iron 11' M. 13° 12' 15' 15' 15' 15' 15' 15' 15' 15' 15' 15	point t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone: thence N.
ing south 13° 07' W 691.02 feet and south 86° 48' E 4642.2 feet from the corner of the Jacob Heover D.L.C. No. 46 in T. 1 N. R. 3 W. of the W. unty, Oregon; thence north 86° 48' W 1761.8 feet to an iron; thence S 1843.95 feet to an iron; thence S 86° 49' E 1773.5 feet to the center limity road; thence in the center line of said Road N. 13° 21' E. 564.7 foot thence N 10° 14' East 76.5 feet to the place of beginning, containing res, more or less.  so beginning at a point in the center line of the county road, said point J2' West 691.02 feet and south 86° 48' E 4642.2 feet from the NW cold Jacob Hoover D.L.C.; thence S 86° 48' E 1828.4 feet to an iron; then set to an iron; thence N 86° 48' W 1882.8 feet to the center line of ad; thence N. 13° 21' E 53.5 feet; thence N 10° 14' E 276.5 feet to the ginning, containing 13.96 acres.  Beginning at a stone on the east line of the Jacob Hoover D.L.C. N T. 1 N., R. 2 W. W. M., Washington County, Oregon S. 14° 09' W. 691.02 e east line of the said Hoover claim; running thence S. 14° 09' w e east line of the said Hoover claim a distance of 870.0 feet to a ston 11' W. 2327.4 feet to a stone; thence S. 1° 35' E 657.0 feet to a stone of Said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 337.3 feet; thence continuing in the center of said road N. 21° 48' E. 2276.4 feet to the place of the said to an iron; thence S. 86° 48' E. 2276.4 feet to the place of the said to the said t	t from the f the W.M. Wash. hence S 13° 07' center line of the . 564.7 feet to an containing 33.76  said point being the NW corner of the ron; thence S 327.6 er line of the county et to the place of  D.L.C. Number 46 W. 691.02 feet from 14° 09' W. along to a stone: thence N.
TATE OF OREGON, country of Marion, ss.  This is to certify that I have examined the foregoing application, together with the control of the place of	Road; thence in the in the center of said
This is to certify that I have examined the foregoing application, together with the	
aps and data, and return the same forcompletion	with the accompanying
The state of the s	
In order to retain its priority, this application must be returned to the State Engineer	te Engineer, with correc-
ons on or before May 23, 1949.	
WITNESS my hand this 22 day of April ,19 49.	****

By Ed K. Humphrey, Assistant

Permit No. 18719

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

,	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 12th day of April ,
•	19. 49, at 8:00. o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 15, 1949
	Recorded in book Noli6 of
	Permits on page 18719
	CHAS. E. STRICKLIN  STATE ENGINEER
	Drainage Basin No. 2 Page 62 Q
	Fees Paid \$15.00
	PERMIT
STATE OF OREGON,	•
County of Marion,	ss.
This is to certify SUBJECT TO EXISTIN	that I have examined the foregoing application and do hereby grant the same, IG RIGHTS and the following limitations and conditions:
•	granted is limited to the amount of water which can be applied to beneficial use
stream, or its equivalen	t in case of rotation with other water users, from McKay Craek
	this water is to be applied is irrigation
	his appropriation shall be limited to 1/80th of one cubic foot per
	valent for each acre irrigated and shall be further limited to a
	to exceed 2 acre feet per acre for each acre irrigated during the
	of each year.
•	
	such reasonable rotation system as may be ordered by the proper state officer.
	of this permit is April 12, 1949
Actual constructi	on work shall begin on or before September 15, 1950 and shall
thereafter be prosecute	d with reasonable diligence and be completed on or before
	951
- ,	tion of the water to the proposed use shall be made on or before
	952
WITNESS my ha	and this 15th day of September ,19 49.
	CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175