

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, E G Gill (Name of applicant)
of Route 4, Box 96 Hillsboro ,
(Mailing address) State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporationIndividual
The source of the proposed appropriation is
, a tributary of Willamette
2. The amount of water which the applicant intends to apply to beneficial use is 0.1875
cubic feet per second
**3. The use to which the water is to be applied is
4. The point of diversion is located ft and ft. ft from the from the
corner of(Section or subdivision)
543.5' S. and 334.3' E. from the S. W. corner of the Thomas Hart DIC
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the
(E. or W.) 5. The pipe line to be 1200 ft (Main ditch, canal or pipe line) (Miles or feet)
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the portable of Sec. 11 , Tp. 1 S (N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description 2½11 centrifugal pump 250 G.P.M. (Size and type of pump)
7½ H.P. elec motor Total head 21! (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Community of the commun

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

ea dg ate. At hea	dgate: width or	n top (at water li	ne)	feet; width on bottor
ousand feet.	feet; depth of u	ater	feet; grade	feet fall per on
	•••••	. miles from hea	dgate: width on top (at 1	vater line)
	feet; width on	bottom	feet; depth (of water fee
ade	feet fa	il per one thousa	nd feet.	
	·	_	•	in.; size at900
_				difference in elevation betwee
	_			rly Estimated capacity
	sec. ft.		grade antiformi,	Estimatea Capacio
	•			
				Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
<u>1 S</u>	3 W	11	SE4 NE4	6
		-	NE SE	5
			· · · · · · · · · · · · · · · · · · ·	
			· · · · · · · · · · · · · · · · · · ·	
			· .	
				
	· 			
		(If more space rec	quired, attach separate sheet)	
(a) Charac	eter of soil	hehalis silt	loam — Hillsboro lo	Dam
(b) Kind o	of crops raised	Peaches - v	egetables - pasture	
ower or Mining	Purposes			
9. (a) Tot	al amount of pe	ower to be devel	oped	theoretical horsepowe
(b) Que	antity of water	to be used for p	oower	sec. ft.
(c) Tot	al fall to be uti	lized	feet.	
				be developed
(e) Suc	h works to be	located in		of Sec
		, W. M.		• • • • • • • • • • • • • • • • • • • •
(4.51.11.01.21)	(-111	,		
			um?(Yes or No)	
			•	, R, W. No. E. or W.)
(h) The	use to which	power is to be ap	oplied is	

and an est	imated population of in 19 in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$ 900.00
<i>12.</i> ¹	Construction work will begin on or beforeJune 1 1949.
13 .	Construction work will be completed on or before Nov 1 - 1950
14.	The water will be completely applied to the proposed use on or before Nov 1 -1950
	(Sgd) E. G. Gill (Signature of applicant)
Begin TIS, of R Tualatin section; of the NE of beginn Hughes, h	nning at the southwest corner of the Thomas Hart Donation XXXX Claim in Section XXX of W. M.; running thence south 39.0 rods; thence east to the center of the River; thence easterly along the center of said river to the east line of said thence north along said east line to a point 15.0 chains north of the SE quarter of said Section; thence west 20.0 chains and thence S. to the place ming, excepting therefrom tract of land conveyed by William M. Hughes and May A. Mis wife, to D. D. Holgate by deed recorded in book 115, page 199, deed records agton County, Oregon. Also excepting the following tract: Beginning at an iron
pipe at thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S.	the SW corner of the Thomas Hart D.L.C. in Sec. 11, T1S, R3W, W.M. and running 0°09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Counted and records: thence N. 89°57' E. along the centerline of County Road No. 538 see of of 402.3 feet to a point from which an iron pipe bears S. 0°09' E. 20.0 ence S. 0°09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0°09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71°06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89°57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0°09' W. 643.5 feet to the place of beginning.
pipe at thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S.	o 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre traces onveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Courded records: thence N. 89° 57' E. along the centerline of County Road No. 538 see of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the
pipe at thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S.	o 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre traces onveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Courded records: thence N. 89° 57' E. along the centerline of County Road No. 538 see of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the
pipe at thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S.	. 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Counded records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning.
pipe at thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S.	. 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Counded records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning.
pipe at the thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S. said Harr	. 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Counded records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning.
pipe at the thence N. of land of Oregon, of a distance feet; the to an iro Tualatin a point of thence S. said Harrows STATE Of County	. 0° 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. (411 by deed recorded in Book 215, page 627 of Washington Cour deed records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 402.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said (411 tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning.
pipe at the thence N. of land of Oregon, of a distance feet; the to an iro Tualatin a point of thence S. said Harrows STATE Of Country	o' 09' W 991.7 feet to an iron at the N.W. corner of that certain 40 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington Counted and records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 102.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57! W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning. FOREGON, of Marion, ss.
pipe at the thence N. of land of Oregon, of a distance feet; the to an iro Tualatin a point of thence S. said Harrows This maps and of the theory of the the	or 09' W 991.7 feet to an iron at the N.W. corner of that certain 10 acre trace conveyed to E. G. Gill by deed recorded in Book 215, page 627 of Washington County Road No. 538 see of of 102.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to an the north line of the Harris property as described on page 5 of Deed Book 206. 89° 57' W. 240.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 643.5 feet to the place of beginning. FOREGON, of Marion, ss.
pipe at the thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S. said Harrows This maps and of In or	o 09' W 991.7 feet to an iron at the N.W. corner of that certain 10 acre trace conveyed to E. 8. Gill by deed recorded in Book 215, page 627 of Washington Counded records: thence N. 89° 57' E. along the centerline of County Road No. 538 are of of 102.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Gill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to on the north line of the Harris property as described on page 5 of Deed Book 206. 89° 57' W. 210.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 613.5 feet to the place of beginning. FOREGON, as is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for Signature.
pipe at the thence N. of land of Oregon, of a distant feet; the to an iro Tualatin a point of thence S. said Harrows This maps and of tions on or tions on or the thence of the thence o	o 09' W 991.7 feet to an iron at the N.W. corner of that certain 10 acre trace conveyed to E. G. Cill by deed recorded in Book 215, page 527 of Washington Counded records: thence N. 89° 57' E. along the centerline of County Road No. 538 fee of of 102.3 feet to a point from which an iron pipe bears S. 0° 09' E. 20.0 ence S. 0° 09' E. parallel with the west line of the said Cill tract 1530 feet on pipe; thence continuing S. 0° 09' E. 50 feet to a point in the center of the River; thence upstream in the center of said river S. 71° 06' W. 170.8 feet to not the north line of the Harris property as described on page 5 of Deed Book 200. 89° 57' W. 210.6 feet to an iron pipe marking the N. W. corner of the ris tract; thence N. 0° 09' W. 613.5 feet to the place of beginning. FOREGON, of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for signature. rder to retain its priority, this application must be returned to the State Engineer, with correcting the returned to the State Engineer, with correcting the returned to the State Engineer, with correcting the state Engineer, with correcting the state Engineer, with correction of the state Engineer in the same for signature.

Municipal or Domestic Supply—

Application	No. 23725
Permit No.	18736

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	OF OILEGOIN			
	Division No District No.	o		
	This instrument was first rece office of the State Engineer at Sale			
	on the 20th day of Apr	il ,	•	
	19.49, at 8:00 o'clock	M		
	Returned to applicant:			
	Corrected application received:	••••••		
	Approved:	*****************		
	September 15, 1949			
	Recorded in book No			
	Permits on page 18736	-		
	CHAS, E. STRICKLIN	••••••		
	Drainage Basin No2 Pag	e 24 P	. 4 4	
٠	Fees Paid \$15.00			
. •	PERMIT			
	S.	٠. ٠		
County of Marion,		olioation and	l do herebu arai	nt the same,
	t I have examined the foregoing app RIGHTS and the following limitation	is and condit	ions:	
This is to certify the SUBJECT TO EXISTING	t I have examined the foregoing app RIGHTS and the following limitation ated is limited to the amount of wate			
This is to certify the SUBJECT TO EXISTING The right herein gra		er which can	be applied to b	eneficial use
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed O. stream, or its equivalent in	ted is limited to the amount of wate L38 cubic feet per second mea case of rotation with other water us	er which can usured at the sers, from	be applied to be point of diversing Tualatin F	eneficial use on from the liver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed O. stream, or its equivalent in	ted is limited to the amount of wate	er which can usured at the sers, from	be applied to be point of diversing Tualatin F	eneficial use on from the liver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	ted is limited to the amount of wate L38 cubic feet per second mea case of rotation with other water us	er which can esured at the eers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigat appropriation shall be limited to ent for each acre irrigated as acceed 2½ acre feet per acre for	er which can esured at the eers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigat appropriation shall be limited to ent for each acre irrigated as acceed 2½ acre feet per acre for	er which can esured at the eers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigat appropriation shall be limited to ent for each acre irrigated as acceed 2½ acre feet per acre for	er which can esured at the eers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver ubic foot per ted to a
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigat appropriation shall be limited to ent for each acre irrigated as acceed 2½ acre feet per acre for	er which can esured at the eers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated appropriation shall be limited to ent for each acre irrigated are seach year.	er which can esured at the sers, from tion 1/80th ad shall be or each act	be applied to be point of diversing Tualatin F	eneficial use on from the diver ubic foot per ted to a during the
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated appropriation shall be limited to ent for each acre irrigated as each year,	er which can usured at the sers, from 1/80th ad shall be or each act	be applied to be point of diversing Tualatin Fundatin Fundatin Fundatin Fundatin Fundation Funda	eneficial use on from the diver ubic foot per ted to a during the
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated and proprietion shall be limited to ent for each acre irrigated as each year. reasonable rotation system as may be his permit is April 20, 1949	er which can usured at the sers, from L/80th ad shall be or each act	be applied to be point of diversing Tualatin Fundatin Fundatin Fundatin Fundatin Fundation of one content of the proper state of the proper state	eneficial use on from the diver ubic foot per ted to a during the
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated at the arrigated at the second year, reasonable rotation system as may be his permit is April 20, 1949 work shall begin on or before	er which can sured at the sers, from 1/80th ad shall be or each act	be applied to be point of diversion Tualatin Fundatin Fundatin Fundatin Fundatin Fundation Funda	eneficial use on from the hiver ubic foot per ted to a huring the officer.
This is to certify the SUBJECT TO EXISTING The right herein graded and shall not exceed	case of rotation with other water us water is to be applied is irrigated as a created 2½ acre feet per acre for each year, reasonable rotation system as may be his permit is April 20, 1949 work shall begin on or before	er which can sured at the sers, from 1/80th ad shall be or each act	be applied to be point of diversion Tualatin Fundatin Fundatin Fundatin Fundatin Fundation Funda	eneficial use on from the hiver ubic foot per ted to a huring the officer.
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated an appropriation shall be limited to ent for each acre irrigated ar acced 2½ acre feet per acre for each year. reasonable rotation system as may be his permit is April 20, 1949 work shall begin on or before	er which can esured at the sers, from 1/80th ad shall be or each act e ordered by ptember 15	of one ce further limit the proper state	eneficial use on from the tiver ubic foot per ted to a turing the officer.
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated at the per acre for each acre irrigated at acre irrigated at acre irrigated at acre year. The reasonable rotation system as may be his permit is April 20, 1949 work shall begin on or before seeith reasonable diligence and be completed in the water to the proposed use shall begin on the proposed use shall begin on the proposed use shall begin to the proposed use shall be accomplished to the proposed to the proposed use shall be	er which can esured at the sers, from 1/80th ad shall be or each act e ordered by ptember 15	of one ce further limit the proper state	eneficial use on from the tiver ubic foot per ted to a turing the officer.
This is to certify the SUBJECT TO EXISTING The right herein gra and shall not exceed	case of rotation with other water us water is to be applied is irrigated an appropriation shall be limited to ent for each acre irrigated ar acced 2½ acre feet per acre for each year. reasonable rotation system as may be his permit is April 20, 1949 work shall begin on or before	er which can sured at the sers, from 1/80th ad shall be or each act e ordered by ptember 15 sleted on or b	of one ce further limited irrigated of the proper state on or before	eneficial use on from the tiver ubic foot per ted to a turing the officer.

State Printing Dept. 28175