* APPLICATION FOR PERMIT

CERTIFICATE NO. 24107

To Appropriate the Public Waters of the State of Oregon

I, John A. McGuffin	
of Rt 1, - Box 105 Aumsville	me of applicant)
(Mailing address)	
State of, ao ne	reby make application for a permit to appropriate the
following described public waters of the State of O	regon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and	place of incorporation
1. The source of the proposed appropriation is	North Santiam River
	utary of Santiam R
2. The amount of water which the applicant in	
cubic feet per second. (If water is to be us	dense word than one course due analytic form and
	is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1495	ft. N and 2936 ft. E from the SW (E or W.)
corner of Sec. 19. T. 9 S., R. 1 W., W.M.	(N. or S.) (E. or W.)
corner of Sec. 19, T. 9 S., R. 1 W., W.M.	
	•
(If preferable, give distance	and bearing to section corner)
(If there is more than one point of diversion, each n	
being within the NWa SE2 (Give smallest legal subdivision)	of Sec. 19 , Tp. 9 S (N. or S.)
R	
5. The(Main ditch, canal or pipe line)	to be(Miles or feet)
	of Sec, Tp
R, W. M., the proposed location being (E. or W.)	
DESCRIPTION	ON OF WORKS
Diversion Works—	
	length on top feet, length at bottom
feet; material to be used and charac	ter of construction(Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)	
	(Timber, concrete, etc., number and size of openings)
	cription 3 in. cent. pump (Size and type of pump)
32 HP gas engine	used, total head water is to be lifted, etc.)
	used, total head water is to be lifted, etc.)

[•] A different form of application is provided where storage works are contemplated

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

eadgate. At head	gate: width on	top (at water lin	ae)	feet; width on botto
footsand feet.	eet; depth of w	ater	feet; grade	feet fall per or
		miles from head	gate: width on top (at wo	ater line)
f	eet; width on	bottom	feet; depth of	water fee
rade	feet fal	l per one thousar	nd feet.	
(c) Length	of pipe,	ft.; siz	ze at intake,	in.; size at
rom intake	in.,	; size at place of v	ıse in.; d	lifference in elevation betwe
ntake and place o	f use,	ft. Is g	rade uniform?	Estimated capaci
8. Location	of area to be	irrigated, or place	e of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	1 W	19	neż swż	20
		<u>+/</u>	$NW_{4}^{\frac{1}{4}}$ SE $_{4}^{\frac{1}{4}}$	5
			NWA ODA	25
				The state of the s
		·		
				<u> </u>
				<u> </u>
-		(If more space requ	lired, attach separate sheet)	<u> </u>
(a) Charact	er of soil			
	-			
		Beans Car		
ower or Mining F		nuer to be develo	ned	theoretical horsepow
			ower	
	_	_		. 500. jv.
			(Head)	- J
(a) The	nature of the t	vorks by means b	f which the power is to be	e developed
			(Legal Subdivision)	of Sec
p. (No. N. or S.)	, R(No. E	, W. M.		
(f) Is wo	iter to be retui	rned to any strea	m?(Yes or No)	
		_		
		, Sec	, Tp(No. N. or S.)	(No. E. or W.)

ter j	
Municipa	l or Domestic Supply—
10.	(a) To supply the city of
nd an es	timated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$.1750 22
	Construction work will begin on or before One year after approval
	Construction work will be completed on or before two years " "
	The water will be completely applied to the proposed use on or before 3""
14.	The water will be completely applied to the proposed use on or before s
	(Sgd) John A McGuffin (Signature of applicant)
	on which water is to be used is a part of that more explicitly described by
ing the	chains South of the quarter section corner on said West boundary line and run- nce East 46,00 chains to an iron crowbar; thence North 11.22 chains to an iron
ineteen ontaini lso:Beg f the qu West o o an ir iver;th lace of	nce South 80 degs: 30° West 46.66 chains to the West boundary line of said Section (19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of land, more or less. inning at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and if the Willammette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.31 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West o o an ir iver;th lace of	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and mg 35 acres of land, more or less. inning at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and if the Willammette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.81 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West of o an ir iver; th lace of	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of land, more or less. inning at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and f the Willammette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.31 chains; thence South 89 degs.54! West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West of o an ir iver; th lace of TATE C County	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of Iand, more or Iess. inming at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and f the Willaumette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.81 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West of o an ir lver; th lace of TATE C County Thi naps and	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of land, more of less. inning at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and if the Willammette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.31 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West o o an ir iver; th lace of County Thi naps and	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of Iand, more or Iess. inming at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and f the Willaumette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.81 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,
ineteen ontaini lso:Beg f the qu West o o an ir iver;th lace of County Thi naps and	(19) to an iron pipe; thence South 4.00 chains to the place of beginning, and ng 35 acres of land, more of less. inning at a point 20.00 chains South and 45.92 chains North 89 degs. 54' East arter section corner between Sections 19 and 24 Township 9 South Ranges 1 and if the Willammette Meridian in Marion County, Oregon; thence North 11.285 chains on pipe; thence North 80 degs.53' East 16.30 chains to the middle of Santiam ence South 13.31 chains; thence South 89 degs.54' West 16.09 chains to the beginning and containing 20.20 acres of land,

Applica	tion	No. 23748
Permit	No.	18748

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the26th day ofApril,	
	19.49., at3:35 o'clock P M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	September 15, 1949	
	Recorded in book No. 46 of	
	Permits on page18748	
	CHAS. E. STRICKLIN STATE ENGINEER	
•	Drainage Basin No2 Page46	
	Fees Paid \$15.00	
	PERMIT	
STATE OF OREGON, SS		•
County of Marion, This is to certify that	. I have examined the foregoing application and do h IGHTS and the following limitations and conditions:	ereby grant the same,
	ted is limited to the amount of water which can be a	oplied to beneficial use
- '	313 cubic feet per second measured at the point	-
r e e	case of rotation with other water users, fromNort	
The use to which this	water is to be applied is irrigation	
If for irrigation, this a	ppropriation shall be limited to1/80th	
	nt for each acre irrigated and shall be fur	,
diversion of not to ex	ceed 2½ acre feet per acre for each acre ir	rigated during the
irrigation season of e	ach year,	
	······································	

and shall be subject to such	reasonable rotation system as may be ordered by the p	roper state officer.
•	is permit is April 26, 1949	
•	oork shall begin on or beforeSeptember 15, 19	
	th reasonable diligence and be completed on or before	
October 1, 1951	·	
	of the water to the proposed use shall be made on or	before
October 1, 1952		
WITNESS my hand the	his 15th day of September	., 19 49
	CHAS. E. STRICKLIN	