

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JUNGWIRTH SAND AND GRAVEL CO (Name of applicant) of LYONS OREGON (Mailing address) State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation NO

1. The source of the proposed appropriation is NORTH SANTIAM RIVER (Name of stream), a tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is ONE cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is GRAVEL WASHING (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 110 ft. N and 150 ft. E from the corner of 1/4 corner between Sections 25 & 36 T.9.S., R.2.E.WM (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW of SE quarter of Sec. 25, Tp. 9 S., R. 2 E., W. M., in the county of MARION

(Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The PIPELINE to be 100 ft. in length, terminating in the SW of SE quarter of Sec. 25, Tp. 9 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.

(Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top none feet, length at bottom none feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Directly pumped from the river with a gasoline driven centrifugal pump. lift 30 ft. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$700.00 \_\_\_\_\_
- 12. Construction work will begin on or before \_\_\_\_\_ April 25, 1949 \_\_\_\_\_
- 13. Construction work will be completed on or before \_\_\_\_\_ April 30, 1949 \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ May 10, 1949 \_\_\_\_\_

Jungwirth Sand and Gravel Co  
by (Sgd) C B Jungwirth  
(Signature of applicant)

Remarks: \_\_\_\_\_

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at the Southwest corner of the Southeast quarter of Section 25, Township 9 South, Range 2 East of the Willamette Meridian, Marion County, Oregon; thence Northerly along the West line of said Southeast Quarter, 2260.00 feet to the South line of the Santiam Highway relocation tract as described in Vol. 224 of Deeds, at Page 326; thence Easterly along the South line of said Highway tract, 417.4 feet; thence Southerly parallel with the West line of said Southeast Quarter, 2240.00 feet to an iron pipe on the South line of said Section; thence Westerly to the place of beginning.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

Application No. 23769

Permit No. 18756

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of May, 1949, at 9:40 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of

Permits on page 18756

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 46

Fees Paid \$20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Santiam River

The use to which this water is to be applied is gravel washing

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 4, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 15th day of September, 1949

CHAS. E. STRICKLIN

STATE ENGINEER