CERTIFICATE NO. 20104

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Wash. Coun	ty Flax Growers	(Name of a	nnlicant)			
of Cornelius,	Oregon	•				
State of Oregon	lling address)			n for a per	mit to appre	opriate the
				•		, p. 1
following described publ	ic waters of the Sta	ite of Oregoi	i, subject to	EXISTING	i RIGHTS:	
If the applicant is	a corporation, give d	late and plac	e of incorporation	on	***************************************	
1. The source of the	ne proposed appropr	iation is	Tualatin Rive	r		
	water which the app					
cubic feet per second	(70 mm.)					
**3. The use to which			•			
o. The use to write	· · · · · · · · · · · · · · · · · · ·	appilea is	(Irrigation, power, mir	ing, manufactu	ring, domestic su	pplies, etc.)
4. The point of di	version is located	ft	and	ft (E. o	from t	he
corner of N 399 35!		om NW Corn		•		
	(If preferable, giv	re distance and be	aring to section corner)	······································		
(If there is	more than one point of divers			e sheet if neces	sarv)	***************************************
being within the	SE4		=		, Tp. 1	5
R3 W, W. M., is	Give smallest legal sub- n the county ofW				(.	N. or S.)
5. The	Pipeline (Main ditch, canal or pi		to be	6601		
in length, terminating in	the NWA of NEA	of SE4	of Sec	4	, Tp1	S (N. or S.)
R. 3 W , W. M	I., the proposed locat	tion being sh	own throughout	on the acc	companying	map.
	DESC	RIPTION C	F WORKS			
Diversion Works—						
6. (a) Height of d						
feet; ma	terial to be used and	l character o	f construction	••••••	(Loose rock, con	crete, masonry,
rock and brush, timber crib, etc., wa	steway over or around dam)					
	headgate	(Timb	er, concrete, etc., numb	er and size of o	penings)	•••••
	e pumped give gene					
Electric Pump, 15 H	P Motor (Size and type of engine or m	18 otor to be used, to	foot Lift otal head water is to be	lifted, etc.)		•••••••

<sup>\*</sup> A different form of application is provided where storage works are contemplated

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

endante. At home	laate: width on	top (at water	line)	feet; width on bottom
				feet fall per one
ousand feet.				
				ter line)
	feet; width on	bottom	feet; depth of a	water feet;
ade	feet fal	ll per one thous	sand feet.	
(c) Length	of pipe,18	60 ft.;	size at intake,6	. in.; size at660 ft.
om intake 4	in.	; size at place o	f use4 in.; di	fference in elevation between
take and place o	of use,30	ft. Is	s grade uniform?yes	Estimated capacity,
400 gal	l per minute <del></del>	•		
8. Location	of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
				To be irrigated
1 S 1 S	3 W	4		16.0 33.0
1 S	3 W	4	$NE_{\frac{1}{4}}$ of $SW_{\frac{1}{4}}$	2.5
1 S ——1 S	3 W 3 W	4	SE of NW of NE of NE	1.0
1 S	3 W	4	SE4 of NE4	
	,			67.0
applicant as ains West and	s follows: 1 437.4 feet	Beginning at South of th	a point in the center e Northeast corner of t	more explicitly described of the County Road 66.48 the Solomon Emerick D.L.C.
applicant as ains West and ains West and a decentain to shand and with yellow of October and Records of the control of the con	s follows: d 437.4 feet R. 3W. of ract of land fe, to Wm. A 1914, and f Washington 7.4 feet to Laim 25.96 c 29 chains t ins; thence ter of soil f crops raised Purposes— al amount of po- centity of water	Beginning at South of th the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North li hains to a p o a point; t North 26° Ea (H more space r Willa  Canne  ower to be deve to be used for	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom b ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  rry Crops  eloped  power	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North to chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.
applicant as ains West and ains West and a decentain to shand and with yellow of October and the shand are of said control of	s follows: d 437.4 feet R. 3W. of ract of land fe, to Wm. A 1914, and f Washington 7.4 feet to laim 25.96 c 29 chains t ins; thence ter of soil Purposes— al amount of po- antity of water al fall to be util	Beginning at South of th the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North li hains to a p o a point; t North 26° Ea  (If more space r Willa  Canne  ower to be deve to be used for	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom b ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  ery Crops  cloped  power  feet.  (Head)	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North to chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.
applicant as ains West and ains West and a decentain to shand and with the shand and the shand	s follows: 1 437.4 feet R. 3W. of eact of land fe, to Wm. A 1914, and f Washington 7.4 feet to laim 25.96 c 29 chains t ins; thence ter of soil f crops raised Purposes— al amount of pointity of water al fall to be util nature of the re-	Beginning at South of th the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North 1i hains to a p o a point; t North 26° Ea  (If more space r Willa  Canne  ower to be deve to be used for lized  works by means	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom t ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  ery Crops  cloped  power  feet.  (Head) s of which the power is to be	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North to chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.  sec. ft.  developed
applicant as ains West and ains West and a decentain to shand and with the shand and the shand	s follows: d 437.4 feet R. 3W. of ract of land fe, to Wm. A 1914, and f Washington 7.4 feet to Laim 25.96 c 29 chains t ins; thence ter of soil f crops raised furposes— al amount of pointity of water al fall to be util nature of the re the works to be leaded.	Beginning at South of the the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North li hains to a p o a point; t North 26° Ea (H more space r Willa  Canne  ower to be deve to be used for lized  works by means located in	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom b ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  rry Crops  cloped  power  feet.  (Head)  s of which the power is to be	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.  sec. ft.  developed
applicant as ains West and ains West and a decentain to shand and will be a decent as a decent a decen	s follows: d 437.4 feet R. 3W. of ract of land fe, to Wm. A 1914, and f Washington 7.4 feet to Laim 25.96 c 29 chains t ins; thence ter of soil f crops raised Purposes— al amount of pointity of water al fall to be util nature of the re th works to be left. (No. E	Beginning at South of the the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North li hains to a p o a point; t North 26° Ea (H more space r Willa Canne  ower to be deve to be used for lized works by means located in Located in W. M.	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom b ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  rry Crops  cloped  power  feet.  (Head)  s of which the power is to be	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.  sec. ft.  developed
applicant as ains West and ains West and a decentain to shand and with yellow of October and Records of the control of Said co	s follows: d 437.4 feet R. 3W. of ract of land fe, to Wm. A 1914, and f Washington 7.4 feet to laim 25.96 c 29 chains t ins; thence ter of soil f crops raised Purposes— al amount of pointity of water al fall to be util nature of the re the works to be leading. A	Beginning at South of the the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North 11 hains to a p o a point; t North 26° Ea (H more space r Willa Canne  ower to be deve to be used for lized	a point in the center e Northeast corner of t aid point being also th James H. Morrissey and d Marcella C. Van Lom b ember 17, 1914, in deed gon; thence North along ne of said claim; thence oint; thence South 21.8 hence South 5° 08' East st 2.10 chains; thence required, attach separate sheet) mette  ry Crops  cloped  power  (Legal Subdivision)  M.  eam?  (Yes or No)	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.  sec. ft.  developed
applicant as ains West and ains West and a decentain to shand and with shand and shand	s follows: 1 437.4 feet R. 3W. of Pact of land Te, to Wm. A 1914, and Washington 7.4 feet to Laim 25.96 c 29 chains t ins; thence ter of soil Purposes— Il amount of po Intity of water Il fall to be util nature of the r h works to be l ater to be reture o, name stream	Beginning at South of the the W. M., s conveyed by Van Lom an recorded Nov County, Ore the North 1i hains to a p o a point; t North 26° Ea  (If more space r Willa  Canne  ower to be deve to be used for lized  works by means located in  conveyed by rned to any street and locate point , Sec.	a point in the center e Northeast corner of to aid point being also the James H. Morrissey and defended and Marcella C. Van Lome to the Marcel	of the County Road 66.48 the Solomon Emerick D.L.C. the Southwest corner of Margaret Morrissey, by deed dated the 14th book 103 page 506, the center of said the West along the North to chains to a point; 1.22 chains; thence East (CONT'D UNDER REMARK  theoretical horsepower.  sec. ft.  developed  of Sec.  of Sec.

Municipa	l or Domestic Supply—
10.	(a) To supply the city of
	County, having a present population of
	timated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$18,000.00 System same as used for fire protecti
	Construction work will begin on or before Completed
	Construction work will be completed on or before
	The water will be completely applied to the proposed use on or beforeAugust 1, 1952
	Washington Co Flax Growers (Signature of applicant)
	By (Sgd) R Glenn Ritchey Pres.
Par	narks:
	of the said Emerick D.L.C.; thence North to a point in the center of the mortheast n River which point is 40 chains West and 23.29 chains South of the Northeast
corner Southwe Margare and rec Oregon; in deed	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907.
corner Southwe Margare and rec Oregon; in deed	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Countheast North 423.5 feet to the Southeast corner of that certain tract describe book 103 page 506, and thence West along the South line of said tract 836.7
corner Southwe Margare and rec Oregon; in deed	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7
corner Southwe Margare and rec Dregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Coun thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Cour thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
corner Southwe Margare and rec Oregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Cour thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.
Corner Southwe Margare and rec Dregon; in deed feet to	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.D.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Cour thence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.  OF OREGON, and the second of Marion, and
Southwee Margare and recorder of the continuous continu	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and t Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Cour thence North 423.5 feet to the Southeast corner of that certain tract describe book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.  OF OREGON,  y of Marion,  Ss.  si to certify that I have examined the foregoing application, together with the accompanying
STATE ( Count The	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and the Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Courthence North 423.5 feet to the Southeast corner of that certain tract describ book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.  OF OREGON, as a second tract and the second property of the second property
STATE C Count The	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and the Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Cour thence North 423.5 feet to the Southeast corner of that certain tract describe book 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.  DF OREGON, as a second trace of the second trace of the said trace of the second trace of the sec
STATE C Count The naps and ions on c	n River which point is 40 chains West and 23.29 chains South of the Northeast of said D.L.C.; thence up said river with all the meanderings thereof to the st corner of the second tract described in a deed from James Morrissey and the Morrissey, husband and wife, to George L. White, bearing date May 13, 1907, orded April 22, 1907 in book 76, page 135, Records of Deeds of Washington Counthence North 423.5 feet to the Southeast corner of that certain tract described in 103 page 506, and thence West along the South line of said tract 836.7 the place of beginning.  OF OREGON, as a second trace we will be second to the second property of the certain trace of the second property of the place of beginning.  OF OREGON, as a second trace we will be second property of the accompanying data, and return the same for

Application	No. 23822
Permit No.	18775

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 2nd day of June,	e .
	1949 at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	September 15, 1949	
	Recorded in book No46 of	-
	Permits on page 18775	pt.
	CHAS. E. STRICKLIN	
	Drainage Basin No. 2 Page 54 C	
	Fees Paid \$20.55	
	rees Fura	
	PERMIT	
	s.	
County of Marion, \ This is to certify tha SUBJECT TO EXISTING	at I have examined the foregoing application an RIGHTS and the following limitations and condi	d do hereby grant the same, tions:
	nted is limited to the amount of water which car	
and shall not exceed O.	838 cubic feet per second measured at th	e point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from	Tualatin River
	s water is to be applied is irrigation	
	appropriation shall be limited to 1/80th ent for each acre irrigated and shall h	
	xceed 2 acre feet per acre for each ac	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	······································
	each year,	
	<u></u>	
***************************************		
***************************************		
and shall be subject to such	ı reasonable rotation system as may be ordered b	y the proper state officer.
The priority date of t	this permit is June 2, 1949	
•	work shall begin on or before September I	
	ith reasonable diligence and be completed on or	
	ı of the water to the proposed use shall be made	on or before
	this 15th day of September	, 19.49
	CHAS, E, ST	•

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175