

*Permit No. 1878

CERTIFICATE NO. 2405 for lands of Multnomah County

APPLICATION FOR A PERMIT CERTIFICATE NO. 2727 to De Grand Baldwin

To appropriate the Public Waters of the State of Oregon

I, George A Gill
(Name of Applicant)

of Corbett, County of Multnomah
(Postoffice)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Rainbow Creek
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is
.20 cubic feet per second.

3. The use to which the water is to be applied is
Power and Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 650 ft. N. 198 ft. W. from corner of
(Give distance and bearing to section corner)
Sections 25 - 30 - 31 - 36 T 1 N R 4 E

being within the SE 1/4 SE 1/4 of Sec. 25, Tp. 1 N
(Give smallest legal subdivision) (No. N. or S.)
R. 4 E, W. M., in the county of Multnomah
(No. E. or W.)

5. The Pipe line or flume to be 894' 7" miles in
(Main ditch, canal or pipe line)
length, terminating in the SE 1/4 SE 1/4 of Sec. 25, Tp. 1 N, R. 4 E
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is
Rainbow Development Co.

DESCRIPTION OF WORKS.

DIVERSION WORKS— No dam required

7. (a) Height of dam.....feet, length on top.....feet, length at bottom
.....feet; material to be used and character of construction.....
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 12" X 12" Timber
(Timber, concrete, etc., number and size of openings)

*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate. Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of.....acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed.....1.25.....theoretical horsepower.

(b) Total fall to be utilized.....55.....feet.
(Head)

(c) The nature of the works by means of which the power is to be developed.....
Pelton water wheel

(d) Such works to be located in.....SE¹/₄ SE¹/₄.....of Sec. 25
(Legal subdivision)

Tp. 1 N....., R. 4 E....., W. M.
(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? Same as taken from.....
(Yes or No)

(f) If so, name stream and locate point of return.....SE¹/₄ SE¹/₄.....
....., Sec. 25....., Tp. 1 N....., R. 4 E....., W. M.
(No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is.....general farm work, sawing wood,
running separator, etc.

(h) The nature of the mines to be served.....

MUNICIPAL SUPPLY—

11. To supply the city of.....
.....County, having a present population of....., and an
(Name of) estimated population of..... in 191.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 105.⁰⁰.....
- 13. Construction work will begin on or before January 10, 1915.....
- 14. Construction work will be completed on or before January 10, 1916.....
- 15. The water will be completely applied to the proposed use on or before.....
January 10, 1916

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

Geo A Gill
.....
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) W G Hicks, Corbett, Or.
(Name) (Address of witness)
- (2) Arthur C Hicks, Corbett, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before....., 191.....

WITNESS my hand this..... day of....., 191.....

State Engineer.

Application No. 3412
Permit No. 1878

PERMIT
TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

Division No. 1 District No.

This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 20
day of January, 1914,
at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:
Mar 13 1914

Recorded in Book No. 8
of
Permits, on Page 1878

John H Lewis
State Engineer.

PAC \$8.50
MDMcC
1 map

STATE OF OREGON,
County of Marion } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

This appropriation shall be limited to domestic supply, and the development of
1.25 theoretical horsepower.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed one-fifth (0.20) cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is January 20, 1914.

Actual construction work shall begin on or before March 13, 1915
and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1st, 1916

Complete application of the water to the proposed use shall be made on or before Oct 1st, 1917

WITNESS my hand this 13th day of March, 1914
John H Lewis
State Engineer.