

CERTIFICATE NO. 19575

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Calvin L. Kaser (Name of applicant)

of Route 2, Box 98 Tillamook (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named stream a tributary of South Prairie Slough, a tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is .2 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 158 1/2 ft. S. and 214 1/2 ft. W. from the N.E. corner of Section 7, T. 2 S., R. 9 W., W. M.

(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the West half of the N.E. quarter of Sec. 7, Tp. 2 S., R. 9 W., W. M., in the county of Tillamook

5. The main pipe line to be 1090 feet in length, terminating in the East half of the NE quarter of Sec. 7, Tp. 2 S., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

1 1/2 inch intake, 1 1/2 inch discharge centrifical pump 3 h.p. electric motor 8' lift

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1090' ft.; size at intake, 3" in.; size at 1090' ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 5 ft. Is grade uniform? yes Estimated capacity, .18 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	9 W.W.M.	7	N.E. quarter of the N.E. quarter	4.6
			S.E. quarter of the N.E. quarter	9.4
				<u>14.0</u>
<p>Beginning at a point 70.76 rods South of the Southwest corner of the North Half of the North Half of the Northeast Quarter of Section 7 in Township 2, South of Range 9, West of the Willamette Meridian; thence North 49 and 3/13 ths rods; thence East 130 rods; thence South 49 and 3/13 ths rods; thence West 130 rods to the place of beginning, containing 40 acres, more or less, all being in the County of Tillamook and State of Oregon.</p>				

(If more space required, attach separate sheet)

(a) Character of soil silt loam

(b) Kind of crops raised grass and legume pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,200 _____

12. Construction work will begin on or before June 25, 1949 _____

13. Construction work will be completed on or before June 25, 1949 _____

14. The water will be completely applied to the proposed use on or before July 15, 1949 _____

(Sgd) Calvin L. Kaser
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

Application No. 23895

Permit No. 18832

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of July, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of Permits on page 18832

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 18 A

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.175 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 5, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 15th day of September, 1949

CHAS. E. STRICKLIN

STATE ENGINEER