

CERTIFICATE NO. 19887

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred & Evelyn Robinson (Name of applicant) of Rt. 2, Scio (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Thomas Creek (Name of stream), a tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.84 cubic feet per second from each source (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located (1) 275 S. 850 E. NW (N. or S.) (E. or W.) (2) 1295 ft. S. and 850 ft. E. NW from the SW 1/4 of (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the (Give smallest legal subdivision) of Sec. 18, Tp. 10 S. (N. or S.)

R. 1 W., W. M., in the county of Linn (E. or W.)

5. The pipeline to be 900 ft. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE 1/4 SE 1/4 of Sec. 13, Tp. 10 S. (Smallest legal subdivision) (N. or S.)

R. 2 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump, 15 H.P. electric motor and 10 foot lift. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, (1) 300 ft.; size at intake, 5 in.; size at 300 ft. from intake, (2) 300 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? Yes Estimated capacity, .5 sec. ft.

8. Location of area to be irrigated, or place of use Sec. 18, T 10 S, R 1 W  
Sec. 13, T 10 S, R 2 W

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	1 W	18	SW $\frac{1}{4}$ NW $\frac{1}{4}$	20.7
10 S	1 W	18	NW $\frac{1}{4}$ SW $\frac{1}{4}$	20.6
10 S	2 W	13	SE $\frac{1}{4}$ NE $\frac{1}{4}$	11.4
10 S	2 W	13	NE $\frac{1}{4}$ SE $\frac{1}{4}$	14.5
				<u>67.2</u>

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at an iron pipe one-half by twenty-four inches at the northeast corner of the Northwest Quarter of the Southwest Quarter of Section Eighteen, in Township Ten South, Range One West of the Willamette Meridian, thence west 2.40 chains to an iron pipe one-half by forty-eight inches, thence South 56 degrees West 7.50 chains to an iron pipe three-fourths by twenty-eight inches, thence South 40 degrees East 2.50 chains, thence East 3.50 chains to an iron pipe three-quarter by twenty-four inches, thence South 12 degrees West 5.00 inches to an iron rod, thence South 30 degrees West 3.40 chains to an iron rod one-half by thirty inches, thence South 68 degrees West 2.50 chains to an iron pipe one-half by fourteen inches, thence West 2.50 chains to a stake two inches by thirty-six inches thence South 22 degrees West 4.25 chains, thence South

(If more space required, attach separate sheet)

(continued under Remarks)

(a) Character of soil Chehalis

(b) Kind of crops raised Vegetables & pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1485.00 .....

12. Construction work will begin on or before July 16, 1949 .....

13. Construction work will be completed on or before August 1, 1949 .....

14. The water will be completely applied to the proposed use on or before August 1, 1950 .....

(Sgd) Fred & Evelyn Robinson .....

(Signature of applicant)

By Fred Robinson .....

Remarks: .....

~~Property on which water is to be used is a part of that more explicitly described by applicant as follows~~ (Continued from Item 8)

60 degrees West 4.50 chains, thence South 79 degrees West 1.30 chains, thence North 70 degrees West 3.00 chains to the Southwest corner of the Northwest Quarter of the Southwest Quarter of said section, thence West 8.00 chains to an iron pipe one and one-half by eighteen inches, thence North parallel with the West line of said section, 34.50 chains to an iron bar one-fourth by one by sixteen inches, thence East 29.80 chains to the East line of the West half of the Northwest Quarter of said section, thence South 14.50 chains to the place of beginning, EXCEPT one acre deeded to the City of Scio as recorded in book 158 of Deeds, page 527, and described as follows: Beginning at a point which is 14.50 chains North of the Northeast corner of the Northwest Quarter of the Southwest Quarter of Section Eighteen, Township Ten South, Range One West, which beginning point is also designated as the Northeast corner of land conveyed to Edward Palon and wife by Charles U. Sandos and wife, by deed recorded January 30, 1920, and running thence West 105 feet, thence South 44-6/7 feet, thence East 105 feet, thence North 44-6/7 feet to the place of beginning.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 25, 1949.

WITNESS my hand this 25th day of July, 1949.

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
rn

Application No. 23917

Permit No. 18839

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of July, 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of Permits on page 18839

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 51

Fees Paid \$20.70

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.84 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Thomas Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 11, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1952

WITNESS my hand this 15th day of September, 1949

CHAS. E. STRICKLIN

STATE ENGINEER