

SUPERSEDED

CERTIFICATE NO. 45493 56080

CERTIFICATE NO. 47883

57724

43545

CERTIFICATE NO. 20696

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Carleton Parish Pynn (Name of applicant) of Route 1, Box 478, West Linn (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River (Name of stream), a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2170 ft. S. and 780 ft. E from the NE corner of the Geo. Brock D.L.C. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 22, Tp. 3 S. (Give smallest legal subdivision) (N. or S.)

R. 1 E., W. M., in the county of Clackamas (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam no dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal pump (Size and type of pump) single phase electric motor, 3600 R.P.M. 7 1/2 h.p. 100 ft head (Size and type of engine or motor to be used, total head water is to be lifted, etc.) including 40 ft lift from the river.

10 10 gpm sprinklers

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000 .....

12. Construction work will begin on or before Has been commenced .....

13. Construction work will be completed on or before 2 yrs after approval .....

14. The water will be completely applied to the proposed use on or before 3 years after approval .....

(sgd) Carleton Parish Pynn .....

(Signature of applicant)

by

G. Mary Pynn .....

Remarks: .....

Property on which water is to be used is a part of that more explicitly described by appropriator as follows:

Part of the George Brock D.L.C. #16 in Sections 15 and 22, Township Three (3) South of Range One (1) East of the Willamette Meridian, described as follows:

Beginning at a point 100 feet North of a forty foot roadway across the South side of Tracts Sixty Seven (67) and Seventy Nine (79) of what was formerly Peach Cove, according to the duly recorded plat thereof, now vacated, which beginning point is further described as being 140 feet North of the Southwest corner of said tract 67; thence running East parallel with the South boundary of tracts 67, 79, and 87 of said Peach Cove, to the Willamette River; thence Northerly along the East end of what was formerly tract 87 of Peach Cove lying North of the above line and Northerly along the East end of tracts 86, 85, 84, 83 and 82 to the Northeast corner of tract 82; thence West along the North side of Tracts 82, 81 and 65 of what was formerly Peach Cove now vacated to the Northwest corner of tract 65; thence South along the West end of Tracts 65, 66, 67 to place of beginning.

Together with all land and/or riparian rights obtained or owned by vendor lying between said described land and the Willamette River and in connection with the shores of said River, but the vendor does not warrant the title thereto and therein, and such rights as grantor has in the tract of land estimated to be 40 feet wide lying North of the North boundary of the above described premises and the South boundary of land conveyed to Marion A. Vlahos by deed dated December 21, 1937, which was formerly a roadway, but vendor does not warrant the title thereto.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

Application No. 23920

Permit No. 18840

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of July, 1949, at 11:05 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of Permits on page 18840

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 64 C

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 14, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 15th day of September, 1949

CHAS. E. STRICKLIN

STATE ENGINEER