

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Granville Hampton (Name of applicant) of Roseburg, Lookingglass Route (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Ollala Creek (locally known as Lookingglass Creek), a tributary of South Umpqua River (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.0375 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of N 88 54' E, 1021.8 ft., from the corner to Sections 10, 11, 14, and 15, T 28 S., R 7 W., W.M. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 SW 1/4, Sec. 11, T 28 S., R 7 W. of Sec. 11, Tp. 28 S., R. 7 W., W. M., in the county of Douglas (Give smallest legal subdivision)

5. The Pipe line to be 350 ft. in length, terminating in the SW 1/4 SW 1/4 of Sec. 11, Tp. 28 S., R. 7 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" Rotary belt driven 3 H.P. Gas operated motor. 15 ft. Head. (Size and type of pump)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 350 ft. ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 15' ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
28 S	7 W	11	SW $\frac{1}{4}$ SW $\frac{1}{4}$	2.85

DEED DESCRIPTION

Beginning at A 3/4" iron pipe in the Easterly R.O.W. line of County Road No. 108 from which pipe the corner to Sections 10, 11, 14, and 15, T 28 S., R 7 W., WM., bears S 88° 58' W, 572.3 ft.
 Thence S 89° 58' E, 399.6 ft. to A 12" W. Oak on the Westerly high bank of Lookingglass Creek (Ollala Creek) Blazed and scribed, R. C. S.B.T., S.E.COR., G.H., 50.0 ft., to A 3/4" iron pipe on the low bank of said creek, and 75.0' to the the center of said creek.
 Thence N 4° 25' E., 285.4 ft., down stream along center of said creek.
 Thence N 74° 34' W 30.0 ft. to a 3/4" iron pipe on the Westerly high band of said creek, and 290.0 ft. to a 3/4" iron pipe on the Easterly R.O.W. of the aforesaid County road No. 108.
 Thence S 18° 54' W 220.5 ft. along the Easterly R.O.W. of said road to the beginning of a 20° curve to the right (central angle, 27° 12', center line radius, 286.5 ft.)
 Thence along the Easterly R.O.W. of said curve (the long chord of which bears S 32° 30' W 148.8 ft.) an arc distance of 150.3 ft. to the end thereof.
(If more space required, attach separate sheet) (continued under Remarks)

(a) Character of soil Sandy loam

(b) Kind of crops raised Truck garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Sept. 1, 1949

13. Construction work will be completed on or before Sept. 1, 1954

14. The water will be completely applied to the proposed use on or before Sept. 1, 1954

(Sgd) Granville Hampton
(Signature of applicant)

Remarks:

(continued from Item 8)

Thence S 46° 06' W 51.0 ft. along the Easterly R.O.W. of said road to the
place of beginning, containing, 2.85 acres, more or less , in Sec. 11, T 28 S., R. 7 W.,
WM., and Douglas County Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 23952

Permit No. 18857

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of July, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1949

Recorded in book No. 46 of Permits on page 18857

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 36 B

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.036 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ollala Creek, sometimes called Lookingglass Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 29, 1949

Actual construction work shall begin on or before September 15, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951 Extended to Oct. 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1952

WITNESS my hand this 15th day of September, 19 49

CHAS. E. STRICKLIN STATE ENGINEER