* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1.	Arthur C.	Martin				
•			(Name of applic	ant)		
of	Dayville	address)	••••••	······		
State of	· · · · · ·	,	do hereby m a	ıke application	for a permit to	appropriate the
followin	g described public	waters of the State	of Oregon, S	UBJECT TO E	EXISTING RIG	HTS:
If	the applicant is a c	orporation, give dat	e and place o	f incorporation) <u></u>	~
1	The source of the	proposed appropriat	tion is Joh	ın Day River		
1.				(N	name or stream)	***************************************
2.	^	ter which the applic				•
cubic fee	et per second					
					lve quantity from each	1
**3.	The use to which	the water is to be ap	oplied is	rigation, power, minin	ng, manufacturing, dom	estic supplies, etc.)
4.	The point of diver	rsion is located	ft	and	ft	rom the
		822 ft. from the				
	W. M.			odivision)		
•		,			ŕ	* *
,		Å		~ #	^	
		(If preferable, give d	listance and bearing	to section corner)	÷	r
	· ·	e than one point of diversion				
		$\frac{NW_{\frac{1}{4}}^{\frac{1}{4}} NE_{\frac{1}{4}}^{\frac{1}{4}}}{\text{(Give smallest legal subdiv}}$	rision)		, Tp.	13 S (N. or S.)
(E.	or W.)	he county ofG				
5.	The	(Main ditch, canal or pipe	line)	to be	(Miles or	feet)
in length	ı, terminating in th	e(Smallest legal	aubdivision)	of Sec	, Тр.	(N on S)
		the proposed locatio				
		DESCR	IPTION OF	WORKS		
Diversio	n Works—	No dam				
		ı		-	-	•
		ial to be used and c				
		vay over or around dam)				
		eadgate				
		pumped give genero		$1\frac{1}{4}$ int.]	l" disch cent	• pump
, -				. •	(Size and type of pum)	p)
***************************************		tor e and type of engine or moto ic head				

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem, Oregon.

readgate. At hea	dgate: width or	i top (at water i	line)	feet: width on bottom
			•	
housand feet.			adgate: width on top (at wat	
	feet; width on	bottom	feet; depth of u	vater feet,
grade		ì		•
		_	size at intake,	in · size at ft
			f use in.; dif	
ntake and place	of use,	jt. 1s	grade uniform?	Estimated capacity
	sec. ft.			
8. Location	n of area to be	irrigated, or pla	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	26 E	1	NW_{4}^{1} NE_{4}^{1}	1.5
			$SW^{\frac{1}{4}}$ $NE^{\frac{1}{4}}$	1.5
v				3.0
	,			
	as follows		ed is a part of that mor	e explicitly described
the State of angles to) I	t a point wi Oregon; san Ingineers cen	d point beir ter line sta	Southeast Corner of a tr ng 40.0 feet distant fro ation 179/00; said point oth Quarter Croner of Se ong the North Right-of-W thence on a sprial curve	m (when measured at rialso being 1213.9 fee
Commencing a the State of which bear 18°00' E. a	t a point wing oregon; sand insers central from the control of the	ter line state of the North 12 to 1 the North 13 to 13 to 13 to 13 to 10	ng 40.0 feet distant fro ation 179/00; said point th Quarter Croner of Se ong the North Right-of-V thence on a sprial curve feet) a distance of 281. thence N. 11°00' W	m (when measured at rialso being 1213.9 feetion 1, T. 13, S., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which beat 48°00' E., a	t a point wing oregon; sand insers central from the control of the	ter line state of the Nor 43' East ale 33.2 feet; E. 281.0 f 100.0 feet listance of of beginnin	ng 40.0 feet distant fro ation 179400; said point oth Quarter Croper of Se	m (when measured at rialso being 1213.9 feection 1, T. 13, S., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which beat 48°00' E., a thence N. 57 300.0 feet to	t a point wi Oregon; san Ingineers cen 5.6 feet eas hence S. 51 istance of irs S. 19°27 distance of cothe point	ter line state of the North 121 East al 133.2 feet; E. 281.0 f 100.0 feet distance of of beginnin	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which beat 48°00' E., a thence N. 57 300.0 feet to	t a point wi Oregon; san Ingineers cen 5.6 feet eas hence S. 510 istance of rs S. 19°27 distance of the point ter of soil	ter line state of the No. 143' East al 133.2 feet; E. 281.0 f 100.0 feet listance of of beginnin	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best thence N. 57 300.0 feet to (a) Character (b) Kind of the State of the St	t a point with Oregon; saingineers cer 5.6 feet easthence S. 51 istance of rs S. 19027 distance of cothe point eter of soil	ter line state of the No. 143' East al 133.2 feet; E. 281.0 f 100.0 feet listance of of beginnin	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which beat 48°00° E., a thence N. 57 300.0 feet to (a) Character (b) Kind of Power or Mining	t a point with Oregon; saingineers center of soil	d point beinter line stater line state of the No. 143' East al. 143' East al. 153' E. 281.0 f 100.0 feet listance of of beginnin (M more space rocky.	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. Thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) cement grav sub strander and lawn	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00° E., a thence N. 5300.0 feet to (a) Character (b) Kind of Power or Mining 9. (a) Tot	t a point with Oregon; saingineers ceres. 5.6 feet east hence S. 514 istance of the stance of the stance of the point of t	d point being ter line state of the Normalistan and the line state and line state and line state and line space of looky. Gamer to be developed to the line space of line	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) cement grav. sub strander and lawn	m (when measured at rialso being 1213.9 fee ction 1, T. 13, S., R. Lay Line of the John Darright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00' E., a thence N. 53 300.0 feet to (a) Character (b) Kind of Power or Mining 9. (a) Tot (b) Que	t a point with Oregon; saingineers ceres. 5.6 feet easthence S. 51 istance of its S. 1,9°27 is distance of cothe point of crops raised Purposes—al amount of point in the point of water of wate	d point beinter line stater line stater line state of the Normalia line state al last	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.// feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13, S., R. Lay Line of the John Darright, (the long chor 3 feet; thence North distance of 360.0 fee more or less
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which best 48°00° E., a thence N. 5′ 300.0 feet to (a) Character (b) Kind of Cower or Mining 9. (a) Total (b) Quality (c) Total	t a point with Oregon; saingineers ceres. 5.6 feet easthence S. 5.1 istance of its S. 1,9°27 is distance of cost was a contraction of the point of t	d point being ter line state of the North 1 ter line state of the North 1 ter line state of loo of feet listance of listance listance of listance listance of listance list	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-We thence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.1 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13, S., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less Tatum theoretical horsepower ec.ft.
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which best thence N. 53 300.0 feet to (a) Character (b) Kind of Cower or Mining 9. (a) Total (b) Quality (c) Total	t a point with Oregon; saingineers ceres. 5.6 feet easthence S. 5.1 istance of its S. 1,9°27 is distance of cost was a contraction of the point of t	d point being ter line state of the North 1 ter line state of the North 1 ter line state of loo of feet listance of listance listance of listance listance of listance list	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.// feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee more or less theoretical horsepower ec.ft.
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00' E., a thence N. 57 300.0 feet to (a) Character (b) Kind of Cower or Mining 9. (a) Toto (b) Quantum (c) Tota (d) The	t a point with Oregon; sand ingineers center of soil	d point being ter line stater line stater line state of the Normal Last all 1833.2 feet; E. 281.0 feet listance of of beginning (Memore space recky) Gamer to be deve to be used for lized	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.// feet; thence S. 35.; containing 3.95 acres equired, attach separate sheet)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. Lay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee 171 W., a distance of more or less Tatum theoretical horsepower ec.ft.
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which best 48°00° E., a thence N. 57 300.0 feet to (a) Character (b) Kind of (b) Kind of (c) Total (d) The (e) Successive (e) Successive (e) Successive (e) Successive (for the following for the following (for the following following following (for the following	t a point with Oregon; saingineers center of feet east hence S. 51 instance of its S. 1,9°27 indistance of the point of th	d point beinter line stater line stater line state of the Normalia last allowed feet; E. 281.0 f 100.0 feet listance of of beginnin (H more space recky. Gamer to be deve to be used for lized	ng 40.0 feet distant from the continuous said points of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) cement grav sub structured and lawn loped power second feet. (Head) feet. (Legal Subdivision)	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. Lay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee 171 W., a distance of more or less Tatum theoretical horsepower ec.ft.
Commencing a the State of angles to) I south and 33 E., W. M.; thighway, a cof which beat 48°00° E., a thence N. 57 300.0 feet to (a) Character (b) Kind of (b) Kind of (c) Total (d) The (e) Suction (e) Suction (no. N. or s.)	t a point with Oregon; saingineers centre of feet easthence S. 51 instance of irs S. 1,9°27 indistance of the point of the	d point beinter line stater line stater line stater line state of the Norwall East all 1833.2 feet; E. 281.0 f 100.0 feet listance of of beginnin (H more space recky) Gamer to be deve to be used for lized	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281.; thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) ——————————————————————————————————	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. Lay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee 171 W., a distance of more or less Tatum theoretical horsepower ec.ft.
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00° E., a thence N. 5300.0 feet to (a) Character (b) Kind of (b) Kind of (c) Total (d) The (e) Successive (f) Is well as the state of the commence	t a point with Oregon; saingineers center of feet each thence S. 51 istance of its S. 19°27 distance of the point of the p	d point beinter line stater line stater line state of the Normalia last alcase alcase last alcase of loo of feet listance of of beginning and control of lized last alcase located in last and last	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. Thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) ——————————————————————————————————	m (when measured at rialso being 1213.9 fee ction 1, T. 13.5., R. Lay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee 171 W., a distance of more or less Tatum theoretical horsepower ec.ft. developed of Sec.
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00° E., a thence N. 5300.0 feet to (a) Character (b) Kind of (b) Kind of (c) Total (d) The (e) Successive (f) Is we (g) If successive (f) Is we (g) Is we	t a point with Oregon; saingineers center of feet each thence S. 51 istance of its S. 19°27 distance of the point of the p	d point being ter line stater line stater line state of the Normalia last allowed for lized	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. Thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) ——————————————————————————————————	m (when measured at rialso being 1213.9 fee ction 1, T. 13, S., R. ay Line of the John Daright, (the long chor 3 feet; thence North distance of 360.0 fee 17' W., a distance of more or less Tatum theoretical horsepower ec.ft. developed of Sec.
Commencing a the State of angles to) I south and 33 E. W. M.; thighway, a cof which best 48°00' E., a thence N. 5300.0 feet to (a) Charace (b) Kind of (b) Kind of (c) Toto (d) The (e) Successive (f) Is we (g) If some constant (g) If some co	t a point with Oregon; saingineers center of feet east hence S. 514 istance of its S. 149°27 distance of the point of the	d point beinter line stater line stater line state of the Normalia last all states all states all states of loo of feet listance of of beginning and locate points and locate points. Sec.	ng 40.0 feet distant from tion 179/00; said point of the Quarter Croner of Second the North Right-of-Withence on a sprial curve feet) a distance of 281. Thence N. 11°00' W., a 375.4 feet; thence S. 35 g, containing 3.95 acres equired, attach separate sheet) ——————————————————————————————————	m (when measured at rialso being 1213.9 fee etion 1, T. 13, S., R. May Line of the John Day right, (the long chor 3 feet; thence North distance of 360.0 fee 171 W., a distance of more or less ratum theoretical horsepower ec.ft. developed of Sec. (No. E. or W.)

	(a) To supply the city of			
		ent population o	f	
	stimated population of			
	(b) If for domestic use state number of	f families to be	supplied	
	(Answer questions 11,	12, 13, and 14 in all cas	ies)	
11.	Estimated cost of proposed works, \$			
12.	Construction work will begin on or befor	re	one year after	approval
13.	Construction work will be completed on	or before	two years "	, tf
14.	The water will be completely applied to	the proposed us	e on or before3"	11
		(Sgd) Arth	ur C. Martin	
			(Signature of applicant)	
Re1	marks:			
		. 4		
		,		
		•		

	······································			•••••
		•••••		
		*****		***************************************
				•••••

TATE (OF OREGON, ss.			
Count	ty of Marion, ss.			
	is is to certify that I have examined the f	foregoing applic	ation, together with the a	ccompanuin
Th	l data, and return the same for			
	v wave, who i could notice suffice jut	•		
naps and	and on to notain its anionits: this ann!:+:	on major ha mater	THEO, TO THE STATE PARAMERY.	
naps and In	order to retain its priority, this application			with correc
naps and In ions on o	order to retain its priority, this application or before	, 19		with correc

Application	No.	23792
-------------	-----	-------

Permit No. 18882

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

•	Division No District No					
	This instrument was first received in the office of the State Engineer at Salem, Oregon,					
	on the 18th day of May					
	1949, at 10:45 o'clock A. M.					
	Returned to applicant:					
	·					
	Corrected application received:					
	Approved:					
	March 15, 1950					
	Recorded in book No. <u>46</u> of					
	Permits on page 18882					
	CHAS. E. STRICKLIN STATE ENGINEER					
•	Drainage Basin No					
	Fees Paid					
	. PERMIT					
STATE OF OREGON, $\}_{s}$	es. •					
County of Marion, \\ This is to certify tha	t I have examined the foregoing application and do hereby grant the same,					
	RIGHTS and the following limitations and conditions: nted is limited to the amount of water which can be applied to beneficial use					
•	2.08 cubic feet per second measured at the point of diversion from the					
	case of rotation with other water users, fromJohn Day River					
stream, or its equivalent in	case of rotation with other water users, from					
	s water is to be applied isirrigation (supplemental)					
second or its equival diversion of not to irrigation season of herein, together with same lands shall not	appropriation shall be limited to					
and shall be subject to such The priority date of t Actual construction thereafter be prosecuted w October 1, 1952 Complete application	reasonable rotation system as may be ordered by the proper state officer. this permit is					
WITNESS my hand	this 15th day of March, 1950.					
	CHAS E STRICKLIN					

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175