

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Gaylord M. Madison (Name of applicant)
 of Echo, Oregon (Mailing address),
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Buttercreek (Name of stream)
 a tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is
 cubic feet per second. Surplus water to supplement water from Spring in SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 30 up to 3
 Acre feet per acre for 182 acres. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2270.39 ft. S and 1923.74 ft. E from the $\frac{1}{4}$
 (N. or S.) (E. or W.)
 corner of between Sections 24 & 25 T3N R. 27EWM
 (Section or subdivision)

Located in NE $\frac{1}{4}$ Section 25

I wish to take water from ditch already in use 2830 feet from the point of
 diversion and extend as shown on plat
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 25, Tp. 3N,
 (Give smallest legal subdivision) (N. or S.)
 R. 27E, W. M., in the county of Umatilla
 (E. or W.)

5. The Ditch (Main ditch, canal or pipe line) to be 3810 ft of new ditch (Miles or feet)
 in length, terminating in the in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 19, Tp. 3N,
 (Smallest legal subdivision) (N. or S.)
 R. 28E, W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works— Existing

6. (a) Height of dam 12 feet, length on top 12 feet, length at bottom
 feet; material to be used and character of construction concrete
 (Loose rock, concrete, masonry,

This is really a headgate allowing head of water to be varied
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 6' wide x 5' high -- concrete
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
 ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 12 feet; width on bottom 7 feet; depth of water 6 feet; grade 1 feet fall per one thousand feet.

(b) At 0.3 miles from headgate: width on top (at water line) 8 feet; width on bottom 5 feet; depth of water 3 feet; grade 2 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3N	28E	19	NE $\frac{1}{4}$ SE $\frac{1}{4}$	40
3N	28E	19	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40
3N	28E	19	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40
3N	28E	19	SE $\frac{1}{4}$ SE $\frac{1}{4}$	36
3N	28E	30	NW $\frac{1}{4}$ NE $\frac{1}{4}$	23
3N	28E	30	SW $\frac{1}{4}$ NE $\frac{1}{4}$	3
				182

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Sgd) Gaylord M. Madison
(Signature of applicant)

Remarks: Spring water doesn't start flowing until late in spring, therefor
this application for surplus water from Buttercreek cares for same acreage as
that irrigated from Spring until such time as spring begins to flow.
At other times of the year surplus water from Buttercreek is used on same
area as that covered by the Spring application to supplement it.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before September 12 1949..

WITNESS my hand this 11th day of August 1949..

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant dh

Application No. 23959

Permit No. 18911

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of July, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of Permits on page 18911

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 7 Page 5

Fees Paid \$29.60

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.64 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Butter Creek

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 29, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN STATE ENGINEER