

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George Royes and Elizabeth Royes, his wife,
(Name of applicant)
of Summerville
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willow Creek
(Name of stream)
a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is four (4)
cubic feet per second. from either point of diversion
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1364.2 ft. N. 76° 47' W
(N. or S.) ~~west~~ ft. from the SW
(E. or W.)
corner of Section 8 and also 2252.4 feet North 28° 41' West from the SW corner of
(Section or subdivision)
Section 8, all in Tp. 1 S.R. 39 E.W.M.,

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Southeast quarter of Sec. 7, Tp. 1 South,
(Give smallest legal subdivision) (N. or S.)
R. 39 E., W. M., in the county of Union

5. The pipe line to be 4,000 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 NW 1/4 of Sec. 17, Tp. 1 South,
(Smallest legal subdivision) (N. or S.)
R. 39 East, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Pumps will be operated by
(Size and type of pump)
tractor power - each pump to throw not less than 600 gallons a minute and
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
will be moved as required from one location to the other.

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4,000 ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, 75 ft. Is grade uniform? No Estimated capacity, 4 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 South	39 East	7	NE $\frac{1}{4}$ SE $\frac{1}{4}$	37
"	"	7	NW $\frac{1}{4}$ SE $\frac{1}{4}$	3.36
"	"	7	SW $\frac{1}{4}$ SE $\frac{1}{4}$	4.2
"	"	7	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40
"	"	8	NESW 38 SWSW 40 SW $\frac{1}{4}$ NWSW 39 SESW 39	156
"	"	17	NENW 39 N $\frac{1}{2}$ NW $\frac{1}{4}$ NWNW 40	79
				319.56
All that part of the NE $\frac{1}{4}$ of Section 7 lying East of Willow Creek, SW $\frac{1}{4}$ of Section 8, N $\frac{1}{2}$ NW $\frac{1}{4}$, Section 17, all in Tp. 1 S.R. 39 E.W.M.				

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised grass, grain, hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 23962

Permit No. 18913

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of August 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 18913

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 18 B

Fees Paid \$36.50

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willow Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 4.0 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 1, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN STATE ENGINEER