* APPLICATION FOR PERMIT

CERTIFICATE NO. 24303

To Appropriate the Public Waters of the State of Oregon

(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is North Santiam River (Name of stream) (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 1/9 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 2/129 ft Source (N. or S.) (E. or W.) (Section or subdivision)
1. The source of the proposed appropriation is North Santiam River (Name of stream) A tributary of Santiam River 2. The amount of water which the applicant intends to apply to beneficial use is 1/9 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 2129 ft. S. (Portable pump E. of marker) 4. The point of diversion is located 2129 ft. S. (R. or S.) (Section or subdivision)
2. The amount of water which the applicant intends to apply to beneficial use is
2. The amount of water which the applicant intends to apply to beneficial use is
2. The amount of water which the applicant intends to apply to beneficial use is 1/9 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 2129 ft. S. THE PROPRIES (N. or S.) (Section or subdivision) (Section or subdivision)
cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
**3. The use to which the water is to be applied is
**3. The use to which the water is to be applied is
(portable pump E. of marker) 4. The point of diversion is located 2129 ft. S. T. (E. or W.) corner of \(\frac{1}{4}\) corner between Sect. 12 & Sect. 13, Tp. 9 S., R. 1 E., W.M., County of (Section or subdivision)
4. The point of diversion is located 2129 ft. S. (Portable pump. E. of marker) (N. or S.) (E. or W.) (E. or W.) (Section or subdivision)
corner of T corner between Sect. 12 & Sect. 13, Tp. 9 S., R. 1 E., W.M., County of (Section or subdivision)
C. C
(If preferable, give distance and bearing to section corner)
being within the SW2 of NE2 of Sec. 13 , Tp. 9 S. (Give smallest legal subdivision)
R. 1 E. W. M., in the county of Marion (E. or W.)
5. The to be (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW2 of NE2 of Sec. 13 , Tp. 9.S. (Smallest legal subdivision) (N. or S.)
(Smallest legal subdivision) R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description 6 horse-power gas
(Size and type of pump) 4000 gal. per hour (portable)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) 6 sprinklers throwing appr. 10 gal. per min. each.

A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	iagaie. wiain or	n top (at water i	line)	jeei, wiain on ooiion i
housand feet.				ter line)
		•		water feet;
		•		water jeet,
	• •	ll per one thous	•	
				. in.; size at 500 ft.
rom intake?	in.	.; size at place o	f use in.; di	fference in elevation between
ntake and place	of use,1	5 ft. Is	grade uniform? Yes	Estimated capacity,
1/9	sec. ft.			
8. Locatio	n of area to be	irrigated, or pla	ice of use (Further desc	• attached)
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	1 E	13	SW4 of NE2	9
Pontable v	when to be see	nd mithin 800	oft. up river from iro	monken loosted 21,29
			12 and Sect. 13, Tp. 9	
Incetion c	f area to be	irricated		
Location of Propert	v on which w	ater is to be	used is a part of tha	t more explicitly descri
State Hiway N said NE ₄ of S bank of the N to its point	lo. 222, 360 1. 13, 968.19 North Santiam	feet; thence feet more or River; then ion with the	S. 19 12' E. parallel r less to the low water ce Westerly along said West line of said NET	right-of-way line of sat with the West line of line along the North low water line (downstre of S. 13: thence N. 1°
State Hiway N said NE ₂ of S bank of the N to its point W. along the	lo. 222, 360 13, 968.19 North Santiam of intersect West line of	feet; thence feet more of River; then ion with the said NE ¹ of ing 8.81 acr W.M., Marion hich is 360 13, T. 9 S	S. 1º 12' E. parallel r less to the low water ca Westerly along said West line of said NEA S. 13, 1027.1 feet, mo as more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22	of S. 13; thence N. 1° core or less, to the point a portion of the NE4 of the intersection of the County, Oregon, with the core south 80° 51°
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly	lo. 222, 360 13, 968.19 North Santiam of intersect West line of	feet; thence feet more of River; then ion with the said NE of ing 8.81 acr W.M., Marion hich is 360 13, T. 9 S	S. 1º 12' E. parallel r less to the low water ca Westerly along said West line of said NEA S. 13, 1027.1 feet, mo as more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of of the intersection of ion County, Oregon, with 22: thence south 80° 54°
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly	lo. 222, 360 13, 968,19 North Santiam of intersect West line of and contain at a point w of NE of S r line of the	feet; thence feet more or River; then ion with the said NE of the	S. 1º 12' E. parallel r less to the low water ce Westerly along said West line of said NEA S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet)	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of of the intersection of ion County, Oregon, with the county of the solution of the solution of the south 80° 54° ander "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly	Jo. 222, 360 3, 13, 968,19 North Santiam of intersect West line of and contain 3, R. 1 E., at a point w a of NE 4 of S r line of the	feet; thence feet more of River; then ion with the said NE1 of ing 8.81 acre W.M., Marion hich is 360 13, T. 9 S right-of-war (If more space re	S. 1º 12' E. parallel r less to the low water ce Westerly along said West line of said NEA S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of of the intersection of ion County, Oregon, with 2; thence south 80° 54° winder "Remarks")
State Hiway N said NE4 of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point was of NE of S line of the	feet; thence feet more of River; then ion with the said NE1 of ing 8.81 acre W.M., Marion hich is 360 13, T. 9 S right-of-war (If more space re	S. 1º 12' E. parallel r less to the low water ce Westerly along said West line of said NEA S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of of the intersection of ion County, Oregon, with the county of the solution of the solution of the south 80° 54° ander "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13. T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind Power or Mining	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point we of NE2 of S Time of the cter of soil	feet; thence feet more of River; then ion with the said NE ¹ / ₂ of ing 8.81 acre w.M., Marion hich is 360 13, T. 9 S right-of-war (If more space ro Silt los	S. 1º 12' E. parallel r less to the low water re Westerly along said West line of said NEX S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1° are or less, to the point a portion of the NE4 of of the intersection of ion County, Oregon, with 22; thence south 80° 54° under "Remarks")
State Hiway Naid NET of Shank of the Net to its point W. along the of beginning S. 13. T. 9 S. 2. Beginning the west line the southerly (a) Chara (b) Kind of the Naid Cower or Mining 9. (a) Total	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point was of NE½ of Straine of the cter of soil	feet; thence feet more of River; then ion with the said NE; of ing 8.81 acre W.M., Marion mich is 360 13, T. 9 S right—of—war (If more space ro Silt los Truck	S. 1º 12' E. parallel r less to the low water re Westerly along said West line of said NEZ S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 5h' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden	right-of-way line of sai with the West line of line along the North low water line (downstrate of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of cof the intersection of con County, Oregon, with 2; thence south 80° 54° under "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13. T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind Power or Mining 9. (a) Tot (b) Qu	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point was of NE½ of Straine of the cter of soil	feet; thence feet more of River; then ion with the said NE of ing 8.81 acro W.M., Marion mich is 360 13, T. 9 S right-of-war (If more space ro Silt los Truck ower to be deve	S. 1º 12' E. parallel r less to the low water re Westerly along said West line of said NEX S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped	right-of-way line of sai with the West line of line along the North low water line (downstrate of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of cof the intersection of con County, Oregon, with 2; thence south 80° 54° under "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13. T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind Power or Mining 9. (a) Tot (b) Qu	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point was of NE½ of Straine of the cter of soil	feet; thence feet more of River; then ion with the said NE of ing 8.81 acro W.M., Marion mich is 360 13, T. 9 S right-of-war (If more space ro Silt los Truck ower to be deve	S. 1º 12' E. parallel r less to the low water re Westerly along said West line of said NEZ S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 5h' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden	right-of-way line of sai with the West line of line along the North low water line (downstrate of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of cof the intersection of con County, Oregon, with 2; thence south 80° 54° under "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind Power or Mining 9. (a) Tot (b) Qu (c) Tot	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point was of NE of S T line of the cter of soil	feet; thence feet more or River; then ion with the said NE of ing 8.81 acre W.M., Marion hich is 360 13, T. 9 S right-of-war (If more space re Silt location Truck ower to be deve	S. 19 12' E. parallel r less to the low water rea Westerly along said West line of said NE S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head)	right-of-way line of sai with the West line of line along the North low water line (downstrate of S. 13; thence N. 1° ore or less, to the point a portion of the NE4 of cof the intersection of con County, Oregon, with 2; thence south 80° 54° under "Remarks")
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind (c) Tot (d) Th	Jo. 222, 360 Jorth Santiam of intersect West line of and contain at a point we of NE4 of Strains of crops raised Purposes— tal amount of potential amount of potential to be utilized to a point we are a fall to be utilized.	feet; thence feet more or River; then ion with the said NE1 of ing 8.81 acr W.M., Marion hich is 360 13, T. 9 S right-of-war (H more space re Silt los Truck ower to be deve	S. 19 12' E. parallel r less to the low water re Westerly along said West line of said NE S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head) feet.	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1°: of S. 13; thence N. 1°: of the point a portion of the NE2 of the intersection of ion County, Oregon, with 2; thence south 80° 54° under "Remarks") theoretical horsepower. sec. ft. developed
State Hiway Nead NET of Shank of the Net of the New State Himself of State Himself of Said NET of State Himself of the Negative He southerly (a) Chara (b) Kind (c) Tot (d) Th (e) Such	Jo. 222, 360 1. 13, 968.19 Jorth Santiam of intersect West line of and contain at a point w of NE4 of S line of the cter of soil cter of soil antity of water tal fall to be util e nature of the ch works to be	feet; thence feet more or River; then ion with the said NE1 of ing 8.81 acr W.M., Marion hich is 360 13, T. 9 S right-of-war (H more space re Silt los Truck ower to be deve	S. 19 12' E. parallel r less to the low water rea Westerly along said West line of said NE S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 54' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head) feet. (Legal Subdivision)	right-of-way line of sai with the West line of line along the North low water line (downstrate of S. 13; thence N. 1° is a portion of the NE2 of the intersection of ion County, Oregon, with the oretical horsepower. theoretical horsepower. sec. ft.
State Hiway Nead NET of Shank of the Net to its point W. along the of beginning S. 13, T. 9 S. 2. Beginning the west line the southerly (a) Chara (b) Kind (b) Kind (c) Tot (d) Th (e) Suc	is 222, 360 is 13, 968.19 lorth Santiam of intersect West line of and contain at a point was of NE½ of S r line of the cter of soil of crops raised Purposes— tal amount of posantity of water tal fall to be utilized to have to be contained to the contain	feet; thence feet more of River; then ion with the said NE; of ing 8.81 acre W.M., Marion mich is 360 13. T. 9 S right—of—war (If more space ro Silt los Truck ower to be devel to be used for lized works by means located in Located in W. M. M.	S. 19 12' E. parallel r less to the low water re Westerly along said West line of said NE S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 5h' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head) feet. (Head) feet (Legal Subdivision) I.	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1°: of S. 13; thence N. 1°: of the point a portion of the NE2 of the intersection of ion County, Oregon, with 2; thence south 80° 54° under "Remarks") theoretical horsepower. sec. ft. developed
State Hiway No said NET of Shank of the Net to its point W. along the of beginning S. 13, T. 9 S. 2. Beginning the west line the southerly (a) Chara (b) Kind (c) Tot (d) Th (e) Suc	is 222 360 is 13, 968.19 lorth Santiam of intersect West line of and contain at a point was of NE½ of S r line of the contain of crops raised Purposes— tal amount of posantity of water to be returned t	feet; thence feet more of River; then ion with the said NE; of ing 8.81 acre W.M., Marion mich is 360 13. T. 9 S right—of—war (If more space ro Silt los Truck ower to be devel to be used for lized works by means located in Located in med to any streen	S. 19 12' E. parallel r less to the low water re Westerly along said West line of said NEZ S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 5h' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head) feet. (Head) feet (Legal Subdivision) L. cam? (Yes or No)	right-of-way line of sainth the West line of line along the North low water line (downstrate of S. 13; thence N. 1° is a portion of the NE4 of the intersection of ion County, Oregon, with the county, Oregon, with ander "Remarks") theoretical horsepower. sec. ft. developed of Sec.
State Hiway N said NET of S bank of the N to its point W. along the of beginning S. 13, T. 9 S 2. Beginning the west line the southerly (a) Chara (b) Kind (c) Tot (d) Th (e) Suc (f) Is a (g) If s	is 222 360 is 13, 968.19 lorth Santiam of intersect West line of and contain at a point was of NE½ of S r line of the contain of crops raised Purposes— tal amount of posantity of water to be retues of name stream	feet; thence feet more of River; then ion with the said NE; of ing 8.81 acr W.M., Marion mich is 360 13. T. 9 S right—of—war (If more space ro Silt los Truck ower to be deve to be used for lized works by means located in control in more space ro in the space ro works by means located in means and locate poin and locate poin	S. 19 12' E. parallel r less to the low water rea Westerly along said West line of said NE S. 13, 1027.1 feet, mo es more or less, being County, Oregon feet south 80° 5h' east R. 1 E. of W.M., Mar y of State Hiway No. 22 (Continued equired, attach separate sheet) am garden loped power feet. (Head) of which the power is to be (Legal Subdivision) I. eam? (Yes or No) nt of return	right-of-way line of sai with the West line of line along the North low water line (downstre of S. 13; thence N. 1°: of S. 13; thence N. 1°: of the point a portion of the NE2 of the intersection of ion County, Oregon, with 2; thence south 80° 54° under "Remarks") theoretical horsepower. sec. ft. developed

Municipa	l or Domestic Supply—					
10.	(a) To supply the city of					
	County, having a present population of					
	timated population ofin 19					
	(b) If for domestic use state number of families to be supplied					
11.	11. Estimated cost of proposed works, \$ 1150.00					
12.	12. Construction work will begin on or before none needed (portable pump & pipe)					
13.	13. Construction work will be completed on or before May 15, 1950					
14.	The water will be completely applied to the proposed use on or before Sept. 15, 1950					
	(Sgd) A. W. Bellin					
	(Signature of applicant) by Mrs. A. W. Bellin					
Rer	marks: (Continued from Item 8)					
east al	ong the southerly line of the right of way of State Hiway No. 222, 420 feet; S. 1° 12' east parallel with the west line of said NE2 of S. 13 to the					
low wat	er line of the north bank of the North Santiam River; thence westerly					
	he low water line of said North Santiam River to the S.E. corner of the cre tract previously conveyed by the grantors herein to the grantees herein, north 1° 12' west along the east line of said 8 acres to the place of be-					
	, containing nine acres of land more or less, in Marion County, Oregon.					
	······································					
	·					
,						
	······································					
COT ACT C	OF OREGON)					
	$y ext{ of } Marion,$					
Thi	is is to certify that I have examined the foregoing application, together with the accompanying					
maps and	data, and return the same for					
In	order to retain its priority, this application must be returned to the State Engineer, with correc-					
tions on c	or before,19					
WI	TNESS my hand thisday of, 19,					
	STATE ENGINEER					

	Application No. 24034 Permit No. 18948	
e e e e e e e e e e e e e e e e e e e	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 22nd day of August,	
	1949., at 8:00o'clock M.	
	Returned to applicant:	
4	Corrected application received:	
	Approved:	
	March 15,1950	
٠. ۵	Recorded in book No. 46 of	
	Permits on page 18948	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No 2 Page 116 A	
6 1	Fees Paid	
Mark	PERMIT	
STATE OF OREGON, ss.	`	
County of Marion, \\ This is to certify that	I have examined the foregoing application an GHTS and the following limitations and condi	d do hereby grant the same, tions:
	ed is limited to the amount of water which car	
and shall not exceed	0.111 cubic feet per second measured at the	e point of diversion from the
stream, or its equivalent in c	ase of rotation with other water users, from	North Santiam River
The use to which this a	vater is to be applied is irrigation	
	propriation shall be limited to	
	ceed 2 acre feet per acre for each ac	
irrigation season of e	ach year, and shall be still further !	limited to a diversion
of not to exceed 0.111	C.f.s.	
· · · · · · · · · · · · · · · · · · ·	reasonable rotation system as may be ordered by is permit isAugust 22, 1949	

March

CHAS. E. STRICKLIN

Actual construction work shall begin on or before March 15, 1951 and shall

Complete application of the water to the proposed use shall be made on or before

thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

October 1, 1953

WITNESS my hand this _____day of