

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Clark W. Sherman (Name of applicant)  
of Scappoose, Oregon (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream)  
tributary of Sly Creek, a tributary of Scappoose Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 (1/80)  
cubic feet per second. per acre Combination of springs on Applicant's Farm  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ..... ft. (N. or S.) and ..... ft. (E. or W.)  
corner of The point of diversion will be at several points of Reservoir in the S.W.  
(Section or subdivision)

part of David A. Cloniger D.L.C., by portable pumping:  
(1) near S.E. cor. of NW 1/4 of SW 1/4, (2) near N.E. Cor. of SW 1/4 of SW 1/4, (3) 425 ft. East  
and North 170 ft. from the S.W. cor. of NE 1/4 of SW 1/4 all of Sec. 36 T. 4 N. R. 2 W. W.M.  
(If preferable, give distance and bearing to section corner)  
in accordance to projections on map in the Cloniger D.L.C.  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the ..... of Sec. ...., Tp. ....  
(Give smallest legal subdivision) (N. or S.)  
R. ...., W. M., in the county of Columbia  
(E. or W.)

5. The ..... to be .....  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the ..... of Sec. ...., Tp. ....  
(Smallest legal subdivision) (N. or S.)  
R. ...., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 28 feet, length on top 180 feet, length at bottom  
30 feet; material to be used and character of construction Earth  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Diesel - 3000 gals/min.  
(Size and type of pump)  
30 ft. lift  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.  
\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 N	2 W	36	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	1.4 ac.
"	"	"	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	20.9 ac.
"	"	"	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	21.2
"	"	"	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	6.2
"	"	"	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	38.8
"	"	"	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	5.3
				93.8 ac.

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Copy of Deeds of Land Owned by Clark W. and Florence Gray Sherman as of record in the Office of County Clerk, deed records of Columbia County, Oregon, Lands to be Irrigated.

Bk. 64 page 624

A tract of land described as follows: Beginning at a point N. 19 degrees 37 minutes E. 447.5 feet from the southwest corner of the donation land claim of David A. Cloniger and wife, in section 36 T. 4 N. R. 2 W. W. M.; running thence S. 70 degrees 53 minutes E. 985 feet to a stone at fence corner, thence S. 1 degree 28 minutes E. 666 feet to a stone at intersection of fence and road, thence N. 86 degrees 45 minutes E. 20 feet to the east side of lane, thence N. 1 degree 28 minutes W. 666 feet to a wooden stake, thence N. 88 degrees 32 minutes E. 104 feet to wooden stake, thence N. 1 degree 28 minutes W. 588 feet to a wooden stake on the fence line, thence S. 89 degrees W. 949 feet along the north line of the

(If more space required, attach separate sheet) (CONTINUED ON ATTACHED SHEET)

(a) Character of soil ..... Chehalis Loam

(b) Kind of crops raised ..... Pasture, Hay, Oats & Corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

## Item 8 Continued:

Cloniger property, thence S.19 degrees 22 minutes W. 263 feet to the point of beginning.

Also, a tract of land described as follows: Beginning at a point N.89 degrees E. 949 feet from a point N.19 degrees 22 minutes E. 263 feet from a point N.19 degrees 37 minutes E. 447.5 feet being the southwest corner of the donation land claim of David A. Cloniger and wife located in section 36 T.4 N.R.2 W.W.M., running thence S.1 degree 28 minutes E. 588 feet to a wooden stake; thence S.88 degrees 32 minutes W. 104 feet to a wooden stake, thence S.1 degree 28 minutes E. 666 feet along the east side of lane to the intersection of road, thence N.88 degrees 45 minutes E. 442 feet to a stone monument in the road, thence N.77 degrees E. 82.8 feet, thence N.13 degrees W. 1249 feet to a wooden stake on the north line of property and thence S.89 degrees W. 168 feet to a wooden stake on the north line of the property and thence and the point of beginning.

Also, a tract of land described as follows: Beginning at a point on the north boundary of the property N.89 degrees E. 1117 feet from a point N.19 degrees 22 minutes E. 263 feet N.19 degrees 37 E. 447.5 feet being the southwest corner of the donation land claim of David A. Cloniger and wife located in section 36 T.4 N.R.2 W.W.M. and running thence S.13 degrees E. 1249 feet, thence N.77 degrees E. 366 feet; thence N.13 degrees W. 1172 feet to a wooden stake on the north line of the property and thence S.89 degrees W. 367 feet to the point of beginning.

Bk. 59 page 20

Commencing at a point in the center of the County road on the division line of the David A. Cloniger and wife donation land claim in Columbia County State of Oregon, thence west 44 chains 87 links to the western boundary line of said donation land claim; thence S. 20 degrees W. 11 chains 66 links along said boundary line to a stake; thence east 46 chains 33 links to the center of said County road; thence N.13 degrees 15 minutes E. 11 chains 21 links to the place of beginning as shown by deed dated October 5, 1882 and recorded at page 396 in book G record of deeds for said County and State.

Also, the following described parcel of land: Beginning at a point in the west line of the D.A. Cloniger donation land claim N.20 degrees 09 minutes E. 867.9 feet from the southwest corner of said donation land claim and running thence east 2940 feet to the western limits of the right-of-way of the Northern Pacific railroad; thence S.18 degrees W. along the western limits of said right-of-way 155 feet to and iron pipe; thence west 2945.3 feet to the west line of the D.A. Cloniger donation land claim to an iron pipe; thence N.20 degrees 09 minutes E. along the west line of said donation land claim 158 feet to the point of beginning, all in section 36 T.4 N.R.2 W.W.M.

Bk. 64 page 432 Bargain & Sale Deed

Beginning at a point on the north boundary line of the T.A. Cloniger farm N.89 degrees E. 1484 feet from a point N.19 degrees 22 minutes E. 263 feet from a point N.19 degrees 38 minutes E. 447.5 feet, being the southwest corner of David A. Cloniger donation land claim in section 36 T.4 N.R.2 W.W.M., thence S.13 degrees E. 1172 feet; thence N.77 degrees E. 548 feet; thence N.13 degrees W. 1057 feet to a wooden stake on the north boundary of the property; thence S.89 degrees W. 560 feet to the point of beginning and containing 14 acres more or less

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$3000.00.....
- 12. Construction work will begin on or before ..... One year after approval.....
- 13. Construction work will be completed on or before 2 yrs. " ".....
- 14. The water will be completely applied to the proposed use on or before 3 yrs. " ".....

(Sgd) Clark W. Sherman  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... signatures.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... October 11 ..... 1949.....

WITNESS my hand this ..... 11th ..... day of ..... September ..... 19 49.....

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
dh

Application No. 24072

Permit No. 18961

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 31st day of August,  
1949, at 4:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of  
Permits on page 18961

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 4 B

Fees Paid \$24.60

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 1.18 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from an unnamed stream and  
Sherman Stock Farm Reservoir to be constructed under Application No. R-24071, Permit  
No. R-992

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated from direct flow and shall be  
further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre  
irrigated during the irrigation season of each year from direct flow and storage  
from reservoir to be constructed under Permit No. R-992,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 31, 1949

Actual construction work shall begin on or before March 15, 1951 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER