

* APPLICATION FOR PERMIT

CERTIFICATE NO. 20513

To appropriate the Public Waters of the State of Oregon

We, Keystone Lumber Company, of Winchester, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oct. 11, 1947 - State of Oregon

1. The source of the proposed appropriation is North Myrtle Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.8 cubic feet per second.

**3. The use to which the water is to be applied is Sawmill Log Pond and boiler use

4. The point of diversion is located 2634 ft. North and 4354 ft. East from the Southwest corner of Section 22, T29S, R5W, W.M.

being within the Southeast 1/4 of Northeast 1/4 of Sec. 22, Tp. 29 South, R. 5 West, W. M., in the county of Douglas

5. The Pipe line to be 25 feet in length, terminating in the SE 1/4 of NE 1/4 of Sec. 22, Tp. 29 South, R. 5 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Fairbanks-Morse centrifugal, 4" intake, 3" discharge direct driven by G.E. electric motor, 7.5 H.P., 1760 RPM - total head 15 ft.

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Legal Description of Property:				
Beginning at a point in the center line of County Road 1000 feet more or less East of the center of Section 22, T29S, R5W, W.M.; thence East along center line of Section 22, 562.2 feet to the center of North Myrtle Creek; thence North 32° 00' East 129.8 feet along said center line of said creek; thence North 18° 00' East 453.3 feet along said center line of said creek; thence North 26° 50' East 275.8 feet along said center line of said creek, and extended to the center line of the County Road; thence South 43° 35' West 280.4 feet along center line of County Road; thence South 60° 40' West 159.1 feet along center line of County road; thence South 69° 50' West 321.6 feet along center line of said County road; thence South 61° 10' West 112.7 feet along center of said road; thence South 27° 20' West 384.2 feet along center of said road to place of beginning, containing 5.3 acres, more or less.				
29 S	5 W	22	SE 1/4 NE 1/4	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Sept. 1, 1949

13. Construction work will be completed on or before Sept. 30, 1949

14. The water will be completely applied to the proposed use on or before Sept. 15, 1949

KEYSTONE LUMBER COMPANY
(Signature of applicant)

By (Sgd) Elmer R. Worth Sr.
President

Remarks:

Water is required to maintain pool level in existing
log pond; water lost from pond due to leakage and spillway
overflow will be returned to North Myrtle Creek.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24073

Permit No. 18962

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 1st day of September,
1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 18962

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 24 A

Fees Paid \$20.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.8 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek and
reservoir to be constructed under Application No. R-24126, Permit No. R-993

The use to which this water is to be applied is maintenance of sawmill log pond and boiler
use.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 1, 1949

Actual construction work shall begin on or before March 15, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER