

ASSIGNED, See Misc. Rec. Vol. 3 Page 1056

\* APPLICATION FOR PERMIT

CERTIFICATE NO. 23995

To appropriate the Public Waters of the State of Oregon

I, J. T. Slaton (Name of applicant)  
of Box 272 Glendale (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Creek (Name of stream)  
a tributary of Cow Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.02  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation, domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
being 0.01 c.f.s. for domestic and 0.01 for irrigation

4. The point of diversion is located 90 ft. S and 1040 ft. W from the NE  
corner of Section 31 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 31, Tp. 32 S  
(Give smallest legal subdivision) (N. or S.)

R. 6W, W. M., in the county of Douglas  
(E. or W.)

5. The pipe line to be 150 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE 1/4 NE 1/4 of Sec. 31, Tp. 32 S  
(Smallest legal subdivision) (N. or S.)

R. 6 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry)

Concrete sump 4' by 4' - 2' deep  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate valve in 1" pipe  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... none ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 150 ..... ft.; size at intake, ..... 1 ..... in.; size at ..... 150 ..... ft. from intake ..... 1 ..... in.; size at place of use ..... 1 ..... in.; difference in elevation between intake and place of use, ..... 40 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... 0.03 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
32 S	6 W	31	NE 1/4 NE 1/4	domestic
32 S	6 W	31	NE 1/4 NE 1/4	1.0 ac
Description:				
Northeast quarter of the Northeast Quarter of Section 31				
Township 32 South, Range 6 West of the Willamette				
Meridian in Oregon				

(If more space required, attach separate sheet)

(a) Character of soil ..... Loam .....

(b) Kind of crops raised ..... Garden and Lawn .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$100.00.....
- 12. Construction work will begin on or before Sept. 1, 1950.....
- 13. Construction work will be completed on or before Sept. 1, 1951.....
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1952.....

(Sgd) J. T. Slaton  
(Signature of applicant)

Glendale Ore. Box 272

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 21080

Permit No. 18965

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of September 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 18965

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 12 A

Fees Paid \$25.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Creek

The use to which this water is to be applied is irrigation and domestic, being 0.01 cfs for irrigation and 0.01 cfs for domestic

If for irrigation, this appropriation shall be limited to 1/70th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 1st to October 1st of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 6, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER