CERTIFICATE NO. 20115

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, H. M. COTINGLE (Name of applicant)
of Rt. 2 Box 148 Beaverton (Mailing address)
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation isan unnamed_stream
trib. Cedar Mill Creek , a tributary of Beaverton Creek
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1060 ft. $\frac{S}{(N. \text{ or } S.)}$ and 2490 ft. $\frac{E}{(E. \text{ or } W.)}$ from the $\frac{W_2^2}{(E. \text{ or } W.)}$
corner of Sec. 1, T. 1 S., R. 1 W., W.M. (Section or subdivision)
. (Section of Subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $NE_{4}^{\frac{1}{2}}SW_{4}^{\frac{1}{2}}$ of Sec. 4, Tp. 1.5. (Give smallest legal subdivision)
R. 1 W. W. M., in the county of Washington
5. The
in length, terminating in the of Sec, Tp, (Smallest legal subdivision)
(Smallest legal subdivision) (N. or S.) R
(E. or W.)
DESCRIPTION OF WORKS
Diversion Works— No Dam
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description turbine pump = 1 in. (Size and type of pump)
electric 3/4 HP motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
4 - 400 gph sprinklers

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Selem Oregon

feet; depth of water feet; grade feet; fall per one housand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; rade feet fall per one thousand feet. (c) Length of pipe, 170 ft.; size at intake, 14 in.; size at ft. rom intake in.; size at place of use 12 in.; difference in elevation between take and place of use, 10 ft. Is grade uniform? Y98 Estimated capacity, sec ft. 8. Location of area to be irrigated, or place of use 11	Canal System or F	Pipe Line—			
housened feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet feet; depth of pater feet; depth of water feet; depth of pater feet; depth of water feet; depth of water feet; depth of pater feet; depth of water feet; depth of water feet; depth of water feet; depth of pater feet; depth of water feet; depth of pater feet; depth of water feet; depth o	7. (a) Give	e dimensions at	each point of co	anal where materially chan	ged in size, stating miles from
feet; width on bottom	neadgate. At head	dgate: width on	ı top (at water li	ne)	feet; width on bottom
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; feet; width on bottom feet; depth of water feet; f		feet; depth of w	ater	feet; grade	feet fall per one
feet; width on bottom feet; grade feet; width on bottom feet. (c) Length of pipe, 170 ft; size at intake, 14 in; size at ft, ft from intake in, size at place of use 14 in, difference in elevation between intake and place of use, 10 ft. Is grade uniform? YSS ft intake capacity, sec. ft. 8. Location of area to be irrigated, or place of use 15 ft. Is grade uniform? Is size at place of use 15 ft. Is grade uniform? Is size at place of use 15 ft. Is grade uniform? Is size at place capacity, sec. ft. 8. Location of area to be irrigated, or place of use 15 ft. Is grade uniform? Is size at place capacity, sec. ft. 8. Location of area to be irrigated, or place of use 15 ft. Is grade uniform? Is size at place capacity, sec. ft. 1 S. 1 W. 1 NE4 SW4 1 1 S. 1 W. 1 NE4 SW4 1 1 Croperty on which water is to be used its a part of that more explicitly described by applicant as follows: A tract of land situated in Section 19. Township 1 South, Range 1 West of the Wilman township of the wast boundary 1 the of the Lawrence Hall and wife D. L. O. No. 1 sets of the Wilman township of the wast of the Lawrence Hall and wife D. L. O. No. 1 sets of the Wilman township of the west of the Lawrence Hall and wife D. L. O. No. 1 sets of the Silventh of St. 11 sets a distance of 1012, 32 feet to an iron pipe; thence of the silventh of St. 11 sets a distance of 1012, 32 feet to an iron pipe; thence of the sact a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102, 35 feet to a point; thene north 65 of east a distance of 102,	thousand feet.	-			• • •
prode					
from intake in, size at place of use 12 in,; difference in elevation between intake and place of use, 10 ft. Is grade uniform? Y95 Estimated capacity, sec. ft. 8. Location of area to be irrigated, or place of use Township Range Beetien Fury. sec Tract Names Asserting To Be traggard 1. S. 1 W. l. NE2 SW2 1 1. S. 1 W. l. NE2 SW2 1 A tract of land situated in Section l., Township 1 South, Range 1 West of the William to follows: A tract of land situated in Section l., Township 1 South, Range 1 West of the William to follows: Beginning at a point in county road No. 215 from which the most northeasterly reserve north l.3 O8 west a distance of 688.36 feet north 6.4 l. east a distance of 10.17 feet to an iron pipe; thence south 35° l.1 east a distance of 2017.28 feet to an iron pipe; thence south 35° l.1 east a distance of 10.15° 13° feet to an iron pipe; thence south 35° l.1 east a distance of 10.18° feet to an iron pipe; then place of beginning of the kract to be described; to ontiming north 66° 07' east a distance of 10.18° feet to the southeast corner of the county like of the similar of the kract to be described; to ontiming north 66° 07' east a distance of 10.8° feet to the southeast corner of the county like of the state to be described; to ontiming north 66° 07' east a distance of 10.8° feet to the southeast corner of the county like of the kract to be described; to ontiming north 66° 07' east a distance of 10.8° feet to the southeast corner of the state and he true place of beginning of the kract to be described; to ontiming north 66° 07' east a distance of 10.8° feet to the southeast corner of the state to be described; the seconds of Washington County bregon; thence north 21° lik west a distance of 10.8° feet to the southeasterly to the place of beginning of the kract to be described; the seconds of Washington County bregon; thence north 21° lik west a distance of 10.8° feet to the southeasterly to the place of beginning of the kract to be described; the seconds of Washington County bregon; thence nor		feet; width on	bottom	feet; depth of	water feet;
rom intake in.; size at place of use 12 in.; difference in elevation between make and place of use, 10 ft. Is grade uniform? YSE Estimated capacity, sec. ft. 8. Location of area to be irrigated, or place of use revenuely Reage Section Forty-sec Treat Treat To Be Errogular To Be Errogu	grade	feet fal	ll per one thousa	and feet.	
8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Township 1 S. 1 W. 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE4 SW4 1 NE5 Suth More explicitly described by pplicant as fellows: A tract of land situated in Section 1, Township 1 South, Range 1 West of the Will marter Meridian in Washington County, State of Oregon, and more particularly described seed to be seed to see the section 1, Township 1 South, Range 1 West of the Will see fellows: Beginning at a point in county road No. 215 from which the most northeasterly resears north 13° 08° west a distance of 688.36 feet north 65° 11° east a distance of 688.36 feet north 65° 11° east a distance of 108.785 feet north 65° 11° east a distance of 108.785 feet to an iron pipe; then south 21° h6° eart a distance of 108.785 feet to an iron pipe; then county 12° h6° eart a distance of 108.785 feet to the southeast corner of the tract described in deed book 265, page 715, deed records of Washington County regon; thence Inorth 21° h6° west a distance of 201.91 feet to the southeast corner of the west a distance of 201.91 feet to the place of Washington County regon; thence Inorth 21° h6° west a distance of 201.91 feet to an iron pipe; thence soft in deed book 265, page 715, deed records of Washington County regon; thence Inorth 21° h6° west a distance of 201.91 feet to the place of beginning the southeast corner of the west a distance of 201.91 feet to the southeast corner of the west a distance of 201.91 feet to an iron pipe; thence soft like west a distance of 201.92 feet to the place of beginning the southeast corner of the west a distance of 201.92 feet to the southeast corner of the west a distance of 201.92 feet to the place of Basington County regon; thence Inorth 21° h6° west a distance of 201.92 feet to the place of Basington County regon; thence Inorth 21° h6° of the place of Basington County regon; thence Inorth 21° h6° of the place of Basingt	(c) Length	of pipe,170)ft.; s	ize at intake, 11	. in.; size at ft.
intake and place of use,	from intake	in.	; size at place of	use in.; d	ifference in elevation between
Section of area to be irrigated, or place of use Township Range Section Forty-acre Tract Township I S. IW. h NE4 SW4 1 I.S. IW. h NE4 SW4 1 Property on which water is to be used is a part of that more explicitly described by upplicant as follows: A tract of land situated in Section h, Township I South, Range I West of the Wilmanette Meridian in Weshington County, State of Oregon, and more particularly described by policinate as follows: Beginning at a point in county road No. 215 from which the most northeasterly reintrant corner of the west boundary line of the Lawrence Hall and wife D. L. C. No. in Sears north 13, 08; west a distance of .686,36 feet north 64; 21; east a distance of .01,17 feet to an iron pipe; themce south 35° h3; east a distance of 23,7.28 feet to an iron pipe; them could 21; 16; east a distance of .03,185; as a d	intake and place o	of use. 10	ft. Is	grade uniform? Yes	Estimated canacity
8. Location of area to be irrigated, or place of use Township 1. S. 1. W. 1. NE4 SW4 1. S. 1. W. 1. NE4 SW4 1. NE4 SW4	_			g	Hormone capacing,
Township Range Rection Township Range Rection Recti		•			
roperty on which water is to be used is a part of that more explicitly described by pplicant as follows: A tract of land situated in Section 1, Township 1 South, Range 1 West of the Willamette Meridian in Washington County, State of Oregon, and more particularly describe follows: Beginning at a point in county road No. 215 from which the most northeasterly remains corner of the west boundary line of the Lawrence Hall and wife D. L. C. No. 1 ears north 13 of the west a distance of 680.38 feet north 61; 2h; east a distance of 0.17 feet to an iron pipe; thence south 55 13 east a distance of 237.28 feet to an ron pipe; thence north 65 101; 36 feet to a point; thence north 66 07; east a ance of 108.785 feet and the true place of beginning of the tract to be described; to contiming north 66 07; east a distance of 108.785 feet to the southeast corner of contouring north 66 07; east a distance of 108.785 feet to a point; thence north 55 11; west a distance of 108.785 feet to a from pipe; thence 55 lik; west a distance of 108.775 feet; thence southeasterly to the place of beginning for the tract to be described; the contiming north 66 07; east a distance of 201,715 feet to the southeast corner of conston tract described in deed book 263, page 715, deed records of Washington County regon; thence north 12; lb; west a distance of 208.785 feet to an iron pipe; thence 55 lk; west a distance of 208.775 feet; thence southeasterly to the place of beginning of the vest and place of the	8. Location	ı of area to be	irrigated, or plac	ce of use	
roperty on which water is to be used is a part of that more explicitly described by pplicant as follows: A tract of land situated in Section 1, Township 1 South, Range 1 West of the Will amette Meridian in Washington County, State of Oregon, and more particularly describe selections: Beginning at a point in county road No. 215 from which the most northeasterly resears north 137 081 west a distance of 688.38 feet north 61.2 21; east a distance of 0.117 feet to an iron pipe; thence south 35 131 east a distance of 27.28 feet to an ron pipe; thence north 65° 11.1 east a distance of 1015.93 feet to an iron pipe; then outh 21.2 161 east a distance of 198.36 feet to a point; thence north 66° 071 east a distance of 103.785 feet to the feet to a point; thence north 66° 071 east a distance of 103.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County regon; thence north 21.2 161 west a distance of 201.91 feet to an iron pipe; thence so 11.2 12 12 14 west a distance of 108.775 feet; thence southeasterly to the place of beginning the place of beginning of the truck described in deed book 263, page 715, deed records of Washington County regon; thence north 21.2 161 west a distance of 201.91 feet to an iron pipe; thence so 11.2 12 14 14 14 14 14 14 14 14 14 14 14 14 14	Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Property on which water is to be used is a part of that more explicitly described by upplicant as follows: A tract of land situated in Section 1, Township 1 South, Range 1 West of the Will samette Meridian in Washington County, State of Oregon, and more particularly describe in follows: Beginning at a point in county road No. 215 from which the most northeasterly resultant corner of the west boundary line of the Lawrence Hall and wife D. L. C. No. 1 wears north 13° 8° west a distance of 688.38 feet north 61° ½1 east a distance of 10.17 feet to an iron pipe; then one south 5° 13° east a distance of 20° reast a north 15° 14° east a distance of 108.78 feet to an iron pipe; then one of 108.78 feet to a point; thence north 66° 07° east a distance of 108.78 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County Pregon; thence north 21° 16° west a distance of 201.91 feet to an iron pipe; thence so 108.775 feet; thence southeasterly to the place of beginning of the tract to be described; the water of 108.775 feet; thence southeasterly to the place of beginning of the variety of water to be used for power equired, attach separate thee? (a) Character of soil Clay loam (b) Kind of crops raised truck garden Power or Mining Purposes— 9. (a) Total amount of power to be developed truck garden (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet (Beed) feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in the case of the power is to be developed feet. (f) Is water to be returned to any stream? (Now of Now	1 S.	1 W.	14	$NE_{4}^{1} SW_{4}^{1}$	1
pplicant as follows: A tract of land situated in Section 4, Township 1 South, Range 1 West of the Will amette Meridian in Washington County, State of Oregon, and more particularly describ in Follows: Beginning at a point in county road No. 215 from which the most northeasterly resorted to make the west boundary line of the Lawrence Hall and wife D. L. C. No. 4 distance of 108 west a distance of 683.38 feet north 64. 24; east a distance of 108.15 feet to an iron pipe; thence south 35° 43' east a distance of 27.28 feet to an iron pipe; thence north 65° 1h; east a distance of 108.593 feet to an iron pipe; thence of 108.56 feet and the true place of beginning of the tract to be described; to the formulation north 66° 07' east a distance of 108.785 feet to the southeast corner of the foregon; thence north 65° 14' west a distance of 108.775 feet; thence southeasterly to the place of beginning of the tract to be described; the foregon; thence north 21° 45' west a distance of 201.91 feet to an iron pipe; thence southeasterly to the place of beginning of the tract to be described; the foregon; thence north 21° 45' west a distance of 201.91 feet to an iron pipe; thence southeasterly to the place of beginning of the tract to be described; the foregon; thence southeasterly to the place of beginning of the place of beginning of the tract to be described; the foregon; thence southeasterly to the place of beginning of the place of washington County are going the foregon; thence southeasterly to the place of beginning of the place of washington county are going the place of washington county are going the place of the place of beginning of the place of washington county are going the place of the place of beginning of the place of washington county are going the place of the place o					·
A tract of land situated in Section 1, Township I South, Range I West of the Will amette Meridian in Washington County, State of Oregon, and more particularly describ in Follows: Beginning at a point in county road No. 215 from which the most northeasterly resorted to the west boundary line of the Lawrence Hall and wife D. L. C. No. 1, 1, 1/1 feet to an iron pipe; thence south 35° 13' east a distance of 237.28 feet to an iron pipe; thence north 65° 11, east a distance of 1015.93 feet to an iron pipe; thence north 65° 11, east a distance of 1015.93 feet to an iron pipe; thence of 198.56 feet and the true place of beginning of the tract to be described; to toutinuing north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County aregon; thence north 21, b' west a distance of 201.91 feet to an iron pipe; thence southeasterly to the place of beginning of the tract to be described; the continuing north 66° 07' east a distance of 108.775 feet; thence southeasterly to the place of beginning of the tract to be described; the continuing north 66° 07' east a distance of 201.91 feet to an iron pipe; thence southeasterly are placed of Washington County are placed in the continuing north 66° 07' east a distance of 201.91 feet to an iron pipe; thence southeasterly to the place of beginning of the tract to be developed. (a) Character of soil Clay. losm (b) Kind of crops raised truck garden (c) Total fall to be utilized for power to be developed the place of beginning of the tract to be developed. (c) Total fall to be utilized for power to be developed feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in feet. (a) Character of the works by means of which the power is to be developed. (b) Such works to be located in feet. (c) Such works to be located in feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located					
amette Meridian in Washington County, State of Oregon, and more particularly describ in state Meridian in Washington County, State of Oregon, and more particularly describ in state Meridian in Washington County, State of Oregon, and more particularly describ in the fellows: Beginning at a point in county road No. 215 from which the most northeasterly remarkant corner of the west a distance of 688.38 feet north 61. 21. east a distance of 108.175 feet to an iron pipe; thence south 35° 43° east a distance of 27.28 feet to an iron pipe; thence onth 65° 11. east a distance of 108.785 feet to an iron pipe; then county in the structure of 108.785 feet to a point; thence north 66° 07° east a cance of 108.785 feet to the southeast corner of the touston tract described in deed book 263, page 715, deed records of Washington County Pregon; thence north 21. 15° west a distance of 201.91 feet to the place of beginning of the tract to be described; in west a distance of 201.91 feet to the place of beginning of the tract to be described; in west a distance of 201.91 feet to the place of beginning for the tract to be a feet of 108.775 feet; thence southeasterly to the place of beginning for the tract to be described; in west a distance of 201.91 feet to the north 21. 15° west a distance of 201.91 feet to the north 21. 15° west a distance of 201.91 feet to the north 21. 15° west a distance of 201.91 feet to the place of beginning for the feet of 108.775 feet; thence southeasterly to the place of beginning for the feet of 108.775 feet; thence southeasterly to the place of beginning for the feet of 108.775 feet; thence southeasterly to the place of beginning for the feet of 108.775 feet; thence southeasterly to the place of beginning for the feet of 108.775 feet; thence southeasterly to the place of beginning for feet of 108.775 feet; thence southeasterly to the place of 108.775 feet; thence southeasterly to the place of 108.775 feet; thence southeasterly to the place of 108.775 feet of 108.775 feet; thence southeasterly to the p			to be used i	s a part of that more	explicitly described by
Beginning at a point in county road No. 215 from which the most northeasterly rembrant corner of the west boundary line of the Lawrence Hall and wife D. L. C. No. 19 ears north 137 081 west a distance of 688.38 feet north 612 21 east a distance of 0.17 feet to an iron pipe; thence south 35° 131 east a distance of 237.28 feet to an ron pipe; thence north 65° 111 east a distance of 1015.93 feet to an iron pipe; then outh 21° 15' east a distance of 198.56 feet to a point; thence north 66° 07' east a ance of 108.785 feet and the true place of beginning of the tract to be described; to ontimuing north 66° 07' east a distance of 103.785 feet to the southeast corner of to custon tract described in deed book 263, page 715, deed records of Washington County regon; thence north 21° 16' west a distance of 201.91 feet to an iron pipe; thence sof 111 west a distance of 108.775 feet; thence southeasterly to the place of beginning (a) Character of soil (a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (f) Total fall to be utilized (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (h) M. M. (No. E. or W.)	A tract of	land situa			
Beginning at a point in county road No. 215 from which the most northeasterly remeans north 137 08 west a distance of the Lawrence Hall and wife D. L. C. No. 1steams north 137 08 west a distance of 688.38 feet north 64° 21' east a distance of 0.11' feet to an iron pipe; thence south 35° 13' east a distance of 237.28 feet to an ron pipe; these north 65° 11' east a distance of 1015.93 feet to an iron pipe; then outh 21° 16' east a distance of 198.785 feet and the true place of beginning of the tract to be described; to ontiming north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County bregon; thence north 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 110 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 120 month 21° 16' west a distance of 201.91 feet to an iron pipe; thence so 120 month 21° 16' west a distance of 201.91 feet to		n in Washin	gton County,	State of Oregon, and r	ore particularly describe
ears north h3 08' west a distance of 688.38 feet north 64. 24' east a distance of 0.17 feet to an iron pipe; thence south 35" 43' east a distance of 237.28 feet to an ron pipe; thence north 65" 14' east a distance of 1045.93 feet to an iron pipe; then outh 24° 46' east a distance of 198.76 feet and the true place of beginning of the tract to be described; to ontiming north 66° 07' east a distance of 108.785 feet and the true place of beginning of the tract to be described; to ontiming north 66° 07' east a distance of 108.785 feet to the southeast corner of to out the tract to be described in deed book 263, page 715, deed records of Washington County regon; thence north 21° 46' west a distance of 201.91 feet to an iron pipe; thence southeasterly in the place of beginning the distance of 108.775 feet; thence southeasterly to the place of beginning (the more space required, attach separate sheet) (a) Character of soil	Beginning				
0.47 feet to an iron pipe; thence south 35° 43' east a distance of 237.28 feet to an ron pipe; thence north 65° 14' east a distance of 1045.93 feet to an iron pipe; thence north 65° 07' east a distance of 198.56 feet to a point; thence north 66° 07' east a ance of 108.785 feet and the true place of beginning of the tract to be described; tontiming north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County tregon; thence north 21° 16' west a distance of 201.91 feet to an iron pipe; thence 5° 11' west a distance of 108.775 feet; thence southeasterly to the place of beginni (a) Character of soil					
ron pipe; there ce north 65 lh! east a distance of 101,5.93 feet to an iron pipe; then outh 21, 46 east a distance of 198.56 feet to a point; there enorth 66° 07' east a ance of 108.785 feet and the true place of beginning of the tract to be described; to ontiming north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County regon; thence north 21, 45' west a distance of 201.91 feet to an iron pipe; thence 55° 11, west a distance of 108.775 feet; thence southeasterly to the place of beginni (a) Character of soil					
ance of 108.785 feet and the true place of beginning of the tract to be described; to tontiming north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County tregon; thence north 24° 45' west a distance of 201.91 feet to an iron pipe; thence southeasterly to the place of beginning of the place of beginning of the tract to be distance of 108.775 feet; thence southeasterly to the place of beginning of the place of the place of the place of beginning of the place of the place of the place of the place of beginning of the place of the place of the place of beginning of the place of beginning of the place of the place of beginning of the place of beginning of the place of beginning of the place of the place of beginning of the place of the place of beginning of the place of	ron pipe; then	ace north 65	14' east a	distance of 1045.93 fe	et to an iron pipe; thenc
continuing north 66° 07' east a distance of 108.785 feet to the southeast corner of touston tract described in deed book 263, page 715, deed records of Washington County pregon; thence in north 21° 15' west a distance of 201.91 feet to an iron pipe; thence is 108.775 feet; thence southeasterly to the place of beginni (a) Character of soil					
Couston tract described in deed book 263, page 715, deed records of Washington County regon; thence north 21° up' west a distance of 201.91 feet to an iron pipe; thence size 108.775 feet; thence southeasterly to the place of beginning the second soil and truck garden (a) Character of soil Clay.loam (b) Kind of crops raised truck garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal Subdivision) (e) Such works to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (No. N. or S.), R. (No. E. or W.)	continuing nor	th 66° 07! e	ast a distanc	e of 108.785 feet to	the southeast corner of th
(a) Character of soil	ouston tract	described in	deed book 26	3, page 715, deed rec	ords of Washington County,
(a) Character of soil	regon; thence	north 24° 4	o west a dis	tance of 201.91 feet	to an iron pipe; thence so
(a) Character of soil	<u> </u>	distance or	100.119 1660	i thence southeaster I	/ to one prace or beginning
(b) Kind of crops raised truck garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (legal Subdivision) (g) Is water to be returned to any stream? (g) If so, name stream and locate point of return (no. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (no. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (no. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (no. N. or S.) (No. E. or W.)	•		(If more space red	quired, attach separate sheet)	<u> </u>
Power or Mining Purposes— 9. (a) Total amount of power to be developed	(a) Charac	ter of soil	Clay lo	am	
Power or Mining Purposes— 9. (a) Total amount of power to be developed	(h) Kind o	of crops raised	truck g	arden	•
9. (a) Total amount of power to be developed					
(b) Quantity of water to be used for power	-	-	anam to be deval	anad	the constinued homeomorphism
(c) Total fall to be utilized					
(d) The nature of the works by means of which the power is to be developed	(b) Qua	ıntity of water	to be used for p	oower	sec. ft.
(d) The nature of the works by means of which the power is to be developed	(c) Tota	al fall to be util	lized	feet.	
(e) Such works to be located in				•	developed
Tp, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, R, W. M. , Sec, Tp, R, W. M.	, ,	•	J	•	,
Tp, R, W. M. (f) Is water to be returned to any stream?					
(f) Is water to be returned to any stream?	(e) Suc	h works to be l	located in	(Legal Subdivision)	of Sec,
(f) Is water to be returned to any stream?	Tp(No. N. or S.)	, R	, W. M	•	
(g) If so, name stream and locate point of return, Sec, Tp, R, W. M, W. M, W. M.					
, Sec. , Tp. , R. , R. , W. M. (No. E. or W.)				• • • • • • • • • • • • • • • • • • • •	
			_	•	
(h) The use to which power is to be applied is					
	(h) The	use to which p	power is to be a	pplied is	

Municipa	l or Domestic Supply—
	(a) To supply the city of
	County, having a present population of
	timated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$250.00
12.	Construction work will begin on or beforeCommenced
	Construction work will be completed on or beforetwo years after approval
	The water will be completely applied to the proposed use on or before 3. yrs"
	(Sgd) R. M. Cornwell
	(Signature of applicant)
_	
Rer	narks:
	·
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
,	
	OF OREGON, ass.
·	y of marion,)
	s is to certify that I have examined the foregoing application, together with the accompanying
maps and	data, and return the same for
In	order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on c	r before, 19
WI	TNESS my hand thisday of,19,
	STATE ENGINEER

Application	No. 21099
Permit No.	1 8977

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 12th day of September
	1949, at9:20 o'clock M.
	Returned to applicant:
•	Corrected application received:
	Approved:
	March 15, 1950
	Recorded in book No46
	Permits on page18977
	CHAS. E. STRICKLIN
	STATE ENGINEER
	Drainage Basin No2 Page 62 Q
4	Fees Paid\$15.00
	PERMIT
STATE OF OREGON,) _{SS.}
County of Marion, This is to certify the SUBJECT TO EXISTING	hat I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:
	ranted is limited to the amount of water which can be applied to beneficial use
-	.0.013 cubic feet per second measured at the point of diversion from the
	in case of rotation with other water users, froman unnamed stream
stream, or as equivalent	the case of rotation with other water asers, from
The use to which the	ris water is to be applied isirrigation
	and water to to be approved to an analysis and a second se
If for irrigation, thi	s appropriation shall be limited to
second or its equiva	lent for each acre irrigated and shall be further limited to a
diversion of not to	exceed 2 acre feet per acre for each acre irrigated during the
irrigation season of	each year,
•	ch reasonable rotation system as may be ordered by the proper state officer. f this permit isSeptember_12, 1949
-	n work shall begin on or before <u>March 15, 1951</u> and shall
	with reasonable diligence and be completed on or before
October 1, 195	•
•	on of the water to the proposed use shall be made on or before
	3
	d this, 1950
WITHERD My NUM	
j.	CHAS. E. STRICKLIN

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175