

## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, William H. and Charles M. Meeker  
(Name of applicant)  
 of Elsie Route, Jewell, Oregon, County of Clatsop  
(Post office)  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Not a corporation

1. The source of the proposed appropriation is Nehalem River  
(Name of stream)  
 a tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_  
 cubic feet per second. .5 cubic feet per second  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is pasture irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1750 ft. S and 20 ft. E from the N.W.  
(N. or S.) (E. or W.)  
 corner of N.W. 1/4 of the S.W. 1/4 of Section 33  
(Section or subdivision)  
Township 5 North Range 7 West W.M.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
 being within the Lot 1 of Sec. 33, Tp. 5 N  
(Give smallest legal subdivision) (N. or S.)

R. 7 W, W. M., in the county of Clatsop  
(E. or W.)

5. The Main pipe line 4 inch diameter to be 600 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the N.W. 1/4 of S.W. 1/4 of Sec. 33, Tp. 5 N  
(Smallest legal subdivision) (N. or S.)

R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

Diversion Works— No dam involved

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)  
2 inch centrifical pump with 10 horse power motor  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

## Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) Not a canal system feet; width on bottom                      feet; depth of water                      feet; grade                      feet fall per one thousand feet.

(b) At                      miles from headgate: width on top (at water line)                      feet; width on bottom                      feet; depth of water                      feet; grade                      feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 4 in.; size at 600 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Undulating Land Estimated capacity, .5 sec. ft.

## 8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 N	7 W	32	(Part of Lot 3 (3.97 Acres) (Part of Lot 4 (.50 Acres)	4.47
5 N	7 W	33	(Part of Lot 1 (16 acres) (Part of N.W. 1/4 of S.W. 1/4 of Section 33 (8.84 Acres)	24.84
Parcel No. 1: Lots numbered 3 and 4, Section 32, Township 5 North, Range 7 West, Willamette Meridian, in the County of Clatsop, State of Oregon.				
Parcel No. 2: The Northwest quarter of the Southwest quarter and Lot numbered 1, Section 33, Township 5 North, Range 7 West, Willamette Meridian, excepting, however, from said Lot 1, the following: Beginning at the Southeast corner of said Lot 1: thence West on Section line, 268 feet to the East side of County Road No. 155; thence North 450 feet along the east side of said County Road; thence Northeasterly along the East side of said road to a point 700 feet North of point of beginning; thence South 700 feet along the East line of said Lot 1 to point of beginning. All being situate in the County of Clatsop, State of Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Pasture

## Power or Mining Purposes—

9. (a) Total amount of power to be developed                      theoretical horsepower.

(b) Quantity of water to be used for power                      sec. ft.

(c) Total fall to be utilized                      feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed                     

(e) Such works to be located in                      of Sec.                     ,  
(Legal subdivision)

Tp.                     , R.                     , W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?                       
(Yes or No)

(g) If so, name stream and locate point of return                       
                    , Sec.                     , Tp.                     , R.                     , W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is                     

(i) The nature of the mines to be served

## Municipal or Domestic Supply—

10. (a) To supply the city of .....  
 ..... County, having a present population of .....  
 (Name of)  
 and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1700.00 .....
12. Construction work will begin on or before September 20, 1949 .....
13. Construction work will be completed on or before October 20, 1949 .....
14. The water will be completely applied to the proposed use on or before October 20, 1949 .....

(Sgd) Chas M Meeker .....

(Sgd) Wm. H. Meeker .....

(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 26, 1949 .....

WITNESS my hand this 26th day of September, 1949 .....

CHAS. E. STRICKLIN .....

STATE ENGINEER

By

Ed K. Humphrey, Assistant

rn

Application No. 24107

Permit No. 18982

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 13th day of September,  
1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 18982

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 9

Fees Paid \$15.00

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.37 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Nehalem River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the  
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 13, 1949

Actual construction work shall begin on or before March 15, 1951 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER