

CERTIFICATE NO. 20349

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ben Wertz (Name of applicant) of R. 1, Box 49 Jacksonville (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rock Creek (Name of stream), a tributary of Applegate

2. The amount of water which the applicant intends to apply to beneficial use is 20/80 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2060 ft. South (N. or S.) and 745 ft. West (E. or W.) from the North East corner of Section 8. Beginning at North East corner Section 8 follow section line 2060 ft south. Follow West 745 ft to location of Dam. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 8, Tp. 39 (Give smallest legal subdivision) (E. or W.)

R. 3 W. W. M., in the county of Jackson (E. or W.)

5. The Ditch to be Approximately 4200 (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 of SW 1/4 of Sec. 4, Tp. 39 (Smallest legal subdivision) (E. or W.)

R. 3 W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 ft. above ground feet, length on top 30 feet, length at bottom 35 feet; material to be used and character of construction Cement Core (Loose rock, concrete, masonry) with loose rock waste water to go over (rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Cement head gate one opening (Timber, concrete, etc., number and size of openings) 12 x 16 inches

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$1000.....
- 12. Construction work will begin on or before Nov 15 1949.....
- 13. Construction work will be completed on or before May 1 1952.....
- 14. The water will be completely applied to the proposed use on or before June 15 1952.....

(Sgd) Ben Wertz
(Signature of applicant)

Remarks: The reason that the water will not be used sooner after work is
completed is irrigation season does not as usual start until that time of the year.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 24, 1949.....

WITNESS my hand this 23rd day of September, 1949

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

rn

Application No. 24110

Permit No. 18985

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 13th day of September,
1949, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 18985

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 16 E

Fees Paid \$15.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Rock Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the
irrigation season from April 2, to October 31, of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 13, 1949

Actual construction work shall begin on or before March 15, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

Extended to Oct. 1, 1953
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER