CERTIFICATE NO. 21538

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, Alva Fery (Name of applicant)
of	Rt. 1, Box 77, Aumsville
State	ofOregon do hereby make application for a permit to appropriate the
follow	ring described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
•	If the applicant is a corporation, give date and place of incorporation
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is unnamed spring (Name of stream)
	o. of unnamed slough , a tributary of North Santiam River
	2. The amount of water which the applicant intends to apply to beneficial use is
cubic	feet per second. (If water is to be used from more than one source, give quantity from each)
	3. The use to which the water is to be applied isirrigation
	4. The point of diversion is located 80 rods and 43 ft. E from the
-corne 1	of center of Sec. 17 T. 9 S., R. 1 W., W. M. (Section or subdivision)
	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
_	within the \mathbb{NW}_{4}^{2} \mathbb{SE}_{4}^{2} of Sec. 17 , Tp. 9 S (N. or S.)
R	W. M., in the county of Marion.
	5. The to be (Miles or feet)
	gth, terminating in the
	, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
	DESCRIPTION OF WORKS
Divers	sion Works— Have made a pond around spring about 30' x 80' and 6' deep, for pump sump
	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
	(Loose rock, concrete, masonry,
	brush, timber crib, etc., wasteway over or around dam) (h) Description of headcaste
	(b) Description of headgate
**********	(c) If water is to be pumped give general description 9 HaP. Wisconsin gas motor
	(Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	18 - 12 gpm sprinklers

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

		-	line)feet; grade	feet fall per on
ousand feet.				water line)
				of water feet
	feet fall	•		•
		-	,	in.; size at fi
				; difference in elevation betwee
				Estimated capacity
8. Location	on of area to be in	rigated, or pla	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	1. W	17	NW 2 SE2	20
			. : :	. •
. 0				·
				Attack Control of the Control

			r yr r	
		(If more space r	equired, attach separate sheet)	
(a) Chara	acter of soil	river bo	ttom (sandy loam)	
(b) Kind	of crops raised	beans an	d corn	
ower or Mining	g Purposes—			•
9. (a) To	tal amount of por	ver to be deve	loped	theoretical horsepowe
(b) Q1	uantity of water t	o be used for	power	sec. ft.
(c) To	tal fall to be utiliz	zed	feet.	
				be developed
	······································			
(e) Su	ch works to be lo	cated in	(Legal Subdivision)	of Sec
o	, R	, W. N		
			eam?(Yes or No)	4
				<u></u>
				, R, W. M.
				S.) (No. E. or W.)
(n) Tr	oc wee to witten be			

Municipal or Domestic Supply—	
10. (a) To supply the city of	
and an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be supplied	
(Answer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$1500**	×
12. Construction work will begin on or before Have purchased equipment	
Have irrigated 10 acres. 13. Construction work will be completed on or before	
14. The water will be completely applied to the proposed use on or before 3. yrsafter approve	
(Sgd) Alva Fery	
(Signature of applicant)	
Pom anlas	
Remarks:	
roperty on which water is to be used is a part of that more explicitly described b pplicant as follows:	y .
Beginning at a point on the legal subdvision line running North and South through.	
he center of Section 17, T. 9 S., R. 1 W. of the Willamette Meridian in Marion Cou aid point being 52.36 chains South of the center of Section 8 in said township and	
ange, and running thence east 56 rods more or less, to an iron pipe set in the pres	
ence line; thence south 64.56 rods; thence east 30 rods; thence south 208 rods; th	
est 86 rods to the center line of said section 17; thence north 272.56 rods to the	
lace of beginning, situate in Marion County, Oregon, and containing 134 acres of 1	änd,
nore or less."	•••
	•••
	•••
	····
	•
	
•	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
County of Marion,	
This is to certify that I have examined the foregoing application, together with the accompanying	ig
maps and data, and return the same for	
In order to retain its priority, this application must be returned to the State Engineer, with corre	c-
tions on or before, 19,	
WITNESS my hand thisday of,19,19	
<u> </u>	

Application	No. 24120	2),120	
Permit No.	18989	18989	

PERMIT

TO APPROPRIATE THE PUBLIC

	WATERS OF THE STATE OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 15th day of September,
	1949., at
ä	Returned to applicant:
	Corrected application received:
	Approved:
	March 15, 1950
	Recorded in book No. 46
	Permits on page18989
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 50 E
	Fees Paid\$15.00
	rees Para
STATE OF OREGON, County of Marion,	PERMIT { ss.
SUBJECT TO EXISTIN The right herein g	that I have examined the foregoing application and do hereby grant the same, G RIGHTS and the following limitations and conditions: ranted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the
•	in case of rotation with other water users, froman unnamed spring
The use to which t	his water is to be applied isirrigation
second or its equive	is appropriation shall be limited to 1/80th of one cubic foot per lent for each acre irrigated and shall be further limited to a concept of exceed 2½ acre feet per acre for each acre irrigated during the
_	of each year,
and shall be subject to s	ich reasonable rotation system as may be ordered by the proper state officer.
-	of this permit is September 15, 1949
	n work shall begin on or before March 15, 1951 and shall
	with reasonable diligence and be completed on or before
•	ion of the water to the proposed use shall be made on or before
	son of the water to the proposed use shall be made on or before
·	ad this 15th day of March ,19 50
WIIIWESS THY THAT	CHAS. E. STRICKLIN
	ORAG. E. SIRIOALIN