

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jack L. Bruer and L. M. Bruer
(Name of applicant)
of 1283 N. 13th Street, Coos Bay, Oregon,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named creek
(Name of stream)
Mill Slough, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.015
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)
S. 80° 40' E. 572 feet from the northwest corner of the Southwest quarter of
the Northeast quarter of Section 27, Tp. 25 S., Rg. 13 W., W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N¹/₂ NE¹/₄ SW¹/₄ NE¹/₄ of Sec. 27, Tp. 25 S,
(Give smallest legal subdivision) (N. or S.)
R. 13 W, W. M., in the county of Coos
(E. or W.)

5. The pipe line to be 200 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW¹/₄ NE¹/₄ of Sec. 27, Tp. 25 S,
(Smallest legal subdivision) (N. or S.)
R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 10 feet, length at bottom 2 feet; material to be used and character of construction earth with plank face
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
spillway over top of dam

(b) Description of headgate Suction pipe.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric automatic
(Size and type of pump)
pressure pump to operate sprinklers, water to be lifted 40 feet
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied None

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 200.00

12. Construction work will begin on or before June 1, 1950

13. Construction work will be completed on or before Jan. 1, 1951

14. The water will be completely applied to the proposed use on or before June 30, 1951.

(Sgd) Jack L. Bruer

(Signature of applicant)

(Sgd) L. M. Bruer

Remarks: Applicants have city water connections for domestic use but wish to file on the small stream fed by spring on their lands to provide irrigation for extensive greenhouse and outdoor flower and shrubbery plantings.

Property on which water is to be used is a part of that more explicitly described by applicants as follows:

L. M. Bruer: Lots 10, 11, 12, 13 and 14, Block 11, Bayview Addition.

Jack L. Bruer: Lots 1, 2, 3 and 4, Block 3, Milner Crest.

Also: Beginning at the northwest corner of Block 3 of Milner Crest, an Addition to Marshfield, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County; and running thence S. 0° 43' E. along the west boundary of the said Block 3 of Milner Crest for a distance of 100.0 feet to the Southwest corner of Lot 4 of the said Block 3; thence S. 89° 57½' W. along the south boundary of the said Lot 4 extended westerly for a distance of 50.0 feet; thence N. 14° 43' W. for a distance of 103.34 feet to a point on the south boundary of Hemlock Avenue extended west; thence N. 89° 57½' E. along the said south boundary of Hemlock Avenue extended for a distance of 75.0 feet to the point of beginning. Containing 0.144 acres, more or less, and being a portion of the N½ NW¼ SW¼ NE¼ of Section 27, Township 25 S., Range 13 W., W. M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24124

Permit No. 18992

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16th day of September,
1949, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of
Permits on page 18992

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 10 D

Fees Paid \$15.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1949

Actual construction work shall begin on or before March 15, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER