* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, T. R. MCCONNELL	
of Scappoose	(Name of applicant)
(Mailing address)	hereby make application for a permit to appropriate the
ollowing described public waters of the State of	Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date a	and place of incorporation
1. The source of the proposed appropriation	n is So. Scappoose Creek
a tr	ributary of Scappoose Creek
	at intends to apply to beneficial use is26
cubic feet per second. (120 gallons per minut	ce) se used from more than one source, give quantity from each)
• •	
5. The use to which the water is to be appl	ied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4 The point of diversion is located	_ftftftft
	(N. or S.) (E. or W.) (S. or W.) (S. or W.) (S. or W.)
	cappoose creek in the NWL of the SWL (Section or subdivision)
Sec 14 T 3 N R 2 W. Portable pumping	g along this section of the creek is
used for irrigation	•
(If preferable, give distan	nce and bearing to section corner)
1== :: = = :	of Sec. 14, Tp. 3 N (N. or S.)
R. 2 W, W. M., in the county ofColum	
5. The	to be
(Main ditch, canal or pipe line) n length terminating in the	
(Smallest legal sub	of Sec, Tp
R, W. M., the proposed location $oldsymbol{ iny (E. or W.)}$	being shown throughout on the accompanying map.
DESCRIP'	TION OF WORKS
Diversion Works—	•
6. (a) Height of dam fee	et, length on top feet, length at bottom
feet; material to be used and char	racter of construction(Loose rock, concrete, masonry
ock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
. , , , , , , , , , , , , , , , , , , ,	(Timber, concrete, etc., number and size of openings)
	description 120 g.p.m. Centrifugal pump
	resent a tractor is used. A lift of about 8 be used, total head water is to be lifted, etc.)
plus 30 pounds pressure	

^{*} A different form of application is provided where storage works are contemplated.

				feet; width on bottom
thousand feet.	feet; depth of u	ater	feet; grade	feet fall per one
		. miles from he	eadgate: width on top (at wate	er line)
	feet; width on	bottom	feet; depth of w	pater feet,
grade	feet fa	ll per one thous	sand feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
			f use in.; dif	
			s grade uniform?	
		jv. 10	grade uniformi.	Dovintated capacity
0 T 4:-		:		
•	1		ace of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
T 3 N	R 2 W	יונ	NWL4 of SWL4	30 acres
				· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·				· · · · · ·
West	one half of	the SW4 of S	ec lli T 3 N R 2 W W.M.	The state of the s
(a small tra	act in the SW	h of the NWL	of Sec 14 T 3 N R 2 W I	N.M. is also
The state of the			this place. It is a s	ere.
		_	se water use and is not	
		1 111g 1 01 1100	ibo naoci abo ala 15 110	1024004 00 22 28402011
of the farm.				
			·	
		(If more space r	required, attach separate sheet)	
(a) Charac	cter of soil	Chehalis sil	t loam & clay loam	
		• .	t loam & clay loam	
(b) Kind	of crops raised	• .	t loam & clay loam	
(b) Kind o	of crops raised Purposes—	Ladino cl	over pasture	
(b) Kind of Power or Mining 9. (a) Tot	of crops raised Purposes— tal amount of po	Ladino cl	over pasture	theoretical horsepower
(b) Kind of Power or Mining 9. (a) Tot (b) Qu	of crops raised Purposes— al amount of po	Ladino cl	over pasture elopeds	theoretical horsepower
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot	of crops raised Purposes— al amount of po- antity of water al fall to be uti	Ladino clower to be deve to be used for	over pasture clopedse powerse (Head)	theoretical horsepower
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot	of crops raised Purposes— al amount of po- antity of water al fall to be uti	Ladino clower to be deve to be used for	over pasture elopeds	theoretical horsepower
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The	of crops raised Purposes— tal amount of po- antity of water tal fall to be utile e nature of the	Ladino cl	over pasture cloped power	theoretical horsepower ec. ft. leveloped
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The	Purposes— tal amount of positive of water tal fall to be utile nature of the second control of the second cont	Ladino cl	over pasture cloped	theoretical horsepower ec. ft. leveloped
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The	Purposes— tal amount of positive of water tal fall to be utile nature of the second control of the second cont	Ladino cl	over pasture cloped	theoretical horsepower ec. ft. leveloped
(b) Kind (c) Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The (e) Suc	of crops raised Purposes— tal amount of positive of water tal fall to be utile nature of the second control of	Ladino cl	over pasture cloped	theoretical horsepower ec. ft. leveloped
(b) Kind of Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The (e) Suc Tp. (No. N. or S.) (f) Is u	Purposes— tal amount of positive of water tal fall to be utile nature of the second works to be the works to be to the second works to be to the second water to be returned.	Ladino clower to be development to be used for lized	cloped	theoretical horsepower ec. ft. leveloped of Sec.
(b) Kind (c) Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The (e) Suc Tp(No. N. or S.) (f) Is u (g) If s	Purposes— tal amount of positive of water tal fall to be utile nature of the common of	Ladino clower to be developed to be used for dized	cloped	theoretical horsepower ec. ft. leveloped of Sec.
(b) Kind (c) Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The (e) Suc (Tp	Purposes— tal amount of positive antity of water tal fall to be utive nature of the second works to be the works to be to the second works to be returned to be returned.	Ladino clower to be dever to be used for lized	clopedseloped	theoretical horsepower. ec. ft. leveloped
(b) Kind (c) Power or Mining 9. (a) Tot (b) Qu (c) Tot (d) The (e) Suc (Tp	Purposes— tal amount of positive antity of water tal fall to be utive nature of the second works to be the works to be to the second works to be returned to be returned.	Ladino clower to be dever to be used for lized	cloped	theoretical horsepower. ec. ft. leveloped

Municipal or Domestic Supply—
10. (a) To supply the city of
(Name of) County, having a present population of
and an estimated population ofin 19 in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$ 1000
12. Construction work will begin on or before June 15, 1949
13. Construction work will be completed on or beforeJuly 15, 1949
14. The water will be completely applied to the proposed use on or beforeJuly 15, 1949
(Sgd) T R McConnell (Signature of applicant)
······································
Remarks:
County of Marion, ss.
This is to certify that I have examined the foregoing application, together with the accompanyi
naps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corre
ions on or before, 19
WITNESS my hand thisday of, 19,
STATE ENGINE

Application	No. 24154
Permit No.	19004

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

*1 - 1 - 2m - m

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 23 day of Sept	
	1949, at 8:00 o'clock A. M.	
	Returned to applicant:	
•	Corrected application received:	
	Approved:	
	March 15, 1950	
	Recorded in book No. 46	
	Permits on page19004	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No3 Page 16	
	Fees Paid \$15.00	
	DEDIVID	
STATE OF OREGON,	PERMIT	
County of Marion, This is to certify th	ess. hat I have examined the foregoing application and do hereby grant th	e same,
	RIGHTS and the following limitations and conditions:	oial waa
•	anted is limited to the amount of water which can be applied to beneficed to be served. 267	
	-	
stream, or its equivalent is	in case of rotation with other water users, from South Scappoose C	areak
The use to which th	is water is to be applied is irrigation	
second or its equiva	s appropriation shall be limited to 1/80th of one cubic alent for each acre irrigated and shall be further limited	l to a
	o exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated dur	
	of each year, and shall be still further limited to a dive	
of not to exceed O.	.267 c.f.s.,	
	······································	

and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state offic	cer.
The priority date of	this permit is September 23, 1949	
Actual construction	work shall begin on or before March 15, 1951 and	nd shall
	with reasonable diligence and be completed on or before	
October 1, 1952		
• • • • •	on of the water to the proposed use shall be made on or before	
WITNESS my hand	this15th, 1950.	
	CHAS. E. STRICKLIN STATE EN	NGINEER
Donnite for names develope	ment are subject to the nament of energy feer as married in sections 1 and 2 chapter 74 Oregon	T. nure 1032

State Printing Dept. 28175