

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Tillamook Bay Lumber Company
(Name of applicant)
of Box 268 Tillamook, Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation
Tillamook, Oregon 1946 September

1. The source of the proposed appropriation is Pallin Creek
(Name of stream)
a tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is $\frac{1}{2}$
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is plant use (drinking-cooling saws)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 62.19 ft. N. and 815.26 ft. E. from the $\frac{1}{4}$
(N. or S.) (E. or W.)
corner of Sections 26 and 27 T. 1 S. R. 10 W.W.M. a 1 1/2" Iron Pipe recorded as the
(Section or subdivision)
 $\frac{1}{4}$ corner by the Tillamook County Surveyor's Office.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the NW 1/4 of Sec. 26, Tp. 1 S.
(Give smallest legal subdivision) (N. or S.)
R. 10 W., W. M., in the county of Tillamook
(E. or W.)

5. The 2" pipe line to be 1000'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 SW 1/4 of Sec. 26, Tp. 1 S.
(Smallest legal subdivision) (N. or S.)
R. 10 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" centrifugal
(Size and type of pump)
1 1/2 H.P.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000' ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, level ft. Is grade uniform? yes Estimated capacity, $\frac{1}{2}$ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S.	10 W.	26	SW $\frac{1}{4}$ NW $\frac{1}{4}$	
1 S.	10 W.	26	NW $\frac{1}{4}$ SW $\frac{1}{4}$	
1 S.	10 W.	26	NE $\frac{1}{4}$ SW $\frac{1}{4}$	
Beginning at a point that is North 12.57 ft. and East 771.48 ft. from the common $\frac{1}{4}$ corner of Sect. 26 and 27 T. 1 S. R. 10 W. W. M. thence N. 0° 56' W. 128.17 ft. to a pt.; thence S. 64° 16' E. 166.53 ft. to a pt.; thence S. 71° 29' E. 160.39 ft. to a pt.; thence S. 89° 04' W. 300.04 ft. to the place of beginning.				
Also Beginning at the same point N. 12.57 ft. and E. 771.48 ft. from the said $\frac{1}{4}$ corner thence N. 89° 04' E. 300.04 ft. to a pt.; thence S. 71° 29' E. 48.00 ft. to a pt.; thence S. 89° 21' W. 90.00 ft. to a point; thence S. 11° 06' E. 182.3 ft. to a pt.; thence S. 11° 18' E. 243.10 ft. to a pt.; thence S. 63° 02' W. 38.80 ft.; thence N. 13° 12' W. 213.5 ft.; thence N. 70° 44' W. 140.9 ft.; thence N. 32° 18' W. 227.8 ft. to the p.o.b.				
Also Beginning at a point that is North 0.96 ft. and East 1026.18 ft from the same $\frac{1}{4}$ corner as above descriptions thence N. 89° 21' E. 160.3 ft. to a pt.; thence S. 71° 34' E. 411.4 ft.; thence S. 19° 08' E. 241.0 ft.; thence S. 24° 39' W. 83.8 ft.;				

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Plant use

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000

12. Construction work will begin on or before finished

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before at present

Tillamook Bay Lumber Company

By (Sgd) H. E. Wade
(Signature of applicant)

President of Company

Remarks:

Mr. Stricklin;

~~This is one of the applications that I spoke to you about at Salem Friday September 30 You will notice that the map is done in pencil but it gives a satisfactory print. Please send two(2) prints to W.W.Hudson Box 346 Tillamook, Oregon for our files.~~

Thank you for the assistance,
(Sgd) W. W. Hudson
W. W. Hudson, Reg. No. 2747

(Continued from Item 8)
~~thence S. 23° 25' W. 100.0ft. thence S. 16° 03' 100.0 ft.; thence S. 1° 59' E. 100.0 ft.;
thence S. 23° 45' E. 100.0 ft.; thence S. 46° 13' W. 79.8 ft.; thence N. 52° 30' W. 272.9
ft.; thence N. 43° 03' W. 100.3 ft.; thence N. 30° 47' W. 194.3 ft.; thence N. 47° 38' W.
62.6 ft.; thence N. 11° 18' W. 243.1 ft.; thence N. 11° 06' W. 182.3 ft. to the p.o.b.~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24196

Permit No. 19024

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of October, 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 19024

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 18 A

Fees Paid \$20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Pallin Creek formerly known as Esther Creek

The use to which this water is to be applied is plant use (drinking and cooling saws)

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 7, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER