

CERTIFICATE NO. 20518

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, E. J. Stevens (Name of applicant)
of Box 311 (Mailing address) Sherwood,
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette (Name of stream)
a tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 1/4
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 450 ft. S (N. or S.) and 1070 ft. E. (E. or W.) from the Section
corner of Common to Sections 21, 22, 27, 28 Township 3 South Range 1, West of
Willamette Meridian (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the 40 acres NW 1/4 of NW 1/4 of Sec. 27, Tp. 3 S. (N. or S.)
R. 1 W. (E. or W.), W. M., in the county of Clackamas

5. The Pipe Line (Main ditch, canal or pipe line) to be 700' (Miles or feet)
in length, terminating in the 40 acres (Smallest legal subdivision) of Sec. 22 & 27, Tp. 3 S. (N. or S.)
R. 1 (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 - 5 Hp. Motor, Centrifugal (Size and type of pump)
pump, 120 gallons per minute (approximate) Sprinkler Pipe head distance 700'
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 5 3/4 acres NW 1/4 of NW 1/4 of Sec. 27, 3S, 1W.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S.	1 W.	22 27	E. 1/2 tract # 7	5 3/4
Beginning at a point which is 96.6 feet north and 807.4 feet east of the section corner common to sections 21, 22, 27 and 28, Township 3 south, range 1, west of the Willamette Meridian, thence south 32 degrees east tracing a line which is parallel with and 1333.0 feet distant from when measured at right angles to the most easterly line of that certain parcel of land which was conveyed to Jelel R. Willis and Alice E. Willis by deed recorded in Book 217 page 320, of the Clackamas County Record of Deeds, a distance of 625.0 feet to a point on the northerly bank of the Willamette River, thence south 50 degrees west, tracing said northerly bank of said river a distance of 100.98 feet to a point thence north 32 degrees west parallel with and 100.0 feet distant from, when measured at right angles to the easterly line of the parcel herein described a distance of 330.37 feet to an iron bolt thence south 63 degrees 44 minutes west a distance of 682.23 feet to an iron bolt in a fence line which is the westerly line of the said parcel which was conveyed to Jewel R. Willis and Alice E. Willis by deed recorded in said Book and page of said records, thence north 10 degrees west, tracing said westerly line a distance of 322.32 feet to a point in said fence line thence north 63 degrees 36-1/4 minutes east, a distance of 463.26 feet to a 2" x 2" stake thence north 61 degrees 47-3/4 minutes east a distance of 197.57 feet to the point of beginning containing 5.89 acres more or less.				

(If more space required, attach separate sheet)

(a) Character of soil Willamette Loam & Beaverdam

(b) Kind of crops raised Truck & Pasture Grasses & Legumes

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return |

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before July 1, 1950 *
- 13. Construction work will be completed on or before July 1, 1953
- 14. The water will be completely applied to the proposed use on or before July 1, 1953

(Sgd) E J Stevens
(Signature of applicant)

Remarks:

* Pump & some pipe laid first year remainder to be added as feasible.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections or additions

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 5, 19 49.

WITNESS my hand this 3rd day of November, 19 49.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 24213

Permit No. 19027

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of October, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 19027

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 64 C

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.072 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 18, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER