

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert Meier and/or Donald Meier

(Name of applicant)

of Route 2, Beaverton

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Brunson Creek

(Name of stream)

a tributary of Rock Creek and Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.3625

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the

(N. or S.)

(E. or W.)

corner of North 26° West 960 feet from the 1/4 corner between sections 30 and 31

(Section or subdivision)

T 1N, R 1 W, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 30, Tp. 1N

(Give smallest legal subdivision)

(N. or S.)

R. 1W, W. M., in the county of Washington

(E. or W.)

5. The Pipeline to be 720'

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SW 1/4 of SE 1/4 of Sec. 30, Tp. 1N

(Smallest legal subdivision)

(N. or S.)

R. 1W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gould 2-2-7 pump

(Size and type of pump)

7 1/2 HP electric motor, total head 125'

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 980 ft.; size at intake, 4 in.; size at 720 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? yes. Estimated capacity, 110 Gal per Min ~~per ft~~

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1N	1W	30	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	5.0
1N	1W	30	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	18.0
1N	1W	30	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	6.0
				29.0

(Sgd) Don Meyer

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Commencing at a point 20 feet west and 25.083 chains south of the northwest corner of the tract of land sold by Winslow Brownson and wife to William S. Adams on the 2nd day of July, 1875, and recorded in Book "L" Page 235 thereof on the 13th day of September, 1875, and running thence; south 11.447 chains; thence north 68° west 7.90 chains; thence south 78° 30' west 4.84 chains; thence north 9.457 chains; thence east 11.96 chains to the place of beginning, containing ten acres more or less the same being in Sec. 30, T 1 N, R1W, of the WILLAMETTE MERIDIAN, in WASHINGTON COUNTY, OREGON.

Beginning at a point in the half section line in section 30 in T 1 N, R1W W.M.; in said county and state 10.55 chains east of the quarter corner on the west side of said section 30; thence east 4.32 chains; thence south 34.28 chains to the center line of the
(If more space required, attach separate sheet) (continued under Remarks)

(a) Character of soil Willamette and Wapato

(b) Kind of crops raised Pasture and general farm crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1600
- 12. Construction work will begin on or before May 1, 1950
- 13. Construction work will be completed on or before May 1, 1951
- 14. The water will be completely applied to the proposed use on or before September, 1952

(Sgd) Albert Meier
(Signature of applicant)

(Sgd) Donald Meier

Remarks:

county road; thence south 78° W. 4.41 chains; thence north 35.14 chains to the place of beginning, containing 15 acres more or less.

Also the following described real property to-wit; Beginning at a point 4.32 chains east of the northeast corner of Rasmussen's land which corner is 10.55 chains east of the quarter section corner on the west line of section 30. T 1 N, R1W W.M.; and running thence east tracing the half section line 20.25 chains; thence southerly along fence 32.77 chains to center line of road; thence along the center line of road south 86° 10' west 15.47 chains; thence south 78° W. 4.50 chains; thence north 34.28 chains to the place of beginning containing 67 acres more or less. Also the following real property to-wit: Beginning at the northeast corner of a tract of land which formerly belonged to the estate of Elizabeth Hanley deceased, said beginning point being obtained by running north 74° 30' west 36.37 chains from the northeast corner of Edward H. Lenox D.L.C. in T 1 N, R1W W.M.; and running thence south 5.47 chains to said beginning point; thence running south following the east line of said Hanley tract 7.70 chains; thence north 74° 30' west 30 links thence north 2.25 chains; thence north 74° 30' west 28.33 chains to the west line of said Hanley tract; thence north following said west line 5.45 chains to the northwest corner of said Hanley tract; thence south 74° 30' east 28.63 chains to the place of beginning, containing 15.10 acres more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for changes

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 23, 19 49.

WITNESS my hand this 22nd day of November, 19 49

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant dh

Application No. 24264

Permit No. 19044

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of November, 1949, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 19044

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 R

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.363 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bronson Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 8, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER