

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, E. "Mike" Dering (Name of applicant) of Scappoose, Oregon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scappoose Creek, North Fork (Name of stream), a tributary of Scappoose Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.5 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2950 ft. S (N. or S.) and - ft. - (E. or W.) from the S corner of Sections 35 & 36 T4N R2W and Sections 1&2 T3N R2W (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 (Give smallest legal subdivision) of Sec. 1, Tp. 3N (N. or S.)

R. 2W (E. or W.), W. M., in the county of Columbia

5. The Main pipe line (Main ditch, canal or pipe line) to be 2250 feet (Miles or feet) in length, terminating in the NW 1/4 (Smallest legal subdivision) of Sec. 1, Tp. 3N (N. or S.)

R. 2W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 620 gal. min. (Size and type of pump) centrifugal pump (Size and type of engine or motor to be used, total head water is to be lifted, etc.) 217 ft. head 50 H.P. Estimated

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2250 ft.; size at intake, 4 in.; size at ..... ft. from intake ..... in.; size at place of use 4 in.; difference in elevation between intake and place of use, 172 ft. Is grade uniform? No Estimated capacity, 1.45 sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3N	2W	2	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	17
3N	2W	1	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	38
3N	2W	1	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	16
3N	2W	1	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	29
3N	2W	1	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	15
3N	2W	1	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	1
			Total	116

(If more space required, attach separate sheet)

(a) Character of soil silty, sandy, clay, loam

(b) Kind of crops raised Grains, roses, hay & Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Number 1

A part of the Timothy Lamberson Donation Land Claim in Section 1, Township 3 North, Range 2 West of the Willamette Meridian, Columbia County, Oregon, described as follows:

Beginning at a point on the north line of the west half of the Timothy Lamberson Donation Land Claim in Section 1, Township 3 North, Range 2 West of the Willamette Meridian, Columbia County, Oregon, at the southwest corner of the Malcolm McKay Donation Land Claim; thence South  $69^{\circ}10'$  East on claimline a distance of 174.56 feet to a re-entrant corner of the second parcel described in deed from Ellsworth S. Young et ux to State of Oregon recorded November 1, 1939, in Book 65, page 66 of Deed Records; thence South  $44^{\circ}20'$  West a distance of 128.5 feet; thence North  $69^{\circ}14'$  West a distance of 352.0 feet; thence South  $20^{\circ}46'$  West a distance of 146.0 feet to the center of Scappoose Creek; thence following said center of Scappoose Creek as follows: South  $47^{\circ}40'$  West a distance of 551.20 feet; thence South  $87^{\circ}02'$  West a distance of 291.52 feet; thence North  $5^{\circ}49'$  West a distance of 130.0 feet; thence South  $84^{\circ}49'$  West a distance of 360.45 feet to the southwest corner of the tract described in deed from Jasper E. Young to Ellsworth S. Young recorded April 24, 1929, in Book 47, page 538 of Deed Records; thence leaving the center of said Scappoose Creek north a distance of 540.8 feet to the center line of a 40 foot county Road; thence along the center of said County Road as follows:

North  $57^{\circ}04'$

East a distance of 128.93 feet, and thence North  $39^{\circ}52'$  East a distance of 285.6 feet to the northerly line of said Timothy Lamberson Donation Land Claim; thence along the northerly line of said Timothy Lamberson Donation Land Claim South  $70^{\circ}51'$  East a distance of 1150.0 feet to the point of beginning.

Number 2

Parcel 1: A tract of land located in Section 1, Township 3 North of Range 2 West of the Willamette Meridian, Columbia County, Oregon, described as follows:

Beginning at a point on the West line of Section 1, Township 3 North of Range 2 West of the Willamette Meridian, that is 461.8 feet South of the Northwest corner of said Section 1; thence South on said West line 950 feet to a point; thence South  $74^{\circ}01'$  East 2057.9 feet to a point on the West line of the Malcolm McKay Donation Land Claim No. 43; thence North on said West line to a point which is 420 feet South of the Northwest corner of said claim; thence South  $89^{\circ}28'50''$  West 2039.47 feet to the point of beginning.

Parcel 2: A strip of land 30 feet in width in said Section 1, Township 3 North of Range 2 West of the Willamette Meridian, Columbia County, Oregon, described as follows:

Beginning at the Northwest corner of the Malcolm McKay Donation Land Claim No. 43 and thence running West on the North line of said Section 1, —30 feet to a point; thence South and parallel with the West line of said McKay Donation Land Claim 420 feet, more or less to a point on the North line of the tract first herein described; thence East on said North line 30 feet to the Northeast corner of said first above described tract; thence North on the West line of the McKay D.L.C. to the point of beginning,

All subject to: roads and highways; right of way to the United States of America which is for the Bonneville transmission line; and right of seller to use and maintain without interruption the present pipe line across a portion of said described premises, now supplying water to other premises of this seller.

Number 3

All that part of the Northeast Quarter of the Northeast Quarter of Section 2, Township 3 North of Range 2 West of the Willamette Meridian, Columbia County, Oregon, and more particularly described as follows,—

Beginning at the Northeast corner of said Northeast Quarter of the Northeast Quarter of section 2, Township 3 North of Range 2 West of the Willamette Meridian, Columbia County Oregon; thence running Westerly along the North boundary line of said subdivision to a point that is 300 feet East of the Northwest corner thereof; thence South and parallel with the Westerly boundary line of said subdivision to a point on the South boundary line thereof that is 300 feet East of the Southwest corner of said subdivision; thence East on said South boundary line to the Southwest corner of said subdivision; thence North on the East boundary line thereof to the place of beginning, EXCEPT such portions thereof as may lie within the boundaries of the County Road.

Number 4

A parcel of land lying in the Timothy Lamberson Donation Land Claim of Sections 1 and 2, township 3 North, Range 2 West, Willamette Meridian, Columbia County, Oregon and being a portion of the following described property:

Beginning at the northwest corner of the Timothy Lamberson Donation Land Claim in Section 2, Township 3 North, Range 2 West, W. M. Columbia County, Oregon; thence S.  $20^{\circ}01'$  W. along the west line of said Timothy Lamberson Donation Land Claim a distance of 674.10 feet to the center of Scappoose Creek; thence along the center of said Scappoose Creek as follows:

S. 27°25' E. a distance of 148.36 feet; thence N. 46°11' E. a distance of 222.10 feet; thence S. 59°16' E. a distance of 364.70 feet; thence N. 75°18' E. a distance of 135.60 feet; thence S. 33°25' E. a distance of 344.00 feet; thence S. 9°35' W. a distance of 232.90 feet; thence S. 81°21' E. a distance of 131.20 feet; thence N. 84°27' E. a distance of 184.35 feet; thence S. 84°13' E. a distance of 241.12 feet; thence leaving said Scappoose Creek and running North a distance of 510.65 feet to the center of a County Road; thence along the center of said county road N. 57°04' E. a distance of 128.93 feet; thence along the center of said county road N. 39°52' E. a distance of 285.60 feet to the North line of said Timothy Lamberson Donation Land Claim; thence N. 70°36' W. along said North line of said D.L.C. a distance of 1524.20 feet to the point of beginning.

Number 5

All that portion of the following described property in Government lots 2 and 3 in the NW  $\frac{1}{4}$  of Section 1, Twp. 3N, R 2W Wm. Columbia County, Oregon lying north of the Gilmore County Road Number P-121.

Beginning at the N. W. corner of Government lot 2 of said section 1; said point being marked by an iron pipe; thence S 0° 27' W along the west line of said Section 1 a distance of 795.4 feet to an iron pipe on the North line of the Timothy Lamberson D.L.C. #42; thence S 69° 56' 30" E along the north line of said D.L.C. # 42 a distance of 1850.3 feet to an iron pipe; thence N. 0° 31' E parallel with the west line of the Malcolm McKay D.L.C. #43 a distance of 856.8 feet to an iron pipe; thence S 87° 44' E a distance of 240.0 feet to an iron pipe on the west line of said Malcolm McKay D.L.C. #43; thence N. 0° 31' E along the west line of said D.L.C. #43 a distance of 15.0 feet to an iron pipe; thence N 74° 01' W a distance of 2060.9 feet to the point of beginning.

Also a tract of land described as: Beginning at the Northwest corner of said first described tract and running thence North on Section line 30 feet to a point; thence East at right angle 30 feet to a point; thence South and parallel with the Section line to a point on the North line of said first described tract; thence on said North line to place of beginning.

Number 6 (Option to buy)

A tract of land in Section 1, Township 4 North of Range 2 West of the Willamette Meridian, Columbia County, Oregon, as follows:

Beginning at the Northwest corner of said Section 1; thence South on the West line of said Section 461.8 feet to a point; thence North 89°28'50" East 993.7 feet; thence North to a point on the North line of said Section 1 that is 993.7 feet East of the place of beginning; thence West on said section line 993.7 feet to the point of beginning,

Subject to :

roads and highways; United States of America's right of way for Bonneville transmission lines, and right of first party to use and maintain without interruption the present pipe line across a portion of said premises supplying water to other premises of said first party.

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 7,000.00

12. Construction work will begin on or before June 1, 1950

13. Construction work will be completed on or before November 7, 1951

14. The water will be completely applied to the proposed use on or before November 7, 1952

(Sgd) E. Mike Dering

(Signature of applicant)

Remarks: A combination sprinkler and surface irrigation system is to be used. Estimated number of sprinklers is 60. Sprinkler size is 6.09 gallons per minute. The final number of sprinklers that will be used will depend upon the cost of preparing about 60 acres for surface irrigation. Approximately 20 acres of the total 116 to be irrigated has to be cleared of brush and prepared for irrigation.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 7, 1949

WITNESS my hand this 5th day of October, 1949

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant

rn

Application No. 21158

Permit No. 19080

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of September, 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of

Permits on page 19080

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 3 Page 16

Fees Paid \$26.30

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.45 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Scappoose Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 15, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER